```
No.     Time        Source                Destination           Protocol Info
    269 6.960660    128.179.67.35         212.249.15.4          SIP/SDP  Request: INVITE s
ip:+41216939262@212.249.15.4:5060, with session description

Frame 269 (1016 bytes on wire, 1016 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip-tls (5061), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41216939262@212.249.15.4:5060 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport
    Max-Forwards: 70
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
    Content-Length: 379
    Content-Type: application/sdp
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35
      Session Name (s): SIP Call
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9
      Connection Information (c): IN IP4 128.179.67.35
      Media Attribute (a): sendrecv
      Media Attribute (a): rtpmap:0 PCMU/8000
      Media Attribute (a): rtpmap:8 PCMA/8000
      Media Attribute (a): rtpmap:4 G723/8000
      Media Attribute (a): rtpmap:18 G729/8000
      Media Attribute (a): rtpmap:2 G726-32/8000
      Media Attribute (a): rtpmap:97 iLBC/8000
      Media Attribute (a): fmtp:97 mode=20
      Media Attribute (a): rtpmap:9 G722/16000
      Media Attribute (a): abcde:20
      Media Attribute (a): direction:active
      Media Attribute (a): oldmediaip:192.168.1.12
```

```
No.     Time        Source                Destination           Protocol Info
    270 6.960791    212.249.15.4          128.179.67.35         SIP      Status: 100 Givin
g a try

Frame 270 (623 bytes on wire, 623 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
    Warning: 392 212.249.15.4:5060 "Noisy feedback tells:  pid=18277 req_src_ip=128.179.67.35
    req_src_port=5061 in_uri=sip:+41216939262@212.249.15.4:5060 out_uri=sip:+41216939262@62.18
    9.34.7:5060 via_cnt==1"
```

```
No.     Time        Source                Destination           Protocol Info
    271 6.960900    195.129.125.74        62.189.34.7           SIP/SDP  Request: INVITE s
ip:+41216939262@62.189.34.7:5060, with session description

Frame 271 (1327 bytes on wire, 1327 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0
  Message Header
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
    Content-Length: 379
    Content-Type: application/sdp
    Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35
      Session Name (s): SIP Call
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9
      Connection Information (c): IN IP4 128.179.67.35
      Media Attribute (a): sendrecv
      Media Attribute (a): rtpmap:0 PCMU/8000
      Media Attribute (a): rtpmap:8 PCMA/8000
      Media Attribute (a): rtpmap:4 G723/8000
      Media Attribute (a): rtpmap:18 G729/8000
      Media Attribute (a): rtpmap:2 G726-32/8000
      Media Attribute (a): rtpmap:97 iLBC/8000
      Media Attribute (a): fmtp:97 mode=20
      Media Attribute (a): rtpmap:9 G722/16000
      Media Attribute (a): abcde:20
      Media Attribute (a): direction:active
      Media Attribute (a): oldmediaip:192.168.1.12
```

```
No.     Time        Source                Destination           Protocol Info
    272 7.005138    62.189.34.7           195.129.125.74        SIP      Status: 100 tryin
g fast

Frame 272 (694 bytes on wire, 694 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 trying fast
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))
    Content-Length: 0
    Warning: 392 62.189.34.7:5060 "Noisy feedback tells:  pid=29729 req_src_ip=195.129.125.74
    req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+41216939262@62.189
    .34.7:5060 via_cnt==2"
```

```
No.     Time        Source                Destination           Protocol Info
    273 7.005261    212.249.15.4          128.179.67.35         SIP      Status: 100 tryin
g fast

Frame 273 (631 bytes on wire, 631 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 trying fast
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))
    Content-Length: 0
    Warning: 392 62.189.34.7:5060 "Noisy feedback tells:  pid=29729 req_src_ip=195.129.125.74
    req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+41216939262@62.189
    .34.7:5060 via_cnt==2"
```

```
No.     Time        Source                Destination           Protocol Info
    274 7.076924    62.189.34.7           195.129.125.74        SIP      Status: 100 tryin
g -- your call is important to us

Frame 274 (728 bytes on wire, 728 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 trying -- your call is important to us
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))
    Content-Length: 0
    Warning: 392 62.189.34.7:5060 "Noisy feedback tells:  pid=29729 req_src_ip=195.129.125.74
    req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+010101465741216939
    262@146.188.127.2 via_cnt==2"
```

```
No.     Time        Source                Destination           Protocol Info
    275 7.077013    212.249.15.4          128.179.67.35         SIP      Status: 100 tryin
g -- your call is important to us

Frame 275 (665 bytes on wire, 665 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 trying -- your call is important to us
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))
    Content-Length: 0
    Warning: 392 62.189.34.7:5060 "Noisy feedback tells:  pid=29729 req_src_ip=195.129.125.74
    req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+010101465741216939
    262@146.188.127.2 via_cnt==2"
```

```
No.     Time        Source                Destination           Protocol Info
    291 7.400214    195.129.125.74        62.189.34.7           SIP/SDP  Request: INVITE s
ip:+41216939262@62.189.34.7:5060, with session description

Frame 291 (1327 bytes on wire, 1327 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0
  Message Header
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
    Content-Length: 379
    Content-Type: application/sdp
    Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35
      Session Name (s): SIP Call
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9
      Connection Information (c): IN IP4 128.179.67.35
      Media Attribute (a): sendrecv
      Media Attribute (a): rtpmap:0 PCMU/8000
      Media Attribute (a): rtpmap:8 PCMA/8000
      Media Attribute (a): rtpmap:4 G723/8000
      Media Attribute (a): rtpmap:18 G729/8000
      Media Attribute (a): rtpmap:2 G726-32/8000
      Media Attribute (a): rtpmap:97 iLBC/8000
      Media Attribute (a): fmtp:97 mode=20
      Media Attribute (a): rtpmap:9 G722/16000
      Media Attribute (a): abcde:20
      Media Attribute (a): direction:active
      Media Attribute (a): oldmediaip:192.168.1.12
```

```
No.     Time        Source                Destination           Protocol Info
    303 7.444879    62.189.34.7           195.129.125.74        SIP      Status: 100 tryin
g -- your call is important to us

Frame 303 (728 bytes on wire, 728 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 trying -- your call is important to us
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))
    Content-Length: 0
    Warning: 392 62.189.34.7:5060 "Noisy feedback tells:  pid=29729 req_src_ip=195.129.125.74
    req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+010101465741216939
    262@146.188.127.2 via_cnt==2"
```

```
No.     Time        Source                Destination           Protocol Info
    304 7.444982    212.249.15.4          128.179.67.35         SIP      Status: 100 tryin
g -- your call is important to us

Frame 304 (665 bytes on wire, 665 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 trying -- your call is important to us
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))
    Content-Length: 0
    Warning: 392 62.189.34.7:5060 "Noisy feedback tells:  pid=29729 req_src_ip=195.129.125.74
    req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+010101465741216939
    262@146.188.127.2 via_cnt==2"
```

```
No.     Time        Source                Destination           Protocol Info
    321 8.357163    62.189.34.7           195.129.125.74        SIP/SDP  Status: 183 Sessi
on Progress, with session description

Frame 321 (1185 bytes on wire, 1185 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 183 Session Progress
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.
    74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5
    fe318d698b2463390f87d4d4f6161de>
    Content-Disposition: session;handling=required
    Content-Type: application/sdp
    Content-Length: 182
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    322 8.357439    212.249.15.4          128.179.67.35         SIP/SDP  Status: 183 Sessi
on Progress, with session description

Frame 322 (1158 bytes on wire, 1158 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 183 Session Progress
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Content-Disposition: session;handling=required
    Content-Type: application/sdp
    Content-Length: 182
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    326 8.401156    195.129.125.74        62.189.34.7           SIP/SDP  Request: INVITE s
ip:+41216939262@62.189.34.7:5060, with session description

Frame 326 (1327 bytes on wire, 1327 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0
  Message Header
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
    Content-Length: 379
    Content-Type: application/sdp
    Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35
      Session Name (s): SIP Call
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9
      Connection Information (c): IN IP4 128.179.67.35
      Media Attribute (a): sendrecv
      Media Attribute (a): rtpmap:0 PCMU/8000
      Media Attribute (a): rtpmap:8 PCMA/8000
      Media Attribute (a): rtpmap:4 G723/8000
      Media Attribute (a): rtpmap:18 G729/8000
      Media Attribute (a): rtpmap:2 G726-32/8000
      Media Attribute (a): rtpmap:97 iLBC/8000
      Media Attribute (a): fmtp:97 mode=20
      Media Attribute (a): rtpmap:9 G722/16000
      Media Attribute (a): abcde:20
      Media Attribute (a): direction:active
      Media Attribute (a): oldmediaip:192.168.1.12
```

```
No.     Time        Source                Destination           Protocol Info
    335 8.448554    62.189.34.7           195.129.125.74        SIP/SDP  Status: 183 Sessi
on Progress, with session description

Frame 335 (1185 bytes on wire, 1185 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 183 Session Progress
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.
    74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5
    fe318d698b2463390f87d4d4f6161de>
    Content-Disposition: session;handling=required
    Content-Type: application/sdp
    Content-Length: 182
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    336 8.448770    212.249.15.4          128.179.67.35         SIP/SDP  Status: 183 Sessi
on Progress, with session description

Frame 336 (1158 bytes on wire, 1158 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 183 Session Progress
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Content-Disposition: session;handling=required
    Content-Type: application/sdp
    Content-Length: 182
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    414 10.402191   195.129.125.74        62.189.34.7           SIP/SDP  Request: INVITE s
ip:+41216939262@62.189.34.7:5060, with session description

Frame 414 (1327 bytes on wire, 1327 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0
  Message Header
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
    Content-Length: 379
    Content-Type: application/sdp
    Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35
      Session Name (s): SIP Call
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9
      Connection Information (c): IN IP4 128.179.67.35
      Media Attribute (a): sendrecv
      Media Attribute (a): rtpmap:0 PCMU/8000
      Media Attribute (a): rtpmap:8 PCMA/8000
      Media Attribute (a): rtpmap:4 G723/8000
      Media Attribute (a): rtpmap:18 G729/8000
      Media Attribute (a): rtpmap:2 G726-32/8000
      Media Attribute (a): rtpmap:97 iLBC/8000
      Media Attribute (a): fmtp:97 mode=20
      Media Attribute (a): rtpmap:9 G722/16000
      Media Attribute (a): abcde:20
      Media Attribute (a): direction:active
      Media Attribute (a): oldmediaip:192.168.1.12
```

```
No.     Time        Source                Destination           Protocol Info
    427 10.449927   62.189.34.7           195.129.125.74        SIP/SDP  Status: 183 Sessi
on Progress, with session description

Frame 427 (1185 bytes on wire, 1185 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 183 Session Progress
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.
    74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5
    fe318d698b2463390f87d4d4f6161de>
    Content-Disposition: session;handling=required
    Content-Type: application/sdp
    Content-Length: 182
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    428 10.450061   212.249.15.4          128.179.67.35         SIP/SDP  Status: 183 Sessi
on Progress, with session description

Frame 428 (1158 bytes on wire, 1158 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 183 Session Progress
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Content-Disposition: session;handling=required
    Content-Type: application/sdp
    Content-Length: 182
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    525 14.405010   195.129.125.74        62.189.34.7           SIP/SDP  Request: INVITE s
ip:+41216939262@62.189.34.7:5060, with session description

Frame 525 (1327 bytes on wire, 1327 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0
  Message Header
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
    Content-Length: 379
    Content-Type: application/sdp
    Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35
      Session Name (s): SIP Call
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9
      Connection Information (c): IN IP4 128.179.67.35
      Media Attribute (a): sendrecv
      Media Attribute (a): rtpmap:0 PCMU/8000
      Media Attribute (a): rtpmap:8 PCMA/8000
      Media Attribute (a): rtpmap:4 G723/8000
      Media Attribute (a): rtpmap:18 G729/8000
      Media Attribute (a): rtpmap:2 G726-32/8000
      Media Attribute (a): rtpmap:97 iLBC/8000
      Media Attribute (a): fmtp:97 mode=20
      Media Attribute (a): rtpmap:9 G722/16000
      Media Attribute (a): abcde:20
      Media Attribute (a): direction:active
      Media Attribute (a): oldmediaip:192.168.1.12
```

```
No.     Time        Source                Destination           Protocol Info
    535 14.456184   62.189.34.7           195.129.125.74        SIP/SDP  Status: 183 Sessi
on Progress, with session description

Frame 535 (1185 bytes on wire, 1185 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 183 Session Progress
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.
    74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5
    fe318d698b2463390f87d4d4f6161de>
    Content-Disposition: session;handling=required
    Content-Type: application/sdp
    Content-Length: 182
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    536 14.456327   212.249.15.4          128.179.67.35         SIP/SDP  Status: 183 Sessi
on Progress, with session description

Frame 536 (1158 bytes on wire, 1158 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 183 Session Progress
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Content-Disposition: session;handling=required
    Content-Type: application/sdp
    Content-Length: 182
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    577 15.914819   62.189.34.7           195.129.125.74        SIP/SDP  Status: 200 OK, w
ith session description

Frame 577 (1144 bytes on wire, 1144 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Supported: replaces
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.
    74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5
    fe318d698b2463390f87d4d4f6161de>
    Content-Type: application/sdp
    Content-Length: 182
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    578 15.914984   212.249.15.4          128.179.67.35         SIP/SDP  Status: 200 OK, w
ith session description

Frame 578 (1117 bytes on wire, 1117 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Supported: replaces
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Content-Type: application/sdp
    Content-Length: 182
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    579 15.934043   128.179.67.35         212.249.15.4          SIP      Request: ACK sip:
212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de

Frame 579 (660 bytes on wire, 660 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip-tls (5061), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de SIP/2
  .0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;rport;branch=z9hG4bK9f648b0cee45eac89d800636eab30591
    Max-Forwards: 70
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 ACK
    Expires: 300
    User-Agent: Sippy
    Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Route: <sip:+41216939262@146.188.127.2:5060>
```

```
No.     Time        Source                Destination           Protocol Info
    580 15.934126   195.129.125.74        62.189.34.7           SIP      Request: ACK sip:
+41216939262@146.188.127.2:5060

Frame 580 (589 bytes on wire, 589 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41216939262@146.188.127.2:5060 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK9f648b0cee45eac89d800636eab30591
    Via: SIP/2.0/UDP 128.179.67.35:5061;rport=5061;branch=z9hG4bK9f648b0cee45eac89d800636eab30
    591
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 ACK
    Expires: 300
    User-Agent: Sippy
    Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
```

```
No.     Time        Source                Destination           Protocol Info
    669 18.405444   195.129.125.74        62.189.34.7           SIP/SDP  Request: INVITE s
ip:+41216939262@62.189.34.7:5060, with session description

Frame 669 (1327 bytes on wire, 1327 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0
  Message Header
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
    Content-Length: 379
    Content-Type: application/sdp
    Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35
      Session Name (s): SIP Call
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9
      Connection Information (c): IN IP4 128.179.67.35
      Media Attribute (a): sendrecv
      Media Attribute (a): rtpmap:0 PCMU/8000
      Media Attribute (a): rtpmap:8 PCMA/8000
      Media Attribute (a): rtpmap:4 G723/8000
      Media Attribute (a): rtpmap:18 G729/8000
      Media Attribute (a): rtpmap:2 G726-32/8000
      Media Attribute (a): rtpmap:97 iLBC/8000
      Media Attribute (a): fmtp:97 mode=20
      Media Attribute (a): rtpmap:9 G722/16000
      Media Attribute (a): abcde:20
      Media Attribute (a): direction:active
      Media Attribute (a): oldmediaip:192.168.1.12
```

```
No.     Time        Source                Destination           Protocol Info
    670 18.452726   62.189.34.7           195.129.125.74        SIP/SDP  Status: 200 OK, w
ith session description

Frame 670 (1144 bytes on wire, 1144 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Supported: replaces
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.
    74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5
    fe318d698b2463390f87d4d4f6161de>
    Content-Type: application/sdp
    Content-Length: 182
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    671 18.452858   212.249.15.4          128.179.67.35         SIP/SDP  Status: 200 OK, w
ith session description

Frame 671 (1117 bytes on wire, 1117 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Supported: replaces
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Content-Type: application/sdp
    Content-Length: 182
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    675 18.467735   128.179.67.35         212.249.15.4          SIP      Request: ACK sip:
212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de

Frame 675 (660 bytes on wire, 660 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip-tls (5061), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de SIP/2
  .0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;rport;branch=z9hG4bK9f648b0cee45eac89d800636eab30591
    Max-Forwards: 70
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 ACK
    Expires: 300
    User-Agent: Sippy
    Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Route: <sip:+41216939262@146.188.127.2:5060>
```

```
No.     Time        Source                Destination           Protocol Info
    676 18.467830   195.129.125.74        62.189.34.7           SIP      Request: ACK sip:
+41216939262@146.188.127.2:5060

Frame 676 (589 bytes on wire, 589 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41216939262@146.188.127.2:5060 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK9f648b0cee45eac89d800636eab30591
    Via: SIP/2.0/UDP 128.179.67.35:5061;rport=5061;branch=z9hG4bK9f648b0cee45eac89d800636eab30
    591
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 ACK
    Expires: 300
    User-Agent: Sippy
    Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
```

```
No.     Time        Source                Destination           Protocol Info
    798 22.404424   195.129.125.74        62.189.34.7           SIP/SDP  Request: INVITE s
ip:+41216939262@62.189.34.7:5060, with session description

Frame 798 (1327 bytes on wire, 1327 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0
  Message Header
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
    Content-Length: 379
    Content-Type: application/sdp
    Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35
      Session Name (s): SIP Call
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9
      Connection Information (c): IN IP4 128.179.67.35
      Media Attribute (a): sendrecv
      Media Attribute (a): rtpmap:0 PCMU/8000
      Media Attribute (a): rtpmap:8 PCMA/8000
      Media Attribute (a): rtpmap:4 G723/8000
      Media Attribute (a): rtpmap:18 G729/8000
      Media Attribute (a): rtpmap:2 G726-32/8000
      Media Attribute (a): rtpmap:97 iLBC/8000
      Media Attribute (a): fmtp:97 mode=20
      Media Attribute (a): rtpmap:9 G722/16000
      Media Attribute (a): abcde:20
      Media Attribute (a): direction:active
      Media Attribute (a): oldmediaip:192.168.1.12
```

```
No.     Time        Source                Destination           Protocol Info
    799 22.451703   62.189.34.7           195.129.125.74        SIP/SDP  Status: 200 OK, w
ith session description

Frame 799 (1144 bytes on wire, 1144 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Supported: replaces
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.
    74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5
    fe318d698b2463390f87d4d4f6161de>
    Content-Type: application/sdp
    Content-Length: 182
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    800 22.451833   212.249.15.4          128.179.67.35         SIP/SDP  Status: 200 OK, w
ith session description

Frame 800 (1117 bytes on wire, 1117 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Supported: replaces
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Content-Type: application/sdp
    Content-Length: 182
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    894 26.407385   195.129.125.74        62.189.34.7           SIP/SDP  Request: INVITE s
ip:+41216939262@62.189.34.7:5060, with session description

Frame 894 (1327 bytes on wire, 1327 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0
  Message Header
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 INVITE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
    Content-Length: 379
    Content-Type: application/sdp
    Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35
      Session Name (s): SIP Call
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9
      Connection Information (c): IN IP4 128.179.67.35
      Media Attribute (a): sendrecv
      Media Attribute (a): rtpmap:0 PCMU/8000
      Media Attribute (a): rtpmap:8 PCMA/8000
      Media Attribute (a): rtpmap:4 G723/8000
      Media Attribute (a): rtpmap:18 G729/8000
      Media Attribute (a): rtpmap:2 G726-32/8000
      Media Attribute (a): rtpmap:97 iLBC/8000
      Media Attribute (a): fmtp:97 mode=20
      Media Attribute (a): rtpmap:9 G722/16000
      Media Attribute (a): abcde:20
      Media Attribute (a): direction:active
      Media Attribute (a): oldmediaip:192.168.1.12
```

```
No.     Time        Source                Destination           Protocol Info
    895 26.454464   62.189.34.7           195.129.125.74        SIP/SDP  Status: 200 OK, w
ith session description

Frame 895 (1144 bytes on wire, 1144 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Supported: replaces
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.
    74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5
    fe318d698b2463390f87d4d4f6161de>
    Content-Type: application/sdp
    Content-Length: 182
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    896 26.454743   212.249.15.4          128.179.67.35         SIP/SDP  Status: 200 OK, w
ith session description

Frame 896 (1117 bytes on wire, 1117 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:22 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    CSeq: 200 INVITE
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    Supported: replaces
    Allow-Events: telephone-event
    Contact: <sip:+41216939262@146.188.127.2:5060>
    Content-Type: application/sdp
    Content-Length: 182
    Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
  Message body
    Session Description Protocol
      Session Description Protocol Version (v): 0
      Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2
      Session Name (s): SIP Call
      Connection Information (c): IN IP4 146.188.127.2
      Time Description, active time (t): 0 0
      Media Description, name and address (m): audio 16558 RTP/AVP 0
      Connection Information (c): IN IP4 146.188.127.2
      Media Attribute (a): rtpmap:0 PCMU/8000
```

```
No.     Time        Source                Destination           Protocol Info
    897 26.469251   128.179.67.35         212.249.15.4          SIP      Request: ACK sip:
212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de

Frame 897 (660 bytes on wire, 660 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip-tls (5061), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de SIP/2
  .0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;rport;branch=z9hG4bK9f648b0cee45eac89d800636eab30591
    Max-Forwards: 70
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 ACK
    Expires: 300
    User-Agent: Sippy
    Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Route: <sip:+41216939262@146.188.127.2:5060>
```

```
No.     Time        Source                Destination           Protocol Info
    898 26.469348   195.129.125.74        62.189.34.7           SIP      Request: ACK sip:
+41216939262@146.188.127.2:5060

Frame 898 (572 bytes on wire, 572 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41216939262@146.188.127.2:5060 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.2
    Via: SIP/2.0/UDP 128.179.67.35:5061;rport=5061;branch=z9hG4bK9f648b0cee45eac89d800636eab30
    591
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 200 ACK
    Expires: 300
    User-Agent: Sippy
    Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
```

```
No.     Time        Source                Destination           Protocol Info
   1614 43.159358   128.179.67.35         212.249.15.4          SIP      Request: BYE sip:
212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de

Frame 1614 (819 bytes on wire, 819 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip-tls (5061), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de SIP/2
  .0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport
    Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>
    Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Route: <sip:+41216939262@146.188.127.2:5060>
    Max-Forwards: 70
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 201 BYE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
```

```
No.     Time        Source                Destination           Protocol Info
   1615 43.159481   195.129.125.74        62.189.34.7           SIP      Request: BYE sip:
+41216939262@146.188.127.2:5060

Frame 1615 (731 bytes on wire, 731 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41216939262@146.188.127.2:5060 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5
    061
    Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 201 BYE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
```

```
No.     Time        Source                Destination           Protocol Info
   1616 43.266530   62.189.34.7           195.129.125.74        SIP      Status: 200 OK

Frame 1616 (506 bytes on wire, 506 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:58 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    Content-Length: 0
    CSeq: 201 BYE
```

```
No.     Time        Source                Destination           Protocol Info
   1617 43.266625   212.249.15.4          128.179.67.35         SIP      Status: 200 OK

Frame 1617 (449 bytes on wire, 449 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:58 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    Content-Length: 0
    CSeq: 201 BYE
```

```
No.     Time        Source                Destination           Protocol Info
   1627 43.608222   195.129.125.74        62.189.34.7           SIP      Request: BYE sip:
+41216939262@146.188.127.2:5060

Frame 1627 (731 bytes on wire, 731 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41216939262@146.188.127.2:5060 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5
    061
    Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 201 BYE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
```

```
No.     Time        Source                Destination           Protocol Info
   1628 43.648299   62.189.34.7           195.129.125.74        SIP      Status: 200 OK

Frame 1628 (506 bytes on wire, 506 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:58 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    Content-Length: 0
    CSeq: 201 BYE
```

```
No.     Time        Source                Destination           Protocol Info
   1629 43.648397   212.249.15.4          128.179.67.35         SIP      Status: 200 OK

Frame 1629 (449 bytes on wire, 449 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:58 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    Content-Length: 0
    CSeq: 201 BYE
```

```
No.     Time        Source                Destination           Protocol Info
   1698 44.609083   195.129.125.74        62.189.34.7           SIP      Request: BYE sip:
+41216939262@146.188.127.2:5060

Frame 1698 (731 bytes on wire, 731 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41216939262@146.188.127.2:5060 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5
    061
    Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>
    Max-Forwards: 69
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Call-ID: 70084205c7c601d3@192.168.1.12
    CSeq: 201 BYE
    Contact: Anonymous <sip:128.179.67.35:5061>
    Expires: 300
    User-Agent: Sippy
    cisco-GUID: 772959467-1890172969-3986724863-4070250485
    h323-conf-id: 772959467-1890172969-3986724863-4070250485
```

```
No.     Time        Source                Destination           Protocol Info
   1699 44.649289   62.189.34.7           195.129.125.74        SIP      Status: 200 OK

Frame 1699 (506 bytes on wire, 506 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0,SIP/2.0/UDP 128.179.67.35:50
    61;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:58 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    Content-Length: 0
    CSeq: 201 BYE
```

```
No.     Time        Source                Destination           Protocol Info
   1700 44.649452   212.249.15.4          128.179.67.35         SIP      Status: 200 OK

Frame 1700 (449 bytes on wire, 449 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5
    061
    From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f616
    1de
    To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733
    Date: Fri, 15 Jun 2007 14:48:58 GMT
    Call-ID: 70084205c7c601d3@192.168.1.12
    Server: Cisco-SIPGateway/IOS-12.x
    Content-Length: 0
    CSeq: 201 BYE
```