

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|---------------|--------------|----------|---|
| 8 | 12.124060 | 128.179.67.76 | 212.249.15.4 | SIP/SDP | Request: INVITE sip:+41216939263@212.249.15.4, with session description |

Frame 8 (786 bytes on wire, 786 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.249.15.4 SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>

Contact: <sip:+41216939299@128.179.67.76>

Supported: replaces

Call-ID: 1a5055905ce85a50@128.179.67.76

CSeq: 9843 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 236

Message body

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|--------------------------|
| 9 | 12.124261 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 100 Giving a try |

Frame 9 (353 bytes on wire, 353 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>

Call-ID: 1a5055905ce85a50@128.179.67.76

CSeq: 9843 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|---|
| 10 | 12.124328 | 195.129.125.74 | 212.190.89.137 | SIP/SDP | Request: INVITE sip:+41216939263@212.190.89.137, with session description |

Frame 10 (1063 bytes on wire, 1063 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.190.89.137 SIP/2.0

Message Header

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=07a4b9e33ee1c051>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=07a4b9e33ee1c051>

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>

Contact: <sip:+41216939299@128.179.67.76>

Supported: replaces

Call-ID: 1a5055905ce85a50@128.179.67.76

CSeq: 9843 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 236

Remote-Party-ID: <sip:++41216939299@212.249.15.4>;privacy=off;screen=yes

Message body

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|-------------------------|
| 11 | 12.164264 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 100 trying fast |

Frame 11 (626 bytes on wire, 626 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 trying fast

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>

Call-ID: 1a5055905ce85a50@128.179.67.76

CSeq: 9843 INVITE

Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))

Content-Length: 0

Warning: 392 212.190.89.137:5060 "Noisy feedback tells: pid=719 req_src_ip=195.129.125.74 req_src_port=5060 in_uri=sip:+41216939263@212.190.89.137 out_uri=sip:+41216939263@212.190.89.137 via_cnt==2"

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|---|
| 12 | 12.214685 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 100 trying g -- your call is important to us |

Frame 12 (662 bytes on wire, 662 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 100 trying -- your call is important to us
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>
Call-ID: 1a5055905ce85a50@128.179.67.76
CSeq: 9843 INVITE
Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))
Content-Length: 0
Warning: 392 212.190.89.137:5060 "Noisy feedback tells: pid=719 req_src_ip=195.129.125.74 req_src_port=5060 in_uri=sip:+41216939263@212.190.89.137 out_uri=sip:+010101465741216939263@146.188.127.1 via_cnt==2"

| No. | Time | Source | Destination | Protocol | Info |
|-----|--------------|----------------|----------------|----------|--|
| | 15 13.204500 | 212.190.89.137 | 195.129.125.74 | SIP/SDP | Status: 183 Sessi on Progress, with session description |

Frame 15 (1020 bytes on wire, 1020 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0,SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

Date: Wed, 23 May 2007 06:54:55 GMT

Call-ID: 1a5055905ce85a50@128.179.67.76

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 9843 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Record-Route: <sip:212.190.89.137;lr;ftag=07a4b9e33ee1c051>,<sip:195.129.125.74;r2=on;lr=on;ftag=07a4b9e33ee1c051>,<sip:212.249.15.4;r2=on;lr=on;ftag=07a4b9e33ee1c051>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Message body

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|--|
| 16 | 13.204619 | 212.249.15.4 | 128.179.67.76 | SIP/SDP | Status: 183 Sessi on Progress, with session description |

Frame 16 (993 bytes on wire, 993 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 183 Session Progress
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:54:55 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow: UPDATE
Allow-Events: telephone-event
Contact: <sip:+41216939263@146.188.127.1:5060>
Content-Disposition: session;handling=required
Content-Type: application/sdp
Content-Length: 217
Record-Route: <sip:212.190.89.137;lr;ftag=07a4b9e33ee1c051>
Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=07a4b9e33ee1c051>
Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=07a4b9e33ee1c051>
Message body

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|---------------|--------------|----------|---|
| 19 | 26.429708 | 128.179.67.76 | 212.249.15.4 | SIP | Request: CANCEL sip:+41216939263@212.249.15.4 |

Frame 19 (474 bytes on wire, 474 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: CANCEL sip:+41216939263@212.249.15.4 SIP/2.0
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>
Supported: replaces
Call-ID: 1a5055905ce85a50@128.179.67.76
CSeq: 9843 CANCEL
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 70
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|---|
| 20 | 26.429822 | 195.129.125.74 | 212.190.89.137 | SIP | Request: CANCEL sip:+41216939263@212.190.89.137 |

Frame 20 (539 bytes on wire, 539 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: CANCEL sip:+41216939263@212.190.89.137 SIP/2.0
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>
Supported: replaces
Call-ID: 1a5055905ce85a50@128.179.67.76
CSeq: 9843 CANCEL
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 69
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-----------------------|
| 21 | 26.429841 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 200 canceling |

Frame 21 (392 bytes on wire, 392 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 200 canceling
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=f573d5f23064de02e93a9896c945de4a-0189
Call-ID: 1a5055905ce85a50@128.179.67.76
CSeq: 9843 CANCEL
Server: OpenSER (1.2.0-notls (i386/linux))
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|--------------|----------------|----------------|----------|-----------------------|
| | 22 26.487190 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 200 canceling |

Frame 22 (676 bytes on wire, 676 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 200 canceling
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=674b7ff82f05a2886431e9d401d1791a-220d
Call-ID: 1a5055905ce85a50@128.179.67.76
CSeq: 9843 CANCEL
Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))
Content-Length: 0
Warning: 392 212.190.89.137:5060 "Noisy feedback tells: pid=719 req_src_ip=195.129.125.74 req_src_port=5060 in_uri=sip:+41216939263@212.190.89.137 out_uri=sip:+010101465741216939263@212.190.89.137 via_cnt==2"

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|-------------------------------|
| 23 | 26.530893 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 487 Request Cancelled |

Frame 23 (491 bytes on wire, 491 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 487 Request Cancelled
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0,SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:55:09 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow-Events: telephone-event
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|--|
| 24 | 26.530925 | 195.129.125.74 | 212.190.89.137 | SIP | Request: ACK sip: +41216939263@212.190.89.137 |

Frame 24 (390 bytes on wire, 390 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: ACK sip:+41216939263@212.190.89.137 SIP/2.0
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
Call-ID: 1a5055905ce85a50@128.179.67.76
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
CSeq: 9843 ACK
User-Agent: OpenSER (1.2.0-notls (i386/linux))
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-------------------------------|
| 25 | 26.530974 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 487 Request Cancelled |

Frame 25 (434 bytes on wire, 434 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

Date: Wed, 23 May 2007 06:55:09 GMT

Call-ID: 1a5055905ce85a50@128.179.67.76

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 9843 INVITE

Allow-Events: telephone-event

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|---------------|--------------|----------|--|
| 26 | 26.551242 | 128.179.67.76 | 212.249.15.4 | SIP | Request: ACK sip: +41216939263@212.249.15.4 |

Frame 26 (507 bytes on wire, 507 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: ACK sip:+41216939263@212.249.15.4 SIP/2.0
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Contact: <sip:+41216939299@128.179.67.76>
Call-ID: 1a5055905ce85a50@128.179.67.76
CSeq: 9843 ACK
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 70
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|---------------|--------------|----------|---|
| 27 | 26.553087 | 128.179.67.76 | 212.249.15.4 | SIP | Request: CANCEL sip:+41216939263@212.249.15.4 |

Frame 27 (491 bytes on wire, 491 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: CANCEL sip:+41216939263@212.249.15.4 SIP/2.0
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Supported: replaces
Call-ID: 1a5055905ce85a50@128.179.67.76
CSeq: 9843 CANCEL
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 70
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-----------------------|
| 28 | 26.553140 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 200 canceling |

Frame 28 (392 bytes on wire, 392 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 canceling

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=f573d5f23064de02e93a9896c945de4a-0189

Call-ID: 1a5055905ce85a50@128.179.67.76

CSeq: 9843 CANCEL

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|-------------------------------|
| 29 | 26.812577 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 487 Request Cancelled |

Frame 29 (491 bytes on wire, 491 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 487 Request Cancelled
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0,SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:55:09 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow-Events: telephone-event
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|--|
| 30 | 26.812614 | 195.129.125.74 | 212.190.89.137 | SIP | Request: ACK sip: +41216939263@212.190.89.137 |

Frame 30 (390 bytes on wire, 390 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41216939263@212.190.89.137 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

Call-ID: 1a5055905ce85a50@128.179.67.76

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

CSeq: 9843 ACK

User-Agent: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-------------------------------|
| 31 | 26.951541 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 487 Request Cancelled |

Frame 31 (434 bytes on wire, 434 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

Date: Wed, 23 May 2007 06:55:09 GMT

Call-ID: 1a5055905ce85a50@128.179.67.76

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 9843 INVITE

Allow-Events: telephone-event

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-------------------------------|
| 38 | 27.951816 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 487 Request Cancelled |

Frame 38 (434 bytes on wire, 434 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

Date: Wed, 23 May 2007 06:55:09 GMT

Call-ID: 1a5055905ce85a50@128.179.67.76

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 9843 INVITE

Allow-Events: telephone-event

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|-------------------------------|
| 39 | 28.812739 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 487 Request Cancelled |

Frame 39 (491 bytes on wire, 491 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0,SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

Date: Wed, 23 May 2007 06:55:09 GMT

Call-ID: 1a5055905ce85a50@128.179.67.76

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 9843 INVITE

Allow-Events: telephone-event

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|--|
| 40 | 28.812780 | 195.129.125.74 | 212.190.89.137 | SIP | Request: ACK sip: +41216939263@212.190.89.137 |

Frame 40 (390 bytes on wire, 390 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41216939263@212.190.89.137 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

Call-ID: 1a5055905ce85a50@128.179.67.76

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

CSeq: 9843 ACK

User-Agent: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-------------------------------|
| 43 | 29.956771 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 487 Request Cancelled |

Frame 43 (434 bytes on wire, 434 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 487 Request Cancelled
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:55:09 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow-Events: telephone-event
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|-------------------------------|
| 46 | 32.813356 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 487 Request Cancelled |

Frame 46 (491 bytes on wire, 491 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 487 Request Cancelled
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0,SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:55:09 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow-Events: telephone-event
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|--|
| 47 | 32.813397 | 195.129.125.74 | 212.190.89.137 | SIP | Request: ACK sip: +41216939263@212.190.89.137 |

Frame 47 (390 bytes on wire, 390 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41216939263@212.190.89.137 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

Call-ID: 1a5055905ce85a50@128.179.67.76

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

CSeq: 9843 ACK

User-Agent: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-------------------------------|
| 50 | 33.958380 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 487 Request Cancelled |

Frame 50 (434 bytes on wire, 434 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

Date: Wed, 23 May 2007 06:55:09 GMT

Call-ID: 1a5055905ce85a50@128.179.67.76

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 9843 INVITE

Allow-Events: telephone-event

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|-------------------------------|
| 51 | 36.812720 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 487 Request Cancelled |

Frame 51 (491 bytes on wire, 491 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 487 Request Cancelled
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0,SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:55:09 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow-Events: telephone-event
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|--|
| 52 | 36.812765 | 195.129.125.74 | 212.190.89.137 | SIP | Request: ACK sip: +41216939263@212.190.89.137 |

Frame 52 (390 bytes on wire, 390 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41216939263@212.190.89.137 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

Call-ID: 1a5055905ce85a50@128.179.67.76

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

CSeq: 9843 ACK

User-Agent: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-------------------------------|
| 55 | 37.956169 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 487 Request Cancelled |

Frame 55 (434 bytes on wire, 434 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

Date: Wed, 23 May 2007 06:55:09 GMT

Call-ID: 1a5055905ce85a50@128.179.67.76

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 9843 INVITE

Allow-Events: telephone-event

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|-------------------------------|
| 56 | 40.812725 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 487 Request Cancelled |

Frame 56 (491 bytes on wire, 491 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 487 Request Cancelled
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0,SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:55:09 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow-Events: telephone-event
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|--|
| 57 | 40.812768 | 195.129.125.74 | 212.190.89.137 | SIP | Request: ACK sip: +41216939263@212.190.89.137 |

Frame 57 (390 bytes on wire, 390 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: ACK sip:+41216939263@212.190.89.137 SIP/2.0
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
Call-ID: 1a5055905ce85a50@128.179.67.76
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
CSeq: 9843 ACK
User-Agent: OpenSER (1.2.0-notls (i386/linux))
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-------------------------------|
| 63 | 41.957979 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 487 Request Cancelled |

Frame 63 (434 bytes on wire, 434 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 487 Request Cancelled
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:55:09 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow-Events: telephone-event
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|-------------------------------|
| 64 | 44.812710 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 487 Request Cancelled |

Frame 64 (491 bytes on wire, 491 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0,SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

Date: Wed, 23 May 2007 06:55:09 GMT

Call-ID: 1a5055905ce85a50@128.179.67.76

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 9843 INVITE

Allow-Events: telephone-event

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|--|
| 65 | 44.812752 | 195.129.125.74 | 212.190.89.137 | SIP | Request: ACK sip: +41216939263@212.190.89.137 |

Frame 65 (390 bytes on wire, 390 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41216939263@212.190.89.137 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

Call-ID: 1a5055905ce85a50@128.179.67.76

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

CSeq: 9843 ACK

User-Agent: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-------------------------------|
| 68 | 45.959991 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 487 Request Cancelled |

Frame 68 (434 bytes on wire, 434 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 487 Request Cancelled
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:55:09 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow-Events: telephone-event
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|-------------------------------|
| 69 | 48.812997 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 487 Request Cancelled |

Frame 69 (491 bytes on wire, 491 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 487 Request Cancelled
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0,SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:55:09 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow-Events: telephone-event
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|--|
| 70 | 48.813054 | 195.129.125.74 | 212.190.89.137 | SIP | Request: ACK sip: +41216939263@212.190.89.137 |

Frame 70 (390 bytes on wire, 390 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41216939263@212.190.89.137 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

Call-ID: 1a5055905ce85a50@128.179.67.76

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

CSeq: 9843 ACK

User-Agent: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-------------------------------|
| 73 | 49.962446 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 487 Request Cancelled |

Frame 73 (434 bytes on wire, 434 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

Date: Wed, 23 May 2007 06:55:09 GMT

Call-ID: 1a5055905ce85a50@128.179.67.76

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 9843 INVITE

Allow-Events: telephone-event

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|-------------------------------|
| 75 | 52.813303 | 212.190.89.137 | 195.129.125.74 | SIP | Status: 487 Request Cancelled |

Frame 75 (491 bytes on wire, 491 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)
Internet Protocol, Src: 212.190.89.137 (212.190.89.137), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 487 Request Cancelled
Message Header
Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0,SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b
From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051
To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697
Date: Wed, 23 May 2007 06:55:09 GMT
Call-ID: 1a5055905ce85a50@128.179.67.76
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 9843 INVITE
Allow-Events: telephone-event
Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|----------------|----------------|----------|--|
| 76 | 52.813356 | 195.129.125.74 | 212.190.89.137 | SIP | Request: ACK sip: +41216939263@212.190.89.137 |

Frame 76 (390 bytes on wire, 390 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 212.190.89.137 (212.190.89.137)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41216939263@212.190.89.137 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK23ae.b11d6374.0

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

Call-ID: 1a5055905ce85a50@128.179.67.76

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

CSeq: 9843 ACK

User-Agent: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

| No. | Time | Source | Destination | Protocol | Info |
|-----|-----------|--------------|---------------|----------|-------------------------------|
| 80 | 53.960131 | 212.249.15.4 | 128.179.67.76 | SIP | Status: 487 Request Cancelled |

Frame 80 (434 bytes on wire, 434 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc34f33e50effb96b

From: <sip:+41216939299@212.249.15.4>;tag=07a4b9e33ee1c051

To: <sip:+41216939263@212.249.15.4>;tag=8EF49B8-1697

Date: Wed, 23 May 2007 06:55:09 GMT

Call-ID: 1a5055905ce85a50@128.179.67.76

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 9843 INVITE

Allow-Events: telephone-event

Content-Length: 0