

No.	Time	Source	Destination	Protocol	Info
269	6.960660	128.179.67.35	212.249.15.4	SIP/SDP	Request: INVITE s

ip:+41216939262@212.249.15.4:5060, with session description

Frame 269 (1016 bytes on wire, 1016 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip-tls (5061), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939262@212.249.15.4:5060 SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport

Max-Forwards: 70

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

Content-Length: 379

Content-Type: application/sdp

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35

Session Name (s): SIP Call

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9

Connection Information (c): IN IP4 128.179.67.35

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:0 PCMU/8000

Media Attribute (a): rtpmap:8 PCMA/8000

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:2 G726-32/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a): rtpmap:9 G722/16000

Media Attribute (a): abcde:20

Media Attribute (a): direction:active

Media Attribute (a): oldmediaip:192.168.1.12

No.	Time	Source	Destination	Protocol	Info
270	6.960791	212.249.15.4	128.179.67.35	SIP	Status: 100 Giving a try

Frame 270 (623 bytes on wire, 623 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

Warning: 392 212.249.15.4:5060 "Noisy feedback tells: pid=18277 req_src_ip=128.179.67.35 req_src_port=5061 in_uri=sip:+41216939262@212.249.15.4:5060 out_uri=sip:+41216939262@62.189.34.7:5060 via_cnt==1"

No.	Time	Source	Destination	Protocol	Info
271	6.960900	195.129.125.74	62.189.34.7	SIP/SDP	Request: INVITE s ip:+41216939262@62.189.34.7:5060, with session description

Frame 271 (1327 bytes on wire, 1327 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0

Message Header

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

Content-Length: 379

Content-Type: application/sdp

Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35

Session Name (s): SIP Call

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9

Connection Information (c): IN IP4 128.179.67.35

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:0 PCMU/8000

Media Attribute (a): rtpmap:8 PCMA/8000

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:2 G726-32/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a): rtpmap:9 G722/16000

Media Attribute (a): abcde:20

Media Attribute (a): direction:active

Media Attribute (a): oldmediaip:192.168.1.12

No.	Time	Source	Destination	Protocol	Info
272	7.005138	62.189.34.7	195.129.125.74	SIP	Status: 100 trying fast

Frame 272 (694 bytes on wire, 694 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 trying fast

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))

Content-Length: 0

Warning: 392 62.189.34.7:5060 "Noisy feedback tells: pid=29729 req_src_ip=195.129.125.74 req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+41216939262@62.189.34.7:5060 via_cnt==2"

No.	Time	Source	Destination	Protocol	Info
273	7.005261	212.249.15.4	128.179.67.35	SIP	Status: 100 trying fast

Frame 273 (631 bytes on wire, 631 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 100 trying fast

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))

Content-Length: 0

Warning: 392 62.189.34.7:5060 "Noisy feedback tells: pid=29729 req_src_ip=195.129.125.74 req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+41216939262@62.189.34.7:5060 via_cnt==2"

No.	Time	Source	Destination	Protocol	Info
274	7.076924	62.189.34.7	195.129.125.74	SIP	Status: 100 trying

g -- your call is important to us

Frame 274 (728 bytes on wire, 728 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 trying -- your call is important to us

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))

Content-Length: 0

Warning: 392 62.189.34.7:5060 "Noisy feedback tells: pid=29729 req_src_ip=195.129.125.74 req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+010101465741216939262@146.188.127.2 via_cnt==2"

No.	Time	Source	Destination	Protocol	Info
275	7.077013	212.249.15.4	128.179.67.35	SIP	Status: 100 tryin g -- your call is important to us

Frame 275 (665 bytes on wire, 665 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 100 trying -- your call is important to us

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))

Content-Length: 0

Warning: 392 62.189.34.7:5060 "Noisy feedback tells: pid=29729 req_src_ip=195.129.125.74 req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+010101465741216939262@146.188.127.2 via_cnt==2"

No.	Time	Source	Destination	Protocol	Info
291	7.400214	195.129.125.74	62.189.34.7	SIP/SDP	Request: INVITE s ip:+41216939262@62.189.34.7:5060, with session description

Frame 291 (1327 bytes on wire, 1327 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0

Message Header

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

Content-Length: 379

Content-Type: application/sdp

Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35

Session Name (s): SIP Call

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9

Connection Information (c): IN IP4 128.179.67.35

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:0 PCMU/8000

Media Attribute (a): rtpmap:8 PCMA/8000

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:2 G726-32/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a): rtpmap:9 G722/16000

Media Attribute (a): abcde:20

Media Attribute (a): direction:active

Media Attribute (a): oldmediaip:192.168.1.12

No.	Time	Source	Destination	Protocol	Info
303	7.444879	62.189.34.7	195.129.125.74	SIP	Status: 100 trying

g -- your call is important to us

Frame 303 (728 bytes on wire, 728 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 trying -- your call is important to us

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))

Content-Length: 0

Warning: 392 62.189.34.7:5060 "Noisy feedback tells: pid=29729 req_src_ip=195.129.125.74 req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+010101465741216939262@146.188.127.2 via_cnt==2"

No.	Time	Source	Destination	Protocol	Info
304	7.444982	212.249.15.4	128.179.67.35	SIP	Status: 100 tryin g -- your call is important to us

Frame 304 (665 bytes on wire, 665 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 100 trying -- your call is important to us

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Server: OpenSer (1.2.0-dev1-notls (sparc64/solaris))

Content-Length: 0

Warning: 392 62.189.34.7:5060 "Noisy feedback tells: pid=29729 req_src_ip=195.129.125.74 req_src_port=5060 in_uri=sip:+41216939262@62.189.34.7:5060 out_uri=sip:+010101465741216939262@146.188.127.2 via_cnt==2"

No.	Time	Source	Destination	Protocol	Info
321	8.357163	62.189.34.7	195.129.125.74	SIP/SDP	Status: 183 Session Progress, with session description

Frame 321 (1185 bytes on wire, 1185 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 182

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
322	8.357439	212.249.15.4	128.179.67.35	SIP/SDP	Status: 183 Session Progress, with session description

Frame 322 (1158 bytes on wire, 1158 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 182

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
326	8.401156	195.129.125.74	62.189.34.7	SIP/SDP	Request: INVITE s

ip:+41216939262@62.189.34.7:5060, with session description

Frame 326 (1327 bytes on wire, 1327 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0

Message Header

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

Content-Length: 379

Content-Type: application/sdp

Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35

Session Name (s): SIP Call

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9

Connection Information (c): IN IP4 128.179.67.35

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:0 PCMU/8000

Media Attribute (a): rtpmap:8 PCMA/8000

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:2 G726-32/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a): rtpmap:9 G722/16000

Media Attribute (a): abcde:20

Media Attribute (a): direction:active

Media Attribute (a): oldmediaip:192.168.1.12

No.	Time	Source	Destination	Protocol	Info
335	8.448554	62.189.34.7	195.129.125.74	SIP/SDP	Status: 183 Session Progress, with session description

Frame 335 (1185 bytes on wire, 1185 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 182

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
336	8.448770	212.249.15.4	128.179.67.35	SIP/SDP	Status: 183 Session Progress, with session description

Frame 336 (1158 bytes on wire, 1158 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 182

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
414	10.402191	195.129.125.74	62.189.34.7	SIP/SDP	Request: INVITE s

ip:+41216939262@62.189.34.7:5060, with session description

Frame 414 (1327 bytes on wire, 1327 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0

Message Header

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

Content-Length: 379

Content-Type: application/sdp

Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35

Session Name (s): SIP Call

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9

Connection Information (c): IN IP4 128.179.67.35

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:0 PCMU/8000

Media Attribute (a): rtpmap:8 PCMA/8000

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:2 G726-32/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a): rtpmap:9 G722/16000

Media Attribute (a): abcde:20

Media Attribute (a): direction:active

Media Attribute (a): oldmediaip:192.168.1.12

No.	Time	Source	Destination	Protocol	Info
427	10.449927	62.189.34.7	195.129.125.74	SIP/SDP	Status: 183 Session Progress, with session description

Frame 427 (1185 bytes on wire, 1185 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 182

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
428	10.450061	212.249.15.4	128.179.67.35	SIP/SDP	Status: 183 Session Progress, with session description

Frame 428 (1158 bytes on wire, 1158 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 182

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
525	14.405010	195.129.125.74	62.189.34.7	SIP/SDP	Request: INVITE s

ip:+41216939262@62.189.34.7:5060, with session description

Frame 525 (1327 bytes on wire, 1327 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0

Message Header

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

Content-Length: 379

Content-Type: application/sdp

Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35

Session Name (s): SIP Call

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9

Connection Information (c): IN IP4 128.179.67.35

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:0 PCMU/8000

Media Attribute (a): rtpmap:8 PCMA/8000

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:2 G726-32/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a): rtpmap:9 G722/16000

Media Attribute (a): abcde:20

Media Attribute (a): direction:active

Media Attribute (a): oldmediaip:192.168.1.12

No.	Time	Source	Destination	Protocol	Info
535	14.456184	62.189.34.7	195.129.125.74	SIP/SDP	Status: 183 Session Progress, with session description

Frame 535 (1185 bytes on wire, 1185 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 182

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
536	14.456327	212.249.15.4	128.179.67.35	SIP/SDP	Status: 183 Session Progress, with session description

Frame 536 (1158 bytes on wire, 1158 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 182

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
577	15.914819	62.189.34.7	195.129.125.74	SIP/SDP	Status: 200 OK, with session description

Frame 577 (1144 bytes on wire, 1144 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Supported: replaces

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Content-Type: application/sdp

Content-Length: 182

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
578	15.914984	212.249.15.4	128.179.67.35	SIP/SDP	Status: 200 OK, with session description

Frame 578 (1117 bytes on wire, 1117 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Supported: replaces

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Content-Type: application/sdp

Content-Length: 182

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
579	15.934043	128.179.67.35	212.249.15.4	SIP	Request: ACK sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de

Frame 579 (660 bytes on wire, 660 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip-tls (5061), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;rport;branch=z9hG4bK9f648b0cee45eac89d800636eab30591

Max-Forwards: 70

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 ACK

Expires: 300

User-Agent: Sippy

Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Route: <sip:+41216939262@146.188.127.2:5060>

No.	Time	Source	Destination	Protocol	Info
580	15.934126	195.129.125.74	62.189.34.7	SIP	Request: ACK sip: +41216939262@146.188.127.2:5060

Frame 580 (589 bytes on wire, 589 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41216939262@146.188.127.2:5060 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK9f648b0cee45eac89d800636eab30591

Via: SIP/2.0/UDP 128.179.67.35:5061;rport=5061;branch=z9hG4bK9f648b0cee45eac89d800636eab30591

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 ACK

Expires: 300

User-Agent: Sippy

Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

No.	Time	Source	Destination	Protocol	Info
669	18.405444	195.129.125.74	62.189.34.7	SIP/SDP	Request: INVITE s

ip:+41216939262@62.189.34.7:5060, with session description

Frame 669 (1327 bytes on wire, 1327 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0

Message Header

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

Content-Length: 379

Content-Type: application/sdp

Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35

Session Name (s): SIP Call

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9

Connection Information (c): IN IP4 128.179.67.35

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:0 PCMU/8000

Media Attribute (a): rtpmap:8 PCMA/8000

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:2 G726-32/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a): rtpmap:9 G722/16000

Media Attribute (a): abcde:20

Media Attribute (a): direction:active

Media Attribute (a): oldmediaip:192.168.1.12

No.	Time	Source	Destination	Protocol	Info
670	18.452726	62.189.34.7	195.129.125.74	SIP/SDP	Status: 200 OK, with session description

Frame 670 (1144 bytes on wire, 1144 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Supported: replaces

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Content-Type: application/sdp

Content-Length: 182

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
671	18.452858	212.249.15.4	128.179.67.35	SIP/SDP	Status: 200 OK, with session description

Frame 671 (1117 bytes on wire, 1117 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Supported: replaces

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Content-Type: application/sdp

Content-Length: 182

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
675	18.467735	128.179.67.35	212.249.15.4	SIP	Request: ACK sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de

Frame 675 (660 bytes on wire, 660 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip-tls (5061), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;rport;branch=z9hG4bK9f648b0cee45eac89d800636eab30591

Max-Forwards: 70

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 ACK

Expires: 300

User-Agent: Sippy

Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Route: <sip:+41216939262@146.188.127.2:5060>

No.	Time	Source	Destination	Protocol	Info
676	18.467830	195.129.125.74	62.189.34.7	SIP	Request: ACK sip: +41216939262@146.188.127.2:5060

Frame 676 (589 bytes on wire, 589 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41216939262@146.188.127.2:5060 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bK9f648b0cee45eac89d800636eab30591

Via: SIP/2.0/UDP 128.179.67.35:5061;rport=5061;branch=z9hG4bK9f648b0cee45eac89d800636eab30591

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 ACK

Expires: 300

User-Agent: Sippy

Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

No.	Time	Source	Destination	Protocol	Info
798	22.404424	195.129.125.74	62.189.34.7	SIP/SDP	Request: INVITE s

ip:+41216939262@62.189.34.7:5060, with session description

Frame 798 (1327 bytes on wire, 1327 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0

Message Header

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

Content-Length: 379

Content-Type: application/sdp

Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35

Session Name (s): SIP Call

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9

Connection Information (c): IN IP4 128.179.67.35

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:0 PCMU/8000

Media Attribute (a): rtpmap:8 PCMA/8000

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:2 G726-32/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a): rtpmap:9 G722/16000

Media Attribute (a): abcde:20

Media Attribute (a): direction:active

Media Attribute (a): oldmediaip:192.168.1.12

No.	Time	Source	Destination	Protocol	Info
799	22.451703	62.189.34.7	195.129.125.74	SIP/SDP	Status: 200 OK, with session description

Frame 799 (1144 bytes on wire, 1144 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Supported: replaces

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Content-Type: application/sdp

Content-Length: 182

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
800	22.451833	212.249.15.4	128.179.67.35	SIP/SDP	Status: 200 OK, with session description

Frame 800 (1117 bytes on wire, 1117 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Supported: replaces

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Content-Type: application/sdp

Content-Length: 182

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
894	26.407385	195.129.125.74	62.189.34.7	SIP/SDP	Request: INVITE s

ip:+41216939262@62.189.34.7:5060, with session description

Frame 894 (1327 bytes on wire, 1327 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939262@62.189.34.7:5060 SIP/2.0

Message Header

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 INVITE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

Content-Length: 379

Content-Type: application/sdp

Remote-Party-ID: <sip:+41215500309@128.179.67.35>;privacy=off;screen=yes

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): Sippy 140723980 0 IN IP4 128.179.67.35

Session Name (s): SIP Call

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 41314 RTP/AVP 0 8 4 18 2 97 9

Connection Information (c): IN IP4 128.179.67.35

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:0 PCMU/8000

Media Attribute (a): rtpmap:8 PCMA/8000

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:2 G726-32/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a): rtpmap:9 G722/16000

Media Attribute (a): abcde:20

Media Attribute (a): direction:active

Media Attribute (a): oldmediaip:192.168.1.12

No.	Time	Source	Destination	Protocol	Info
895	26.454464	62.189.34.7	195.129.125.74	SIP/SDP	Status: 200 OK, with session description

Frame 895 (1144 bytes on wire, 1144 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bKlafdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Supported: replaces

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>,<sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Content-Type: application/sdp

Content-Length: 182

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
896	26.454743	212.249.15.4	128.179.67.35	SIP/SDP	Status: 200 OK, with session description

Frame 896 (1117 bytes on wire, 1117 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK1afdbb9045c6a17f2b1dd268434b5527;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:22 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 200 INVITE

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UPDATE, REGISTER

Supported: replaces

Allow-Events: telephone-event

Contact: <sip:+41216939262@146.188.127.2:5060>

Content-Type: application/sdp

Content-Length: 182

Record-Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 7851 8827 IN IP4 146.188.127.2

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.2

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 16558 RTP/AVP 0

Connection Information (c): IN IP4 146.188.127.2

Media Attribute (a): rtpmap:0 PCMU/8000

No.	Time	Source	Destination	Protocol	Info
897	26.469251	128.179.67.35	212.249.15.4	SIP	Request: ACK sip: 212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de

Frame 897 (660 bytes on wire, 660 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip-tls (5061), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;rport;branch=z9hG4bK9f648b0cee45eac89d800636eab30591

Max-Forwards: 70

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 ACK

Expires: 300

User-Agent: Sippy

Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Route: <sip:+41216939262@146.188.127.2:5060>

No.	Time	Source	Destination	Protocol	Info
898	26.469348	195.129.125.74	62.189.34.7	SIP	Request: ACK sip: +41216939262@146.188.127.2:5060

Frame 898 (572 bytes on wire, 572 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41216939262@146.188.127.2:5060 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKe48d.5d121e93.2

Via: SIP/2.0/UDP 128.179.67.35:5061;rport=5061;branch=z9hG4bK9f648b0cee45eac89d800636eab30591

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 200 ACK

Expires: 300

User-Agent: Sippy

Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

No.	Time	Source	Destination	Protocol	Info
1614	43.159358	128.179.67.35	212.249.15.4	SIP	Request: BYE sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de

Frame 1614 (819 bytes on wire, 819 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip-tls (5061), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:212.249.15.4;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport

Route: <sip:195.129.125.74;r2=on;lr=on;ftag=5fe318d698b2463390f87d4d4f6161de>

Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Route: <sip:+41216939262@146.188.127.2:5060>

Max-Forwards: 70

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 201 BYE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

No.	Time	Source	Destination	Protocol	Info
1615	43.159481	195.129.125.74	62.189.34.7	SIP	Request: BYE sip: +41216939262@146.188.127.2:5060

Frame 1615 (731 bytes on wire, 731 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:+41216939262@146.188.127.2:5060 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061

Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 201 BYE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

No.	Time	Source	Destination	Protocol	Info
1616	43.266530	62.189.34.7	195.129.125.74	SIP	Status: 200 OK

Frame 1616 (506 bytes on wire, 506 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:58 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

Content-Length: 0

CSeq: 201 BYE

No.	Time	Source	Destination	Protocol	Info
1617	43.266625	212.249.15.4	128.179.67.35	SIP	Status: 200 OK

Frame 1617 (449 bytes on wire, 449 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:58 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

Content-Length: 0

CSeq: 201 BYE

No.	Time	Source	Destination	Protocol	Info
1627	43.608222	195.129.125.74	62.189.34.7	SIP	Request: BYE sip: +41216939262@146.188.127.2:5060

Frame 1627 (731 bytes on wire, 731 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:+41216939262@146.188.127.2:5060 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061

Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 201 BYE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

No.	Time	Source	Destination	Protocol	Info
1628	43.648299	62.189.34.7	195.129.125.74	SIP	Status: 200 OK

Frame 1628 (506 bytes on wire, 506 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:58 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

Content-Length: 0

CSeq: 201 BYE

No.	Time	Source	Destination	Protocol	Info
1629	43.648397	212.249.15.4	128.179.67.35	SIP	Status: 200 OK

Frame 1629 (449 bytes on wire, 449 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:58 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

Content-Length: 0

CSeq: 201 BYE

No.	Time	Source	Destination	Protocol	Info
1698	44.609083	195.129.125.74	62.189.34.7	SIP	Request: BYE sip: +41216939262@146.188.127.2:5060

Frame 1698 (731 bytes on wire, 731 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:0e:80)

Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:+41216939262@146.188.127.2:5060 SIP/2.0

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061

Route: <sip:62.189.34.7;lr;ftag=5fe318d698b2463390f87d4d4f6161de>

Max-Forwards: 69

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Call-ID: 70084205c7c601d3@192.168.1.12

CSeq: 201 BYE

Contact: Anonymous <sip:128.179.67.35:5061>

Expires: 300

User-Agent: Sippy

cisco-GUID: 772959467-1890172969-3986724863-4070250485

h323-conf-id: 772959467-1890172969-3986724863-4070250485

No.	Time	Source	Destination	Protocol	Info
1699	44.649289	62.189.34.7	195.129.125.74	SIP	Status: 200 OK

Frame 1699 (506 bytes on wire, 506 bytes captured)

Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca)

Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 195.129.125.74;branch=z9hG4bKf48d.b4131a55.0,SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:58 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

Content-Length: 0

CSeq: 201 BYE

No.	Time	Source	Destination	Protocol	Info
1700	44.649452	212.249.15.4	128.179.67.35	SIP	Status: 200 OK

Frame 1700 (449 bytes on wire, 449 bytes captured)

Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:bc:41)

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip-tls (5061)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.35:5061;branch=z9hG4bK248bb0139863027b432675c8f3aa67f5;rport=5061

From: "Emin Gabrielyan" <sip:+41215500309@128.179.67.35>;tag=5fe318d698b2463390f87d4d4f6161de

To: <sip:+41216939262@212.249.15.4>;tag=32B3950-733

Date: Fri, 15 Jun 2007 14:48:58 GMT

Call-ID: 70084205c7c601d3@192.168.1.12

Server: Cisco-SIPGateway/IOS-12.x

Content-Length: 0

CSeq: 201 BYE