

No.	Time	Source	Destination	Protocol	Info
194	7.142430	192.168.1.10	192.168.1.15	SIP/SDP	Request: INVITE sip:+41216939263@192.168.1.15, with session description

Frame 194 (784 bytes on wire, 784 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): +41215501111 8000 8000 IN IP4 192.168.1.10

Session Name (s): SIP Call

Connection Information (c): IN IP4 192.168.1.10

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 5004 RTP/AVP 4 18 97

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a):ptime:60

No.	Time	Source	Destination	Protocol	Info
195	7.143211	192.168.1.15	192.168.1.10	SIP	Status: 100 Giving a try

Frame 195 (354 bytes on wire, 354 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
196	7.143400	128.179.67.76	212.249.15.4	SIP/SDP	Request: INVITE s

ip:+41216939263@212.249.15.4, with session description

Frame 196 (982 bytes on wire, 982 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.249.15.4 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): +41215501111 8000 8000 IN IP4 192.168.1.10

Session Name (s): SIP Call

Connection Information (c): IN IP4 192.168.1.10

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 5004 RTP/AVP 4 18 97

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a):ptime:60

No.	Time	Source	Destination	Protocol	Info
197	7.156040	212.249.15.4	128.179.67.76	SIP	Status: 100 Giving a try

Frame 197 (415 bytes on wire, 415 bytes captured)

Linux cooked capture

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
198	7.156147	192.168.1.15	192.168.1.10	SIP	Status: 100 Giving a try

Frame 198 (354 bytes on wire, 354 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
252	7.568202	128.179.67.76	212.249.15.4	SIP/SDP	Request: INVITE s

ip:+41216939263@212.249.15.4, with session description

Frame 252 (982 bytes on wire, 982 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.249.15.4 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): +41215501111 8000 8000 IN IP4 192.168.1.10

Session Name (s): SIP Call

Connection Information (c): IN IP4 192.168.1.10

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 5004 RTP/AVP 4 18 97

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a):ptime:60

No.	Time	Source	Destination	Protocol	Info
253	7.580982	212.249.15.4	128.179.67.76	SIP	Status: 100 Giving a try

Frame 253 (415 bytes on wire, 415 bytes captured)

Linux cooked capture

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
254	7.581201	192.168.1.15	192.168.1.10	SIP	Status: 100 Giving a try

Frame 254 (354 bytes on wire, 354 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
256	8.331581	212.249.15.4	128.179.67.76	SIP/SDP	Status: 183 Session Progress, with session description

Frame 256 (1186 bytes on wire, 1186 bytes captured)

Linux cooked capture

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0,SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
258	8.357692	192.168.1.15	192.168.1.10	SIP/SDP	Status: 183 Session Progress, with session description

Frame 258 (1131 bytes on wire, 1131 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
286	8.576222	128.179.67.76	212.249.15.4	SIP/SDP	Request: INVITE s

ip:+41216939263@212.249.15.4, with session description

Frame 286 (982 bytes on wire, 982 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.249.15.4 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): +41215501111 8000 8000 IN IP4 192.168.1.10

Session Name (s): SIP Call

Connection Information (c): IN IP4 192.168.1.10

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 5004 RTP/AVP 4 18 97

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a):ptime:60

No.	Time	Source	Destination	Protocol	Info
318	10.576265	128.179.67.76	212.249.15.4	SIP/SDP	Request: INVITE s

ip:+41216939263@212.249.15.4, with session description

Frame 318 (982 bytes on wire, 982 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.249.15.4 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): +41215501111 8000 8000 IN IP4 192.168.1.10

Session Name (s): SIP Call

Connection Information (c): IN IP4 192.168.1.10

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 5004 RTP/AVP 4 18 97

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a):ptime:60

No.	Time	Source	Destination	Protocol	Info
319	10.592872	212.249.15.4	128.179.67.76	SIP/SDP	Status: 183 Session Progress, with session description

Frame 319 (1186 bytes on wire, 1186 bytes captured)

Linux cooked capture

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0,SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
320	10.593014	192.168.1.15	192.168.1.10	SIP/SDP	Status: 183 Session Progress, with session description

Frame 320 (1131 bytes on wire, 1131 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
430	14.588346	128.179.67.76	212.249.15.4	SIP/SDP	Request: INVITE s

ip:+41216939263@212.249.15.4, with session description

Frame 430 (982 bytes on wire, 982 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.249.15.4 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): +41215501111 8000 8000 IN IP4 192.168.1.10

Session Name (s): SIP Call

Connection Information (c): IN IP4 192.168.1.10

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 5004 RTP/AVP 4 18 97

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a):ptime:60

No.	Time	Source	Destination	Protocol	Info
431	14.603935	212.249.15.4	128.179.67.76	SIP/SDP	Status: 183 Sessi

on Progress, with session description

Frame 431 (1186 bytes on wire, 1186 bytes captured)

Linux cooked capture

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0,SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
433	14.630045	192.168.1.15	192.168.1.10	SIP/SDP	Status: 183 Session Progress, with session description

Frame 433 (1131 bytes on wire, 1131 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
572	18.596545	128.179.67.76	212.249.15.4	SIP/SDP	Request: INVITE s

ip:+41216939263@212.249.15.4, with session description

Frame 572 (982 bytes on wire, 982 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.249.15.4 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): +41215501111 8000 8000 IN IP4 192.168.1.10

Session Name (s): SIP Call

Connection Information (c): IN IP4 192.168.1.10

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 5004 RTP/AVP 4 18 97

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a):ptime:60

No.	Time	Source	Destination	Protocol	Info
576	18.618266	212.249.15.4	128.179.67.76	SIP/SDP	Status: 183 Session Progress, with session description

Frame 576 (1186 bytes on wire, 1186 bytes captured)

Linux cooked capture

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0,SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
578	18.653118	192.168.1.15	192.168.1.10	SIP/SDP	Status: 183 Session Progress, with session description

Frame 578 (1131 bytes on wire, 1131 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
695	22.616508	128.179.67.76	212.249.15.4	SIP/SDP	Request: INVITE s

ip:+41216939263@212.249.15.4, with session description

Frame 695 (982 bytes on wire, 982 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.249.15.4 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): +41215501111 8000 8000 IN IP4 192.168.1.10

Session Name (s): SIP Call

Connection Information (c): IN IP4 192.168.1.10

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 5004 RTP/AVP 4 18 97

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a):ptime:60

No.	Time	Source	Destination	Protocol	Info
696	22.633034	212.249.15.4	128.179.67.76	SIP/SDP	Status: 183 Session Progress, with session description

Frame 696 (1186 bytes on wire, 1186 bytes captured)

Linux cooked capture

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0,SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
703	22.692317	192.168.1.15	192.168.1.10	SIP/SDP	Status: 183 Session Progress, with session description

Frame 703 (1131 bytes on wire, 1131 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
931	26.672655	128.179.67.76	212.249.15.4	SIP/SDP	Request: INVITE s

ip:+41216939263@212.249.15.4, with session description

Frame 931 (982 bytes on wire, 982 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.249.15.4 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): +41215501111 8000 8000 IN IP4 192.168.1.10

Session Name (s): SIP Call

Connection Information (c): IN IP4 192.168.1.10

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 5004 RTP/AVP 4 18 97

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a):ptime:60

No.	Time	Source	Destination	Protocol	Info
932	26.688046	212.249.15.4	128.179.67.76	SIP/SDP	Status: 183 Session Progress, with session description

Frame 932 (1186 bytes on wire, 1186 bytes captured)

Linux cooked capture

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0,SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
933	26.688177	192.168.1.15	192.168.1.10	SIP/SDP	Status: 183 Session Progress, with session description

Frame 933 (1131 bytes on wire, 1131 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
1030	30.696671	128.179.67.76	212.249.15.4	SIP/SDP	Request: INVITE s

ip:+41216939263@212.249.15.4, with session description

Frame 1030 (982 bytes on wire, 982 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 212.249.15.4 (212.249.15.4)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41216939263@212.249.15.4 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 6da3ba4ab8238544@192.168.1.10

CSeq: 32701 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): +41215501111 8000 8000 IN IP4 192.168.1.10

Session Name (s): SIP Call

Connection Information (c): IN IP4 192.168.1.10

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 5004 RTP/AVP 4 18 97

Media Attribute (a): sendrecv

Media Attribute (a): rtpmap:4 G723/8000

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): rtpmap:97 iLBC/8000

Media Attribute (a): fmp:97 mode=20

Media Attribute (a):ptime:60

No.	Time	Source	Destination	Protocol	Info
1031	30.714131	212.249.15.4	128.179.67.76	SIP/SDP	Status: 183 Session Progress, with session description

Frame 1031 (1186 bytes on wire, 1186 bytes captured)

Linux cooked capture

Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKb15c.b5cfae3.0,SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20

No.	Time	Source	Destination	Protocol	Info
1036	30.772036	192.168.1.15	192.168.1.10	SIP/SDP	Status: 183 Session Progress, with session description

Frame 1036 (1131 bytes on wire, 1131 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 183 Session Progress

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK62cb7826ac32c4d8

From: <sip:+41215501111@192.168.1.15>;tag=d1234d79b7b327d1

To: <sip:+41216939263@192.168.1.15>;tag=107D583C-DBC

Date: Thu, 24 May 2007 18:07:26 GMT

Call-ID: 6da3ba4ab8238544@192.168.1.10

Server: Cisco-SIPGateway/IOS-12.x

CSeq: 32701 INVITE

Allow: UPDATE

Allow-Events: telephone-event

Contact: <sip:+41216939263@146.188.127.1:5060>

Content-Disposition: session;handling=required

Content-Type: application/sdp

Content-Length: 217

Record-Route: <sip:212.190.89.137;lr;ftag=d1234d79b7b327d1>

Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:128.179.67.76;r2=on;lr=on;ftag=d1234d79b7b327d1>

Record-Route: <sip:192.168.1.15;r2=on;lr=on;ftag=d1234d79b7b327d1>

Message body

Session Description Protocol

Session Description Protocol Version (v): 0

Owner/Creator, Session Id (o): CiscoSystemsSIP-GW-UserAgent 3771 5207 IN IP4 146.188.127.1

Session Name (s): SIP Call

Connection Information (c): IN IP4 146.188.127.1

Time Description, active time (t): 0 0

Media Description, name and address (m): audio 19344 RTP/AVP 18

Connection Information (c): IN IP4 146.188.127.1

Media Attribute (a): rtpmap:18 G729/8000

Media Attribute (a): fmp:18 annexb=no

Media Attribute (a):ptime:20