```
No.     Time        Source                Destination           Protocol Info
      1 0.000000    62.189.34.7           195.129.125.74        SIP/SDP  Request: INVITE s
ip:+41215500309@195.129.125.74, with session description

Frame 1 (1294 bytes on wire, 1294 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215500309@195.129.125.74 SIP/2.0
  Message Header
    Record-Route: <sip:62.189.34.7;lr;ftag=C95E8AEC-1CF3>
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP  146.188.127.2:5060;branch=z9hG4bK2596
    From: "anonymous" <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>
    Date: Fri, 25 May 2007 11:45:48 GMT
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    Supported: timer
    Min-SE:  1800
    Cisco-Guid: 1357159881-166466012-2453471252-473918850
    User-Agent: Cisco-SIPGateway/IOS-12.x
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    CSeq: 101 INVITE
    Max-Forwards: 5
    Remote-Party-ID: <sip:+41216939263@146.188.127.2>;party=calling;screen=no;privacy=full
    Timestamp: 1180093548
    Contact: <sip:+41216939263@146.188.127.2:5060>
    Expires: 180
    Allow-Events: telephone-event
    Content-Type: application/sdp
    Content-Length: 306
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
      2 0.003536    195.129.125.74        62.189.34.7           SIP      Status: 100 Givin
g a try

Frame 2 (431 bytes on wire, 431 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP  146.188.127.2:5060;branch=z9hG4bK2596
    From: "anonymous" <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    CSeq: 101 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
      3 0.003539    212.249.15.4          128.179.67.35         SIP/SDP  Request: INVITE s
ip:41215500309@128.179.67.35, with session description

Frame 3 (1485 bytes on wire, 1485 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:41215500309@128.179.67.35 SIP/2.0
  Message Header
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=C95E8AEC-1CF3>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=C95E8AEC-1CF3>
    Record-Route: <sip:62.189.34.7;lr;ftag=C95E8AEC-1CF3>
    Via: SIP/2.0/UDP 212.249.15.4;branch=z9hG4bKc11d.1b9fda86.0
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP  146.188.127.2:5060;branch=z9hG4bK2596
    From: "anonymous" <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>
    Date: Fri, 25 May 2007 11:45:48 GMT
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    Supported: timer
    Min-SE:  1800
    Cisco-Guid: 1357159881-166466012-2453471252-473918850
    User-Agent: Cisco-SIPGateway/IOS-12.x
    Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, COMET, REFER, SUBSCRIBE, NOTIFY, INFO, UP
    DATE, REGISTER
    CSeq: 101 INVITE
    Max-Forwards: 4
    Remote-Party-ID: <sip:+41216939263@146.188.127.2>;party=calling;screen=no;privacy=full
    Timestamp: 1180093548
    Contact: <sip:+41216939263@146.188.127.2:5060>
    Expires: 180
    Allow-Events: telephone-event
    Content-Type: application/sdp
    Content-Length: 306
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
      6 0.015863    128.179.67.35         212.249.15.4          SIP      Status: 100 tryin
g -- your call is important to us

Frame 6 (525 bytes on wire, 525 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 trying -- your call is important to us
  Message Header
    Via: SIP/2.0/UDP 212.249.15.4;branch=z9hG4bKc11d.1b9fda86.0
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP  146.188.127.2:5060;branch=z9hG4bK2596
    From: "anonymous" <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    CSeq: 101 INVITE
    Server: Sip EXpress router (0.9.6 (i386/freebsd))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
      7 0.271017    128.179.67.35         212.249.15.4          SIP      Status: 180 Ringi
ng

Frame 7 (717 bytes on wire, 717 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 212.249.15.4;branch=z9hG4bKc11d.1b9fda86.0
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP 146.188.127.2:5060;branch=z9hG4bK2596
    Record-Route: <sip:128.179.67.35;ftag=C95E8AEC-1CF3;lr>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=C95E8AEC-1CF3>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=C95E8AEC-1CF3>
    Record-Route: <sip:62.189.34.7;lr;ftag=C95E8AEC-1CF3>
    From: anonymous <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>;tag=43216f8eb869670fcaeb7624514f2c0d
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    CSeq: 101 INVITE
    Server: Sippy
```

```
No.     Time        Source                Destination           Protocol Info
      8 0.271184    195.129.125.74        62.189.34.7           SIP      Status: 180 Ringi
ng

Frame 8 (656 bytes on wire, 656 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP 146.188.127.2:5060;branch=z9hG4bK2596
    Record-Route: <sip:128.179.67.35;ftag=C95E8AEC-1CF3;lr>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=C95E8AEC-1CF3>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=C95E8AEC-1CF3>
    Record-Route: <sip:62.189.34.7;lr;ftag=C95E8AEC-1CF3>
    From: anonymous <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>;tag=43216f8eb869670fcaeb7624514f2c0d
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    CSeq: 101 INVITE
    Server: Sippy
```

```
No.     Time        Source                Destination           Protocol Info
     13 4.514458    62.189.34.7           195.129.125.74        SIP      Request: CANCEL s
ip:+41215500309@195.129.125.74

Frame 13 (541 bytes on wire, 541 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: CANCEL sip:+41215500309@195.129.125.74 SIP/2.0
  Message Header
    Record-Route: <sip:62.189.34.7;lr;ftag=C95E8AEC-1CF3>
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP  146.188.127.2:5060;branch=z9hG4bK2596
    From: "anonymous" <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>
    Date: Fri, 25 May 2007 11:45:48 GMT
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    CSeq: 101 CANCEL
    Max-Forwards: 5
    Timestamp: 1180093553
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
     14 4.514671    212.249.15.4          128.179.67.35         SIP      Request: CANCEL s
ip:41215500309@128.179.67.35

Frame 14 (600 bytes on wire, 600 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: CANCEL sip:41215500309@128.179.67.35 SIP/2.0
  Message Header
    Record-Route: <sip:62.189.34.7;lr;ftag=C95E8AEC-1CF3>
    Via: SIP/2.0/UDP 212.249.15.4;branch=z9hG4bKc11d.1b9fda86.0
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP  146.188.127.2:5060;branch=z9hG4bK2596
    From: "anonymous" <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>
    Date: Fri, 25 May 2007 11:45:48 GMT
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    CSeq: 101 CANCEL
    Max-Forwards: 4
    Timestamp: 1180093553
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
     15 4.514690    195.129.125.74        62.189.34.7           SIP      Status: 200 cance
ling

Frame 15 (525 bytes on wire, 525 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 canceling
  Message Header
    Record-Route: <sip:62.189.34.7;lr;ftag=C95E8AEC-1CF3>
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP  146.188.127.2:5060;branch=z9hG4bK2596
    From: "anonymous" <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>;tag=f573d5f23064de02e93a9896c945de4a-235d
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    CSeq: 101 CANCEL
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
     16 4.530875    128.179.67.35         212.249.15.4          SIP      Status: 200 cance
ling

Frame 16 (593 bytes on wire, 593 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 canceling
  Message Header
    Record-Route: <sip:62.189.34.7;lr;ftag=C95E8AEC-1CF3>
    Via: SIP/2.0/UDP 212.249.15.4;branch=z9hG4bKc11d.1b9fda86.0
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP  146.188.127.2:5060;branch=z9hG4bK2596
    From: "anonymous" <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>;tag=d000b5b578e86d1d29cbc0021adcdf57-0d8e
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    CSeq: 101 CANCEL
    Server: Sip EXpress router (0.9.6 (i386/freebsd))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
     17 4.533588    128.179.67.35         212.249.15.4          SIP      Status: 487 Reque
st Terminated

Frame 17 (691 bytes on wire, 691 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 128.179.67.35 (128.179.67.35), Dst: 212.249.15.4 (212.249.15.4)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 487 Request Terminated
  Message Header
    Via: SIP/2.0/UDP 212.249.15.4;branch=z9hG4bKc11d.1b9fda86.0
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP 146.188.127.2:5060;branch=z9hG4bK2596
    Record-Route: <sip:128.179.67.35;ftag=C95E8AEC-1CF3;lr>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=C95E8AEC-1CF3>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=C95E8AEC-1CF3>
    Record-Route: <sip:62.189.34.7;lr;ftag=C95E8AEC-1CF3>
    From: anonymous <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    CSeq: 101 INVITE
    Server: Sippy
```

```
No.     Time        Source                Destination           Protocol Info
     18 4.533634    212.249.15.4          128.179.67.35         SIP      Request: ACK sip:
41215500309@128.179.67.35

Frame 18 (397 bytes on wire, 397 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_cf:bc:41 (00:10:7b:cf:
bc:41)
Internet Protocol, Src: 212.249.15.4 (212.249.15.4), Dst: 128.179.67.35 (128.179.67.35)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:41215500309@128.179.67.35 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 212.249.15.4;branch=z9hG4bKc11d.1b9fda86.0
    From: "anonymous" <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    To: <sip:+41215500309@sip.eu.uu.net>
    CSeq: 101 ACK
    User-Agent: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
     19 4.533711    195.129.125.74        62.189.34.7           SIP      Status: 487 Reque
st Terminated

Frame 19 (630 bytes on wire, 630 bytes captured)
Ethernet II, Src: AsustekC_fc:d3:ca (00:18:f3:fc:d3:ca), Dst: Cisco_50:0e:80 (00:30:19:50:
0e:80)
Internet Protocol, Src: 195.129.125.74 (195.129.125.74), Dst: 62.189.34.7 (62.189.34.7)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 487 Request Terminated
  Message Header
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    Via: SIP/2.0/UDP 146.188.127.2:5060;branch=z9hG4bK2596
    Record-Route: <sip:128.179.67.35;ftag=C95E8AEC-1CF3;lr>
    Record-Route: <sip:212.249.15.4;r2=on;lr=on;ftag=C95E8AEC-1CF3>
    Record-Route: <sip:195.129.125.74;r2=on;lr=on;ftag=C95E8AEC-1CF3>
    Record-Route: <sip:62.189.34.7;lr;ftag=C95E8AEC-1CF3>
    From: anonymous <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    To: <sip:+41215500309@sip.eu.uu.net>
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    CSeq: 101 INVITE
    Server: Sippy
```

```
No.     Time        Source                Destination           Protocol Info
     20 4.573431    62.189.34.7           195.129.125.74        SIP      Request: ACK sip:
+41215500309@195.129.125.74

Frame 20 (404 bytes on wire, 404 bytes captured)
Ethernet II, Src: Cisco_cf:bc:41 (00:10:7b:cf:bc:41), Dst: AsustekC_fc:d3:ca (00:18:f3:fc:
d3:ca)
Internet Protocol, Src: 62.189.34.7 (62.189.34.7), Dst: 195.129.125.74 (195.129.125.74)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215500309@195.129.125.74 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 62.189.34.7;branch=z9hG4bKc11d.dd74.0
    From: "anonymous" <sip:+41216939263@146.188.127.2>;tag=C95E8AEC-1CF3
    Call-ID: 50E5D619-9EC11DC-9690D9F2-B243D954@146.188.127.2
    To: <sip:+41215500309@sip.eu.uu.net>
    CSeq: 101 ACK
    User-Agent: OpenSer (1.2.0-dev1-notls (sparc64/solaris))
    Content-Length: 0
```