```
No.     Time        Source                Destination           Protocol Info
     61 33.908777   192.168.1.10          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 61 (518 bytes on wire, 518 bytes captured)
Ethernet II, Src: Grandstr_05:3e:38 (00:0b:82:05:3e:38), Dst: ZyxelCom_aa:9d:34 (00:13:49:
aa:9d:34)
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKfc6f3416f24078ab
    From: <sip:+41215501111@192.168.1.15>;tag=2994bd8209ca728e
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: bae21713d9203b60@192.168.1.10
    CSeq: 100 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
     62 33.910372   192.168.1.15          192.168.1.10          SIP      Status: 200 OK
 (1 bindings)

Frame 62 (499 bytes on wire, 499 bytes captured)
Ethernet II, Src: ZyxelCom_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr_05:3e:38 (00:0b:82:
05:3e:38)
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKfc6f3416f24078ab
    From: <sip:+41215501111@192.168.1.15>;tag=2994bd8209ca728e
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: bae21713d9203b60@192.168.1.10
    CSeq: 100 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
     95 44.231022   192.168.1.11          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 95 (518 bytes on wire, 518 bytes captured)
Ethernet II, Src: Grandstr_05:3e:3a (00:0b:82:05:3e:3a), Dst: ZyxelCom_aa:9d:34 (00:13:49:
aa:9d:34)
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK28e1273e70ddde02
    From: <sip:+41215509999@192.168.1.15>;tag=fdca99a5e1f07891
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: 7e0e9d9345e664bb@192.168.1.11
    CSeq: 100 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
     96 44.232436   192.168.1.15          192.168.1.11          SIP      Status: 200 OK
 (1 bindings)

Frame 96 (499 bytes on wire, 499 bytes captured)
Ethernet II, Src: ZyxelCom_aa:9d:34 (00:13:49:aa:9d:34), Dst: Grandstr_05:3e:3a (00:0b:82:
05:3e:3a)
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: 32853 (32853), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK28e1273e70ddde02
    From: <sip:+41215509999@192.168.1.15>;tag=fdca99a5e1f07891
    To: <sip:+41215509999@192.168.1.15>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: 7e0e9d9345e664bb@192.168.1.11
    CSeq: 100 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```