

No.	Time	Source	Destination	Protocol	Info
665	17.130024	192.168.1.10	192.168.1.15	SIP/SDP	Request: INVITE s

Frame 665 (784 bytes on wire, 784 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215509999@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
666	17.131885	192.168.1.15	192.168.1.10	SIP	Status: 100 Giving a try

Frame 666 (328 bytes on wire, 328 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 INVITE

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
667	17.132625	192.168.1.15	192.168.1.11	SIP/SDP	Request: INVITE s

ip:+41215509999@192.168.1.11, with session description

Frame 667 (908 bytes on wire, 908 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1073544afa2a6ecd

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd

Record-Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
668	17.138545	192.168.1.11	192.168.1.15	SIP	Status: 100 Trying

Frame 668 (406 bytes on wire, 406 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Trying

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1073544afa2a6ecd

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
669	17.139869	192.168.1.15	192.168.1.10	SIP	Status: 100 Trying

Frame 669 (344 bytes on wire, 344 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Trying

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
670	17.141060	192.168.1.11	192.168.1.15	SIP	Status: 180 Ringing

Frame 670 (490 bytes on wire, 490 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1073544afa2a6ecd

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd

Record-Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
671	17.142339	192.168.1.15	192.168.1.10	SIP	Status: 180 Ringing

Frame 671 (428 bytes on wire, 428 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd

Record-Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
758	19.645181	192.168.1.11	192.168.1.15	SIP/SDP	Status: 200 OK, with session description

Frame 758 (810 bytes on wire, 810 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1073544afa2a6ecd

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd

Record-Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Supported: replaces

Content-Length: 163

Message body



No.	Time	Source	Destination	Protocol	Info
759	19.646915	192.168.1.15	192.168.1.10	SIP/SDP	Status: 200 OK, with session description

Frame 759 (748 bytes on wire, 748 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1073544afa2a6ecd

Record-Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Supported: replaces

Content-Length: 163

Message body

No.	Time	Source	Destination	Protocol	Info
760	19.653986	192.168.1.10	192.168.1.15	SIP	Request: ACK sip: +41215509999@192.168.1.11

Frame 760 (566 bytes on wire, 566 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK808da23a9d1db5f9

Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
762	19.655417	192.168.1.15	192.168.1.11	SIP	Request: ACK sip: +41215509999@192.168.1.11

Frame 762 (573 bytes on wire, 573 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK808da23a9d1db5f9

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK808da23a9d1db5f9

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43883 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
944	23.737649	192.168.1.10	192.168.1.15	SIP	Request: REGISTER sip:192.168.1.15

Frame 944 (520 bytes on wire, 520 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK87461228c4133a6f

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 25e54494742378e1@192.168.1.10

CSeq: 101 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
945	23.739312	192.168.1.15	192.168.1.10	SIP	Status: 200 OK (1 bindings)

Frame 945 (360 bytes on wire, 360 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK87461228c4133a6f

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: 25e54494742378e1@192.168.1.10

CSeq: 101 REGISTER

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1285	31.443923	192.168.1.10	192.168.1.15	SIP	Request: INFO sip :+41215509999@192.168.1.11

Frame 1285 (651 bytes on wire, 651 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INFO sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK293ac32018a876ea

Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43884 INFO

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/dtmf-relay

Content-Length: 23

Message body

No.	Time	Source	Destination	Protocol	Info
1286	31.488602	192.168.1.15	192.168.1.11	SIP	Request: INFO sip :+41215509999@192.168.1.11

Frame 1286 (658 bytes on wire, 658 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INFO sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK293ac32018a876ea

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK293ac32018a876ea

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43884 INFO

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/dtmf-relay

Content-Length: 23

Message body

No.	Time	Source	Destination	Protocol	Info
1287	31.494211	192.168.1.11	192.168.1.15	SIP	Status: 200 OK

Frame 1287 (550 bytes on wire, 550 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK293ac32018a876ea

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK293ac32018a876ea

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43884 INFO

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0



No.	Time	Source	Destination	Protocol	Info
1288	31.495820	192.168.1.15	192.168.1.10	SIP	Status: 200 OK

Frame 1288 (488 bytes on wire, 488 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK293ac32018a876ea

From: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

To: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 43884 INFO

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1386	33.739725	192.168.1.11	192.168.1.15	SIP	Request: INFO sip :+41215501111@192.168.1.10

Frame 1386 (650 bytes on wire, 650 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INFO sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK488e836b6967ea90

Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>

From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 52930 INFO

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/dtmf-relay

Content-Length: 22

Message body

No.	Time	Source	Destination	Protocol	Info
1387	33.741201	192.168.1.15	192.168.1.10	SIP	Request: INFO sip :+41215501111@192.168.1.10

Frame 1387 (657 bytes on wire, 657 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INFO sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK488e836b6967ea90

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK488e836b6967ea90

From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 52930 INFO

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/dtmf-relay

Content-Length: 22

Message body

No.	Time	Source	Destination	Protocol	Info
1388	33.746804	192.168.1.10	192.168.1.15	SIP	Status: 200 OK

Frame 1388 (550 bytes on wire, 550 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK488e836b6967ea90

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK488e836b6967ea90

From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 52930 INFO

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1389	33.748182	192.168.1.15	192.168.1.11	SIP	Status: 200 OK

Frame 1389 (488 bytes on wire, 488 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK488e836b6967ea90

From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 52930 INFO

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1553	36.453261	192.168.1.11	192.168.1.15	SIP	Request: BYE sip: +41215501111@192.168.1.10

Frame 1553 (545 bytes on wire, 545 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK22dee2672595d5a7

Route: <sip:192.168.1.15;lr=on;ftag=b03fbb977e692e28>

From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

Supported: replaces

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 52931 BYE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1554	36.462927	192.168.1.15	192.168.1.10	SIP	Request: BYE sip: +41215501111@192.168.1.10

Frame 1554 (552 bytes on wire, 552 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK22dee2672595d5a7

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK22dee2672595d5a7

From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

Supported: replaces

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 52931 BYE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1555	36.467720	192.168.1.10	192.168.1.15	SIP	Status: 200 OK

Frame 1555 (549 bytes on wire, 549 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK22dee2672595d5a7

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK22dee2672595d5a7

From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 52931 BYE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0



No.	Time	Source	Destination	Protocol	Info
1556	36.479323	192.168.1.15	192.168.1.11	SIP	Status: 200 OK

Frame 1556 (487 bytes on wire, 487 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK22dee2672595d5a7

From: <sip:+41215509999@192.168.1.15>;tag=2d39d82d4efb221d

To: <sip:+41215501111@192.168.1.15>;tag=b03fbb977e692e28

Call-ID: 3f6b72ef41379493@192.168.1.10

CSeq: 52931 BYE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
5759	125.318617	192.168.1.11	192.168.1.15	SIP	Request: REGISTER sip:192.168.1.15

Frame 5759 (520 bytes on wire, 520 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK5c3931e9b42509bd

From: <sip:+41215509999@192.168.1.15>;tag=86c5d5238aebc41f

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: e1b8e76c8159f80d@192.168.1.11

CSeq: 101 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
5760	125.320091	192.168.1.15	192.168.1.11	SIP	Status: 200 OK (1 bindings)

Frame 5760 (360 bytes on wire, 360 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK5c3931e9b42509bd

From: <sip:+41215509999@192.168.1.15>;tag=86c5d5238aebc41f

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215509999@192.168.1.11>

Call-ID: e1b8e76c8159f80d@192.168.1.11

CSeq: 101 REGISTER

Server: PrimiSIP

Content-Length: 0