

No.	Time	Source	Destination	Protocol	Info
876	14.953470	192.168.1.11	192.168.1.15	SIP/SDP	Request: INVITE s

Frame 876 (784 bytes on wire, 784 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215501111@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
877	14.955252	192.168.1.15	192.168.1.11	SIP	Status: 100 Giving a try

Frame 877 (328 bytes on wire, 328 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 INVITE

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
878	14.955993	192.168.1.15	192.168.1.10	SIP/SDP	Request: INVITE s ip:+41215501111@192.168.1.10, with session description

Frame 878 (908 bytes on wire, 908 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

Record-Route: <sip:192.168.1.15;lr=on;ftag=82109cffc4d06068>

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
879	14.962049	192.168.1.10	192.168.1.15	SIP	Status: 100 Trying

Frame 879 (406 bytes on wire, 406 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Trying

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
880	14.963367	192.168.1.15	192.168.1.11	SIP	Status: 100 Trying

Frame 880 (344 bytes on wire, 344 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Trying

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
881	14.964563	192.168.1.10	192.168.1.15	SIP	Status: 180 Ringing

Frame 881 (490 bytes on wire, 490 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

Record-Route: <sip:192.168.1.15;lr=on;ftag=82109cffc4d06068>

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
882	14.965790	192.168.1.15	192.168.1.11	SIP	Status: 180 Ringing

Frame 882 (428 bytes on wire, 428 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

Record-Route: <sip:192.168.1.15;lr=on;ftag=82109cffc4d06068>

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1072	19.370882	192.168.1.11	192.168.1.15	SIP	Request: CANCEL s ip:+41215501111@192.168.1.15

Frame 1072 (475 bytes on wire, 475 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: CANCEL sip:+41215501111@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>

Supported: replaces

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 CANCEL

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1073	19.372310	192.168.1.15	192.168.1.11	SIP	Status: 200 Cance lling

Frame 1073 (326 bytes on wire, 326 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 Cancelling

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 CANCEL

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1074	19.373027	192.168.1.15	192.168.1.10	SIP	Request: CANCEL s ip:+41215501111@192.168.1.10

Frame 1074 (537 bytes on wire, 537 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: CANCEL sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>

Supported: replaces

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 CANCEL

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1075	19.377558	192.168.1.10	192.168.1.15	SIP	Status: 200 OK

Frame 1075 (552 bytes on wire, 552 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 CANCEL

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1076	19.378946	192.168.1.15	192.168.1.11	SIP	Status: 200 OK

Frame 1076 (490 bytes on wire, 490 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 CANCEL

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1077	19.379527	192.168.1.10	192.168.1.15	SIP	Status: 487 Request Cancelled

Frame 1077 (500 bytes on wire, 500 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

Record-Route: <sip:192.168.1.15;lr=on;ftag=82109cffc4d06068>

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1078	19.380781	192.168.1.15	192.168.1.11	SIP	Status: 487 Request Cancelled

Frame 1078 (438 bytes on wire, 438 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

Record-Route: <sip:192.168.1.15;lr=on;ftag=82109cffc4d06068>

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1079	19.385393	192.168.1.11	192.168.1.15	SIP	Request: ACK sip: +41215501111@192.168.1.15

Frame 1079 (511 bytes on wire, 511 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215501111@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961

Contact: <sip:+41215509999@192.168.1.11>

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1080	19.386658	192.168.1.15	192.168.1.10	SIP	Request: ACK sip: +41215501111@192.168.1.10

Frame 1080 (573 bytes on wire, 573 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK6008414cefae770f

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK6008414cefae770f

From: <sip:+41215509999@192.168.1.15>;tag=82109cffc4d06068

To: <sip:+41215501111@192.168.1.15>;tag=b46457f322c1e961

Contact: <sip:+41215509999@192.168.1.11>

Call-ID: d0f0a4e0cfa0590b@192.168.1.11

CSeq: 50933 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
3200	62.280785	192.168.1.10	192.168.1.15	SIP	Request: REGISTER sip:192.168.1.15

Frame 3200 (520 bytes on wire, 520 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK310ac5b29ae6d20f

From: <sip:+41215501111@192.168.1.15>;tag=1794bc82e6ca718e

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: afd6f9eee28982de@192.168.1.10

CSeq: 146 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
3201	62.282542	192.168.1.15	192.168.1.10	SIP	Status: 200 OK (1 bindings)

Frame 3201 (360 bytes on wire, 360 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK310ac5b29ae6d20f

From: <sip:+41215501111@192.168.1.15>;tag=1794bc82e6ca718e

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: afd6f9eee28982de@192.168.1.10

CSeq: 146 REGISTER

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6192	125.726006	192.168.1.11	192.168.1.15	SIP	Request: REGISTER sip:192.168.1.15

Frame 6192 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.11 (192.168.1.11), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK01001af703074d78
From: <sip:+41215509999@192.168.1.15>;tag=ebca88a5ffe07791
To: <sip:+41215509999@192.168.1.15>
Contact: <sip:+41215509999@192.168.1.11>
Supported: replaces
Call-ID: e08ea19f2788617f@192.168.1.11
CSeq: 102 REGISTER
Expires: 150
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 70
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6193	125.727456	192.168.1.15	192.168.1.11	SIP	Status: 200 OK (1 bindings)

Frame 6193 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.11 (192.168.1.11)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 200 OK
Message Header
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK01001af703074d78
From: <sip:+41215509999@192.168.1.15>;tag=ebca88a5ffe07791
To: <sip:+41215509999@192.168.1.15>
Contact: <sip:+41215509999@192.168.1.11>
Call-ID: e08ea19f2788617f@192.168.1.11
CSeq: 102 REGISTER
Server: PrimiSIP
Content-Length: 0