

No.	Time	Source	Destination	Protocol	Info
2524	40.458767	192.168.1.10	192.168.1.15	SIP/SDP	Request: INVITE s

ip:+41215509999@192.168.1.15, with session description

Frame 2524 (784 bytes on wire, 784 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: INVITE sip:+41215509999@192.168.1.15 SIP/2.0
Message Header
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
To: <sip:+41215509999@192.168.1.15>
Contact: <sip:+41215501111@192.168.1.10>
Supported: replaces
Call-ID: 9446d49b88d522a5@192.168.1.10
CSeq: 28915 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 70
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Type: application/sdp
Content-Length: 234
Message body

No.	Time	Source	Destination	Protocol	Info
2525	40.462561	192.168.1.15	192.168.1.10	SIP	Status: 100 Giving a try

Frame 2525 (328 bytes on wire, 328 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a

From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523

To: <sip:+41215509999@192.168.1.15>

Call-ID: 9446d49b88d522a5@192.168.1.10

CSeq: 28915 INVITE

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
2526	40.463365	192.168.1.15	128.179.67.76	SIP/SDP	Request: INVITE s ip:+41215509999@128.179.67.76, with session description

Frame 2526 (909 bytes on wire, 909 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215509999@128.179.67.76 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
Record-Route: <sip:192.168.1.15;lr=on;ftag=8cb5d4da05568523>
From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
To: <sip:+41215509999@192.168.1.15>
Contact: <sip:+41215501111@192.168.1.10>
Supported: replaces
Call-ID: 9446d49b88d522a5@192.168.1.10
CSeq: 28915 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 70
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Type: application/sdp
Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
2527	40.465352	128.179.67.76	192.168.1.15	SIP	Status: 100 Giving a try

Frame 2527 (416 bytes on wire, 416 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a

From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523

To: <sip:+41215509999@192.168.1.15>

Call-ID: 9446d49b88d522a5@192.168.1.10

CSeq: 28915 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
2528	40.466795	192.168.1.15	192.168.1.10	SIP	Status: 100 Giving a try

Frame 2528 (354 bytes on wire, 354 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a

From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523

To: <sip:+41215509999@192.168.1.15>

Call-ID: 9446d49b88d522a5@192.168.1.10

CSeq: 28915 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
2529	40.467229	128.179.67.76	192.168.1.16	SIP/SDP	Request: INVITE s ip:+41215509999@192.168.1.16, with session description

Frame 2529 (1033 bytes on wire, 1033 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: INVITE sip:+41215509999@192.168.1.16 SIP/2.0
Message Header
Record-Route: <sip:128.179.67.76;lr=on;ftag=8cb5d4da05568523>
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK8ced.6f4f9bf2.0
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
Record-Route: <sip:192.168.1.15;lr=on;ftag=8cb5d4da05568523>
From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
To: <sip:+41215509999@192.168.1.15>
Contact: <sip:+41215501111@192.168.1.10>
Supported: replaces
Call-ID: 9446d49b88d522a5@192.168.1.10
CSeq: 28915 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 69
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Type: application/sdp
Content-Length: 234
Message body

No.	Time	Source	Destination	Protocol	Info
2532	40.468639	192.168.1.16	128.179.67.76	SIP	Status: 500 Server error occurred (1/SL)

Frame 2532 (536 bytes on wire, 536 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 500 Server error occurred (1/SL)

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK8ced.6f4f9bf2.0

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a

From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523

To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286

Call-ID: 9446d49b88d522a5@192.168.1.10

CSeq: 28915 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
2533	40.468842	128.179.67.76	192.168.1.16	SIP	Request: ACK sip: +41215509999@192.168.1.16

Frame 2533 (414 bytes on wire, 414 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215509999@192.168.1.16 SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK8ced.6f4f9bf2.0

From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523

Call-ID: 9446d49b88d522a5@192.168.1.10

To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286

CSeq: 28915 ACK

User-Agent: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
2534	40.469147	128.179.67.76	192.168.1.15	SIP	Status: 500 Server error occurred (1/SL)

Frame 2534 (474 bytes on wire, 474 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 500 Server error occurred (1/SL)

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a

From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523

To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286

Call-ID: 9446d49b88d522a5@192.168.1.10

CSeq: 28915 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
2535	40.470502	192.168.1.15	192.168.1.10	SIP	Status: 500 Server error occurred (1/SL)

Frame 2535 (412 bytes on wire, 412 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 500 Server error occurred (1/SL)

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a

From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523

To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286

Call-ID: 9446d49b88d522a5@192.168.1.10

CSeq: 28915 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
2536	40.475159	192.168.1.10	192.168.1.15	SIP	Request: ACK sip: +41215509999@192.168.1.15

Frame 2536 (532 bytes on wire, 532 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215509999@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a

From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523

To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: 9446d49b88d522a5@192.168.1.10

CSeq: 28915 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
2537	40.476595	192.168.1.15	128.179.67.76	SIP	Request: ACK sip: +41215509999@128.179.67.76

Frame 2537 (595 bytes on wire, 595 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol
Request-Line: ACK sip:+41215509999@128.179.67.76 SIP/2.0

Message Header
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKef1e08575494110a
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKef1e08575494110a
From: <sip:+41215501111@192.168.1.15>;tag=8cb5d4da05568523
To: <sip:+41215509999@192.168.1.15>;tag=d76032c592c271508dd10e2795cafde5.f286
Contact: <sip:+41215501111@192.168.1.10>
Call-ID: 9446d49b88d522a5@192.168.1.10
CSeq: 28915 ACK
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 70
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
4647	86.703912	192.168.1.10	192.168.1.15	SIP	Request: REGISTER
		sip:192.168.1.15			

Frame 4647 (520 bytes on wire, 520 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK049972c4ce901a45

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 32ebfcacf6101c3e@192.168.1.10

CSeq: 162 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
4648	86.710964	192.168.1.15	192.168.1.10	SIP	Status: 200 OK (1 bindings)

Frame 4648 (360 bytes on wire, 360 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK049972c4ce901a45

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: 32ebfcacf6101c3e@192.168.1.10

CSeq: 162 REGISTER

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6670	130.843055	192.168.1.10	192.168.1.15	SIP/SDP	Request: INVITE s

ip:+41215509999@192.168.1.15, with session description

Frame 6670 (784 bytes on wire, 784 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215509999@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 32780 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
6671	130.844840	192.168.1.15	192.168.1.10	SIP	Status: 100 Giving a try

Frame 6671 (328 bytes on wire, 328 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 32780 INVITE

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6672	130.845580	192.168.1.15	128.179.67.76	SIP/SDP	Request: INVITE sip:+41215509999@128.179.67.76, with session description

Frame 6672 (909 bytes on wire, 909 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol
Request-Line: INVITE sip:+41215509999@128.179.67.76 SIP/2.0
Message Header
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
To: <sip:+41215509999@192.168.1.15>
Contact: <sip:+41215501111@192.168.1.10>
Supported: replaces
Call-ID: f46e93afacfddf5f@192.168.1.10
CSeq: 32780 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 70
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Type: application/sdp
Content-Length: 234
Message body

No.	Time	Source	Destination	Protocol	Info
6673	130.846258	128.179.67.76	192.168.1.15	SIP	Status: 100 Giving a try

Frame 6673 (416 bytes on wire, 416 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 32780 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6674	130.847558	192.168.1.15	192.168.1.10	SIP	Status: 100 Giving a try

Frame 6674 (354 bytes on wire, 354 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 32780 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6675	130.847959	128.179.67.76	192.168.1.16	SIP/SDP	Request: INVITE s ip:+41215509999@192.168.1.16, with session description

Frame 6675 (1033 bytes on wire, 1033 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215509999@192.168.1.16 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKba7a.b67ffa94.0
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
To: <sip:+41215509999@192.168.1.15>
Contact: <sip:+41215501111@192.168.1.10>
Supported: replaces
Call-ID: f46e93afacfd5f@192.168.1.10
CSeq: 32780 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 69
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Type: application/sdp
Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
6680	130.849038	192.168.1.16	128.179.67.76	SIP	Status: 100 Giving a try

Frame 6680 (478 bytes on wire, 478 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 100 Giving a try
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKba7a.b67ffa94.0
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
To: <sip:+41215509999@192.168.1.15>
Call-ID: f46e93afacfddf5f@192.168.1.10
CSeq: 32780 INVITE
Server: OpenSER (1.2.0-notls (i386/linux))
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6685	130.861260	192.168.1.16	128.179.67.76	SIP	Status: 180 Ringing

Frame 6685 (677 bytes on wire, 677 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKba7a.b67ffa94.0

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4

Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>

Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>

Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 32780 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6686	130.861770	128.179.67.76	192.168.1.15	SIP	Status: 180 Ringing

Frame 6686 (615 bytes on wire, 615 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4

Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>

Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>

Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152

Call-ID: f46e93afacfd5f@192.168.1.10

CSeq: 32780 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6687	130.863376	192.168.1.15	192.168.1.10	SIP	Status: 180 Ringing

Frame 6687 (553 bytes on wire, 553 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 180 Ringing
Message Header
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
Call-ID: f46e93afacfddf5f@192.168.1.10
CSeq: 32780 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6902	134.632030	192.168.1.16	128.179.67.76	SIP/SDP	Status: 200 OK, with session description

Frame 6902 (997 bytes on wire, 997 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKba7a.b67ffa94.0

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4

Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>

Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>

Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 32780 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Supported: replaces

Content-Length: 163

Message body

No.	Time	Source	Destination	Protocol	Info
6903	134.632541	128.179.67.76	192.168.1.15	SIP/SDP	Status: 200 OK, with session description

Frame 6903 (935 bytes on wire, 935 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol
Status-Line: SIP/2.0 200 OK
Message Header
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKb72f8f3e81ecb2b4
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4
Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>
Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>
Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
Call-ID: f46e93afacfd5f@192.168.1.10
CSeq: 32780 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Contact: <sip:+41215509999@192.168.1.11>
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Type: application/sdp
Supported: replaces
Content-Length: 163
Message body

No.	Time	Source	Destination	Protocol	Info
6904	134.634704	192.168.1.15	192.168.1.10	SIP/SDP	Status: 200 OK, with session description

Frame 6904 (873 bytes on wire, 873 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKb72f8f3e81ecb2b4

Record-Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>

Record-Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>

Record-Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7alb8152

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 32780 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Supported: replaces

Content-Length: 163

Message body

No.	Time	Source	Destination	Protocol	Info
6905	134.643187	192.168.1.10	192.168.1.15	SIP	Request: ACK sip: +41215509999@192.168.1.11

Frame 6905 (677 bytes on wire, 677 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKa0b75471aa6468ad

Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>

Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>

Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7alb8152

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: f46e93afacfd5f@192.168.1.10

CSeq: 32780 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6906	134.737033	192.168.1.15	128.179.67.76	SIP	Request: ACK sip: +41215509999@192.168.1.11

Frame 6906 (684 bytes on wire, 684 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKa0b75471aa6468ad

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKa0b75471aa6468ad

Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>

Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7alb8152

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: f46e93afacfd5f@192.168.1.10

CSeq: 32780 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
6907	134.737509	128.179.67.76	192.168.1.16	SIP	Request: ACK sip: +41215509999@192.168.1.11

Frame 6907 (690 bytes on wire, 690 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKba7a.b67ffa94.2

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bKa0b75471aa6468ad

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKa0b75471aa6468ad

Route: <sip:192.168.1.16;lr=on;ftag=07e219d1f2a2e2f2>

From: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

To: <sip:+41215509999@192.168.1.15>;tag=5890e37b7alb8152

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: f46e93afacfd5f@192.168.1.10

CSeq: 32780 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
7246	140.609056	192.168.1.16	128.179.67.76	SIP	Request: BYE sip: +41215501111@192.168.1.10

Frame 7246 (662 bytes on wire, 662 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a

Route: <sip:128.179.67.76;lr=on;ftag=07e219d1f2a2e2f2>

Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>

From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152

To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

Supported: replaces

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 16943 BYE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
7249	140.609381	128.179.67.76	192.168.1.15	SIP	Request: BYE sip: +41215501111@192.168.1.10

Frame 7249 (668 bytes on wire, 668 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: BYE sip:+41215501111@192.168.1.10 SIP/2.0
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5597.a9907925.0
Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a
Route: <sip:192.168.1.15;lr=on;ftag=07e219d1f2a2e2f2>
From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152
To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2
Supported: replaces
Call-ID: f46e93afacfddf5f@192.168.1.10
CSeq: 16943 BYE
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 68
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
7250	140.611719	192.168.1.15	192.168.1.10	SIP	Request: BYE sip: +41215501111@192.168.1.10

Frame 7250 (674 bytes on wire, 674 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5597.a9907925.0

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5597.a9907925.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a

From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152

To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

Supported: replaces

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 16943 BYE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 68

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
7251	140.617314	192.168.1.10	192.168.1.15	SIP	Status: 200 OK

Frame 7251 (671 bytes on wire, 671 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5597.a9907925.0

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5597.a9907925.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a

From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152

To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 16943 BYE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
7252	140.620967	192.168.1.15	128.179.67.76	SIP	Status: 200 OK

Frame 7252 (610 bytes on wire, 610 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5597.a9907925.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a

From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152

To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 16943 BYE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
7253	140.621192	128.179.67.76	192.168.1.16	SIP	Status: 200 OK

Frame 7253 (548 bytes on wire, 548 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5597.69c31f04.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKcb6262fe58afd13a

From: <sip:+41215509999@192.168.1.15>;tag=5890e37b7a1b8152

To: <sip:+41215501111@192.168.1.15>;tag=07e219d1f2a2e2f2

Call-ID: f46e93afacfddf5f@192.168.1.10

CSeq: 16943 BYE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
11015	216.765712	192.168.1.10	192.168.1.15	SIP	Request: REGISTER sip:192.168.1.15

Frame 11015 (520 bytes on wire, 520 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK5cf52756540667b2

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 32ebfcacf6101c3e@192.168.1.10

CSeq: 163 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
11016	216.767226	192.168.1.15	192.168.1.10	SIP	Status: 200 OK (1 bindings)

Frame 11016 (360 bytes on wire, 360 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK5cf52756540667b2

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: 32ebfcacf6101c3e@192.168.1.10

CSeq: 163 REGISTER

Server: PrimiSIP

Content-Length: 0