

No.	Time	Source	Destination	Protocol	Info
1426	31.278874	192.168.1.16	128.179.67.76	SIP/SDP	Request: INVITE sip:+41215501111@128.179.67.76, with session description

Frame 1426 (908 bytes on wire, 908 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215501111@128.179.67.76 SIP/2.0

Message Header

Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26035 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
1427	31.280518	128.179.67.76	192.168.1.16	SIP	Status: 100 Giving a try

Frame 1427 (415 bytes on wire, 415 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26035 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1428	31.280606	128.179.67.76	192.168.1.15	SIP/SDP	Request: INVITE s ip:+41215501111@192.168.1.15, with session description

Frame 1428 (1032 bytes on wire, 1032 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215501111@192.168.1.15 SIP/2.0

Message Header

Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26035 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 68

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
1431	31.282822	192.168.1.15	128.179.67.76	SIP	Status: 100 Giving a try

Frame 1431 (451 bytes on wire, 451 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 100 Giving a try
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
To: <sip:+41215501111@192.168.1.16>
Call-ID: e0e3fc14leafb5d7@192.168.1.11
CSeq: 26035 INVITE
Server: PrimiSIP
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1432	31.283573	192.168.1.15	192.168.1.10	SIP/SDP	Request: INVITE s ip:+41215501111@192.168.1.10, with session description

Frame 1432 (1155 bytes on wire, 1155 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5e0d.5d5cf653.0

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26035 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 68

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
1433	31.291103	192.168.1.10	192.168.1.15	SIP	Status: 100 Trying

Frame 1433 (528 bytes on wire, 528 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Trying

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5e0d.5d5cf653.0

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26035 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1434	31.292467	192.168.1.15	128.179.67.76	SIP	Status: 100 Trying

g

Frame 1434 (467 bytes on wire, 467 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 100 Trying
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
To: <sip:+41215501111@192.168.1.16>
Call-ID: e0e3fc14leafb5d7@192.168.1.11
CSeq: 26035 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1435	31.294906	192.168.1.10	192.168.1.15	SIP	Status: 180 Ringing

Frame 1435 (737 bytes on wire, 737 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5e0d.5d5cf653.0

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c

Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26035 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1436	31.296355	192.168.1.15	128.179.67.76	SIP	Status: 180 Ringing

Frame 1436 (676 bytes on wire, 676 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c

Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Call-ID: e0e3fc14leafb5d7@192.168.1.11

CSeq: 26035 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1437	31.296792	128.179.67.76	192.168.1.16	SIP	Status: 180 Ringing

Frame 1437 (614 bytes on wire, 614 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c

Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26035 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1606	35.824302	192.168.1.10	192.168.1.15	SIP/SDP	Status: 200 OK, with session description

Frame 1606 (1057 bytes on wire, 1057 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol
Status-Line: SIP/2.0 200 OK
Message Header
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5e0d.5d5cf653.0
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
Call-ID: e0e3fc141eafb5d7@192.168.1.11
CSeq: 26035 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Contact: <sip:+41215501111@192.168.1.10>
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Type: application/sdp
Supported: replaces
Content-Length: 163
Message body

No.	Time	Source	Destination	Protocol	Info
1607	35.826161	192.168.1.15	128.179.67.76	SIP/SDP	Status: 200 OK, with session description

Frame 1607 (996 bytes on wire, 996 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c

Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Call-ID: e0e3fc14leafb5d7@192.168.1.11

CSeq: 26035 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Supported: replaces

Content-Length: 163

Message body

No.	Time	Source	Destination	Protocol	Info
1608	35.826701	128.179.67.76	192.168.1.16	SIP/SDP	Status: 200 OK, with session description

Frame 1608 (934 bytes on wire, 934 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol
Status-Line: SIP/2.0 200 OK
Message Header
Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
Call-ID: e0e3fc141eafb5d7@192.168.1.11
CSeq: 26035 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Contact: <sip:+41215501111@192.168.1.10>
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Type: application/sdp
Supported: replaces
Content-Length: 163
Message body

No.	Time	Source	Destination	Protocol	Info
1635	35.836888	192.168.1.16	128.179.67.76	SIP	Request: ACK sip: +41215501111@192.168.1.10

Frame 1635 (683 bytes on wire, 683 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: ACK sip:+41215501111@192.168.1.10 SIP/2.0
Message Header
Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.2
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK83bff18e328d2005
Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
Contact: <sip:+41215509999@192.168.1.11>
Call-ID: e0e3fc141eafb5d7@192.168.1.11
CSeq: 26035 ACK
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 69
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1638	35.837963	128.179.67.76	192.168.1.15	SIP	Request: ACK sip: +41215501111@192.168.1.10

Frame 1638 (689 bytes on wire, 689 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.2

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.2

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK83bff18e328d2005

Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Contact: <sip:+41215509999@192.168.1.11>

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26035 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 68

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1639	35.840598	192.168.1.15	192.168.1.10	SIP	Request: ACK sip: +41215501111@192.168.1.10

Frame 1639 (695 bytes on wire, 695 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5e0d.5d5cf653.2

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.2

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.2

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK83bff18e328d2005

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Contact: <sip:+41215509999@192.168.1.11>

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26035 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 68

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1669	38.228902	192.168.1.10	192.168.1.15	SIP	Request: INFO sip :+41215509999@192.168.1.11

Frame 1669 (761 bytes on wire, 761 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INFO sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf

Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>

Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38992 INFO

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/dtmf-relay

Content-Length: 22

Message body

No.	Time	Source	Destination	Protocol	Info
1672	38.230863	192.168.1.15	128.179.67.76	SIP	Request: INFO sip :+41215509999@192.168.1.11

Frame 1672 (768 bytes on wire, 768 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INFO sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK3405fc7f25bac4bf

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf

Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38992 INFO

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/dtmf-relay

Content-Length: 22

Message body

No.	Time	Source	Destination	Protocol	Info
1673	38.233238	128.179.67.76	192.168.1.16	SIP	Request: INFO sip :+41215509999@192.168.1.11

Frame 1673 (774 bytes on wire, 774 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INFO sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc0e3.49c72c15.0

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK3405fc7f25bac4bf

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf

Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38992 INFO

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/dtmf-relay

Content-Length: 22

Message body

No.	Time	Source	Destination	Protocol	Info
1680	38.241371	192.168.1.16	128.179.67.76	SIP	Status: 200 OK

Frame 1680 (612 bytes on wire, 612 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc0e3.49c72c15.0

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK3405fc7f25bac4bf

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38992 INFO

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1696	38.255530	128.179.67.76	192.168.1.15	SIP	Status: 200 OK

Frame 1696 (550 bytes on wire, 550 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK3405fc7f25bac4bf

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38992 INFO

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1697	38.258831	192.168.1.15	192.168.1.10	SIP	Status: 200 OK

Frame 1697 (488 bytes on wire, 488 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38992 INFO

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1747	39.513800	192.168.1.16	128.179.67.76	SIP	Request: INFO sip :+41215501111@192.168.1.10

Frame 1747 (767 bytes on wire, 767 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INFO sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8

Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26036 INFO

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/dtmf-relay

Content-Length: 22

Message body

No.	Time	Source	Destination	Protocol	Info
1750	39.514336	128.179.67.76	192.168.1.15	SIP	Request: INFO sip :+41215501111@192.168.1.10

Frame 1750 (773 bytes on wire, 773 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol
Request-Line: INFO sip:+41215501111@192.168.1.10 SIP/2.0
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2e0d.1fea7ee2.0
Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0
Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8
Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
Contact: <sip:+41215509999@192.168.1.11>
Supported: replaces
Call-ID: e0e3fc141eafb5d7@192.168.1.11
CSeq: 26036 INFO
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 68
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Type: application/dtmf-relay
Content-Length: 22
Message body

No.	Time	Source	Destination	Protocol	Info
1751	39.518504	192.168.1.15	192.168.1.10	SIP	Request: INFO sip :+41215501111@192.168.1.10

Frame 1751 (779 bytes on wire, 779 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INFO sip:+41215501111@192.168.1.10 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2e0d.1fea7ee2.0

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2e0d.1fea7ee2.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Contact: <sip:+41215509999@192.168.1.11>

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26036 INFO

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 68

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/dtmf-relay

Content-Length: 22

Message body

No.	Time	Source	Destination	Protocol	Info
1768	39.524925	192.168.1.10	192.168.1.15	SIP	Status: 200 OK

Frame 1768 (672 bytes on wire, 672 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2e0d.1fea7ee2.0

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2e0d.1fea7ee2.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Call-ID: e0e3fc14leafb5d7@192.168.1.11

CSeq: 26036 INFO

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1770	39.534276	192.168.1.15	128.179.67.76	SIP	Status: 200 OK

Frame 1770 (611 bytes on wire, 611 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2e0d.1fea7ee2.0

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26036 INFO

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1771	39.546449	128.179.67.76	192.168.1.16	SIP	Status: 200 OK

Frame 1771 (549 bytes on wire, 549 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0

Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKalaf7f5d317bebc8

From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 26036 INFO

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215501111@192.168.1.10>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1842	44.892150	192.168.1.10	192.168.1.15	SIP	Request: BYE sip: +41215509999@192.168.1.11

Frame 1842 (656 bytes on wire, 656 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e

Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>

Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38993 BYE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1843	44.893870	192.168.1.15	128.179.67.76	SIP	Request: BYE sip: +41215509999@192.168.1.11

Frame 1843 (663 bytes on wire, 663 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1ec57ded32201c8e

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e

Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>

Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38993 BYE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1844	44.894405	128.179.67.76	192.168.1.16	SIP	Request: BYE sip: +41215509999@192.168.1.11

Frame 1844 (669 bytes on wire, 669 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: BYE sip:+41215509999@192.168.1.11 SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKd0e3.483f9853.0

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1ec57ded32201c8e

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e

Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Supported: replaces

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38993 BYE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1847	44.911051	192.168.1.16	128.179.67.76	SIP	Status: 200 OK

Frame 1847 (611 bytes on wire, 611 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKd0e3.483f9853.0

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1ec57ded32201c8e

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38993 BYE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1850	44.911363	128.179.67.76	192.168.1.15	SIP	Status: 200 OK

Frame 1850 (549 bytes on wire, 549 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1ec57ded32201c8e

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38993 BYE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1860	44.913829	192.168.1.15	192.168.1.10	SIP	Status: 200 OK

Frame 1860 (487 bytes on wire, 487 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e

From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258

To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986

Call-ID: e0e3fc141eafb5d7@192.168.1.11

CSeq: 38993 BYE

User-Agent: Grandstream BT110 1.0.8.33

Contact: <sip:+41215509999@192.168.1.11>

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Supported: replaces

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
4248	117.926778	192.168.1.10	192.168.1.15	SIP	Request: REGISTER sip:192.168.1.15

Frame 4248 (520 bytes on wire, 520 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKd3a875195306d886

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 32ebfcacf6101c3e@192.168.1.10

CSeq: 167 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
4249	117.928417	192.168.1.15	192.168.1.10	SIP	Status: 200 OK

(1 bindings)

Frame 4249 (360 bytes on wire, 360 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKd3a875195306d886

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: 32ebfcacf6101c3e@192.168.1.10

CSeq: 167 REGISTER

Server: PrimiSIP

Content-Length: 0