```
No.     Time        Source                Destination           Protocol Info
   1426 31.278874   192.168.1.16          128.179.67.76         SIP/SDP  Request: INVITE s
ip:+41215501111@128.179.67.76, with session description

Frame 1426 (908 bytes on wire, 908 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215501111@128.179.67.76 SIP/2.0
  Message Header
    Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1427 31.280518   128.179.67.76         192.168.1.16          SIP      Status: 100 Givin
g a try

Frame 1427 (415 bytes on wire, 415 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    Server: OpenSER (1.2.0-notls (i386/linux))
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1428 31.280606   128.179.67.76         192.168.1.15          SIP/SDP  Request: INVITE s
ip:+41215501111@192.168.1.15, with session description

Frame 1428 (1032 bytes on wire, 1032 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215501111@192.168.1.15 SIP/2.0
  Message Header
    Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1431 31.282822   192.168.1.15          128.179.67.76         SIP      Status: 100 Givin
g a try

Frame 1431 (451 bytes on wire, 451 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Giving a try
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    Server: PrimiSIP
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1432 31.283573   192.168.1.15          192.168.1.10          SIP/SDP  Request: INVITE s
ip:+41215501111@192.168.1.10, with session description

Frame 1432 (1155 bytes on wire, 1155 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INVITE sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Content-Length: 234
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1433 31.291103   192.168.1.10          192.168.1.15          SIP      Status: 100 Tryin
g

Frame 1433 (528 bytes on wire, 528 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Trying
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1434 31.292467   192.168.1.15          128.179.67.76         SIP      Status: 100 Tryin
g

Frame 1434 (467 bytes on wire, 467 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 100 Trying
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1435 31.294906   192.168.1.10          192.168.1.15          SIP      Status: 180 Ringi
ng

Frame 1435 (737 bytes on wire, 737 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1436 31.296355   192.168.1.15          128.179.67.76         SIP      Status: 180 Ringi
ng

Frame 1436 (676 bytes on wire, 676 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1437 31.296792   128.179.67.76         192.168.1.16          SIP      Status: 180 Ringi
ng

Frame 1437 (614 bytes on wire, 614 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 180 Ringing
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1606 35.824302   192.168.1.10          192.168.1.15          SIP/SDP  Status: 200 OK, w
ith session description

Frame 1606 (1057 bytes on wire, 1057 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Supported: replaces
    Content-Length: 163
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1607 35.826161   192.168.1.15          128.179.67.76         SIP/SDP  Status: 200 OK, w
ith session description

Frame 1607 (996 bytes on wire, 996 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Supported: replaces
    Content-Length: 163
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1608 35.826701   128.179.67.76         192.168.1.16          SIP/SDP  Status: 200 OK, w
ith session description

Frame 1608 (934 bytes on wire, 934 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKb671b248f0c6791c
    Record-Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Record-Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 INVITE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/sdp
    Supported: replaces
    Content-Length: 163
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1635 35.836888   192.168.1.16          128.179.67.76         SIP      Request: ACK sip:
+41215501111@192.168.1.10

Frame 1635 (683 bytes on wire, 683 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.2
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK83bff18e328d2005
    Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Contact: <sip:+41215509999@192.168.1.11>
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1638 35.837963   128.179.67.76         192.168.1.15          SIP      Request: ACK sip:
+41215501111@192.168.1.10

Frame 1638 (689 bytes on wire, 689 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.2
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.2
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK83bff18e328d2005
    Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Contact: <sip:+41215509999@192.168.1.11>
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1639 35.840598   192.168.1.15          192.168.1.10          SIP      Request: ACK sip:
+41215501111@192.168.1.10

Frame 1639 (695 bytes on wire, 695 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: ACK sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK5e0d.5d5cf653.2
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK5e0d.5d5cf653.2
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK5e0d.ae696393.2
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bK83bff18e328d2005
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Contact: <sip:+41215509999@192.168.1.11>
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26035 ACK
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1669 38.228902   192.168.1.10          192.168.1.15          SIP      Request: INFO sip
:+41215509999@192.168.1.11

Frame 1669 (761 bytes on wire, 761 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INFO sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf
    Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38992 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/dtmf-relay
    Content-Length: 22
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1672 38.230863   192.168.1.15          128.179.67.76         SIP      Request: INFO sip
:+41215509999@192.168.1.11

Frame 1672 (768 bytes on wire, 768 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INFO sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK3405fc7f25bac4bf
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf
    Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38992 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/dtmf-relay
    Content-Length: 22
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1673 38.233238   128.179.67.76         192.168.1.16          SIP      Request: INFO sip
:+41215509999@192.168.1.11

Frame 1673 (774 bytes on wire, 774 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INFO sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc0e3.49c72c15.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK3405fc7f25bac4bf
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf
    Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38992 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/dtmf-relay
    Content-Length: 22
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1680 38.241371   192.168.1.16          128.179.67.76         SIP      Status: 200 OK

Frame 1680 (612 bytes on wire, 612 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKc0e3.49c72c15.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK3405fc7f25bac4bf
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38992 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1696 38.255530   128.179.67.76         192.168.1.15          SIP      Status: 200 OK

Frame 1696 (550 bytes on wire, 550 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK3405fc7f25bac4bf
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38992 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1697 38.258831   192.168.1.15          192.168.1.10          SIP      Status: 200 OK

Frame 1697 (488 bytes on wire, 488 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK3405fc7f25bac4bf
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38992 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1747 39.513800   192.168.1.16          128.179.67.76         SIP      Request: INFO sip
:+41215501111@192.168.1.10

Frame 1747 (767 bytes on wire, 767 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INFO sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8
    Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26036 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/dtmf-relay
    Content-Length: 22
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1750 39.514336   128.179.67.76         192.168.1.15          SIP      Request: INFO sip
:+41215501111@192.168.1.10

Frame 1750 (773 bytes on wire, 773 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INFO sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2e0d.1fea7ee2.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8
    Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26036 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/dtmf-relay
    Content-Length: 22
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1751 39.518504   192.168.1.15          192.168.1.10          SIP      Request: INFO sip
:+41215501111@192.168.1.10

Frame 1751 (779 bytes on wire, 779 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: INFO sip:+41215501111@192.168.1.10 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2e0d.1fea7ee2.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2e0d.1fea7ee2.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Contact: <sip:+41215509999@192.168.1.11>
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26036 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 68
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Type: application/dtmf-relay
    Content-Length: 22
  Message body
```

```
No.     Time        Source                Destination           Protocol Info
   1768 39.524925   192.168.1.10          192.168.1.15          SIP      Status: 200 OK

Frame 1768 (672 bytes on wire, 672 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK2e0d.1fea7ee2.0
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2e0d.1fea7ee2.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26036 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1770 39.534276   192.168.1.15          128.179.67.76         SIP      Status: 200 OK

Frame 1770 (611 bytes on wire, 611 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK2e0d.1fea7ee2.0
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26036 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1771 39.546449   128.179.67.76         192.168.1.16          SIP      Status: 200 OK

Frame 1771 (549 bytes on wire, 549 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.16;branch=z9hG4bK2e0d.67020d97.0
    Via: SIP/2.0/UDP 192.168.1.11;branch=z9hG4bKa1af7f5d317bebc8
    From: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    To: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 26036 INFO
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215501111@192.168.1.10>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1842 44.892150   192.168.1.10          192.168.1.15          SIP      Request: BYE sip:
+41215509999@192.168.1.11

Frame 1842 (656 bytes on wire, 656 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e
    Route: <sip:192.168.1.15;lr=on;ftag=19db9de5d6265986>
    Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38993 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1843 44.893870   192.168.1.15          128.179.67.76         SIP      Request: BYE sip:
+41215509999@192.168.1.11

Frame 1843 (663 bytes on wire, 663 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1ec57ded32201c8e
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e
    Route: <sip:128.179.67.76;lr=on;ftag=19db9de5d6265986>
    Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38993 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1844 44.894405   128.179.67.76         192.168.1.16          SIP      Request: BYE sip:
+41215509999@192.168.1.11

Frame 1844 (669 bytes on wire, 669 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: BYE sip:+41215509999@192.168.1.11 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKd0e3.483f9853.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1ec57ded32201c8e
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e
    Route: <sip:192.168.1.16;lr=on;ftag=19db9de5d6265986>
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Supported: replaces
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38993 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 69
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1847 44.911051   192.168.1.16          128.179.67.76         SIP      Status: 200 OK

Frame 1847 (611 bytes on wire, 611 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bKd0e3.483f9853.0
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1ec57ded32201c8e
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38993 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1850 44.911363   128.179.67.76         192.168.1.15          SIP      Status: 200 OK

Frame 1850 (549 bytes on wire, 549 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK1ec57ded32201c8e
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38993 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   1860 44.913829   192.168.1.15          192.168.1.10          SIP      Status: 200 OK

Frame 1860 (487 bytes on wire, 487 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK1ec57ded32201c8e
    From: <sip:+41215501111@192.168.1.16>;tag=a0af67cf3ab01258
    To: <sip:+41215509999@192.168.1.16>;tag=19db9de5d6265986
    Call-ID: e0e3fc141eafb5d7@192.168.1.11
    CSeq: 38993 BYE
    User-Agent: Grandstream BT110 1.0.8.33
    Contact: <sip:+41215509999@192.168.1.11>
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Supported: replaces
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   4248 117.926778  192.168.1.10          192.168.1.15          SIP      Request: REGISTER
 sip:192.168.1.15

Frame 4248 (520 bytes on wire, 520 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Request-Line: REGISTER sip:192.168.1.15 SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKd3a875195306d886
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Supported: replaces
    Call-ID: 32ebfcacf6101c3e@192.168.1.10
    CSeq: 167 REGISTER
    Expires: 150
    User-Agent: Grandstream BT110 1.0.8.33
    Max-Forwards: 70
    Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
    Content-Length: 0
```

```
No.     Time        Source                Destination           Protocol Info
   4249 117.928417  192.168.1.15          192.168.1.10          SIP      Status: 200 OK
 (1 bindings)

Frame 4249 (360 bytes on wire, 360 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
  Status-Line: SIP/2.0 200 OK
  Message Header
    Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKd3a875195306d886
    From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff
    To: <sip:+41215501111@192.168.1.15>
    Contact: <sip:+41215501111@192.168.1.10>
    Call-ID: 32ebfcacf6101c3e@192.168.1.10
    CSeq: 167 REGISTER
    Server: PrimiSIP
    Content-Length: 0
```