

No.	Time	Source	Destination	Protocol	Info
1124	22.412514	192.168.1.10	192.168.1.15	SIP/SDP	Request: INVITE s

Frame 1124 (784 bytes on wire, 784 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215509999@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
1125	22.415399	192.168.1.15	128.179.67.76	SIP/SDP	Request: INVITE s ip:+41215509999@128.179.67.76, with session description

Frame 1125 (909 bytes on wire, 909 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: INVITE sip:+41215509999@128.179.67.76 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Type: application/sdp

Content-Length: 234

Message body

No.	Time	Source	Destination	Protocol	Info
1126	22.416682	128.179.67.76	192.168.1.15	SIP	Status: 100 Giving a try

Frame 1126 (416 bytes on wire, 416 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1127	22.416825	128.179.67.76	192.168.1.16	SIP/SDP	Request: INVITE s ip:+41215509999@192.168.1.16, with session description

Frame 1127 (1033 bytes on wire, 1033 bytes captured)
Linux cooked capture
Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Request-Line: INVITE sip:+41215509999@192.168.1.16 SIP/2.0
Message Header
Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>
From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
To: <sip:+41215509999@192.168.1.15>
Contact: <sip:+41215501111@192.168.1.10>
Supported: replaces
Call-ID: f9fb147e4e75dbf7@192.168.1.10
CSeq: 49331 INVITE
User-Agent: Grandstream BT110 1.0.8.33
Max-Forwards: 69
Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE
Content-Type: application/sdp
Content-Length: 234
Message body

No.	Time	Source	Destination	Protocol	Info
1130	22.417731	192.168.1.15	192.168.1.10	SIP	Status: 100 Giving a try

Frame 1130 (328 bytes on wire, 328 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1131	22.418513	192.168.1.16	128.179.67.76	SIP	Status: 100 Giving a try

Frame 1131 (478 bytes on wire, 478 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 100 Giving a try
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
To: <sip:+41215509999@192.168.1.15>
Call-ID: f9fb147e4e75dbf7@192.168.1.10
CSeq: 49331 INVITE
Server: OpenSER (1.2.0-notls (i386/linux))
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1132	22.418594	192.168.1.15	192.168.1.10	SIP	Status: 100 Giving a try

Frame 1132 (354 bytes on wire, 354 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 100 Giving a try

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1139	22.430830	192.168.1.16	128.179.67.76	SIP	Status: 180 Ringing

Frame 1139 (677 bytes on wire, 677 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1140	22.431134	128.179.67.76	192.168.1.15	SIP	Status: 180 Ringing

Frame 1140 (615 bytes on wire, 615 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1141	22.433859	192.168.1.15	192.168.1.10	SIP	Status: 180 Ringing

Frame 1141 (553 bytes on wire, 553 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 180 Ringing

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1296	25.729955	192.168.1.10	192.168.1.15	SIP	Request: CANCEL s ip:+41215509999@192.168.1.15

Frame 1296 (475 bytes on wire, 475 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: CANCEL sip:+41215509999@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>

Supported: replaces

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 CANCEL

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1297	25.731488	192.168.1.15	192.168.1.10	SIP	Status: 200 Cancelling

Frame 1297 (326 bytes on wire, 326 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 Cancelling

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 CANCEL

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1298	25.732226	192.168.1.15	128.179.67.76	SIP	Request: CANCEL s ip:+41215509999@128.179.67.76

Frame 1298 (538 bytes on wire, 538 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: CANCEL sip:+41215509999@128.179.67.76 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>

Supported: replaces

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 CANCEL

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1299	25.763924	128.179.67.76	192.168.1.16	SIP	Request: CANCEL s ip:+41215509999@192.168.1.16

Frame 1299 (599 bytes on wire, 599 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: CANCEL sip:+41215509999@192.168.1.16 SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>

Supported: replaces

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 CANCEL

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 69

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1300	25.764011	128.179.67.76	192.168.1.15	SIP	Status: 200 canceling

Frame 1300 (455 bytes on wire, 455 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 canceling

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>;tag=25495af70a786cfd53032fcf2b21ae08-ae60

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 CANCEL

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1303	25.764834	192.168.1.16	128.179.67.76	SIP	Status: 200 canceling

Frame 1303 (517 bytes on wire, 517 bytes captured)
Linux cooked capture
Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)
User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)
Session Initiation Protocol
Status-Line: SIP/2.0 200 canceling
Message Header
Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0
Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8
Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8
From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a
To: <sip:+41215509999@192.168.1.15>;tag=d3ce6dd3f1fd10eac02df31717985056-5ff3
Call-ID: f9fb147e4e75dbf7@192.168.1.10
CSeq: 49331 CANCEL
Server: OpenSER (1.2.0-notls (i386/linux))
Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1304	25.765464	192.168.1.15	192.168.1.10	SIP	Status: 200 canceling

Frame 1304 (393 bytes on wire, 393 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 canceling

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>;tag=25495af70a786cfd53032fcf2b21ae08-ae60

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 CANCEL

Server: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1309	25.774326	192.168.1.16	128.179.67.76	SIP	Status: 487 Request Cancelled

Frame 1309 (687 bytes on wire, 687 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.16 (192.168.1.16), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1310	25.793574	128.179.67.76	192.168.1.16	SIP	Request: ACK sip: +41215509999@192.168.1.16

Frame 1310 (393 bytes on wire, 393 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.16 (192.168.1.16)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215509999@192.168.1.16 SIP/2.0

Message Header

Via: SIP/2.0/UDP 128.179.67.76;branch=z9hG4bK9c9a.9cc9e246.0

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

Call-ID: f9fb147e4e75dbf7@192.168.1.10

To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276

CSeq: 49331 ACK

User-Agent: OpenSER (1.2.0-notls (i386/linux))

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1319	25.831843	128.179.67.76	192.168.1.15	SIP	Status: 487 Request Cancelled

Frame 1319 (625 bytes on wire, 625 bytes captured)

Linux cooked capture

Internet Protocol, Src: 128.179.67.76 (128.179.67.76), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1320	25.833318	192.168.1.15	192.168.1.10	SIP	Status: 487 Request Cancelled

Frame 1320 (563 bytes on wire, 563 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 487 Request Cancelled

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

Record-Route: <sip:192.168.1.16;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:128.179.67.76;lr=on;ftag=c3ff5a3089dfbe7a>

Record-Route: <sip:192.168.1.15;lr=on;ftag=c3ff5a3089dfbe7a>

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 INVITE

User-Agent: Grandstream BT110 1.0.8.33

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1323	25.838536	192.168.1.10	192.168.1.15	SIP	Request: ACK sip: +41215509999@192.168.1.15

Frame 1323 (511 bytes on wire, 511 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215509999@192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
1324	25.839873	192.168.1.15	128.179.67.76	SIP	Request: ACK sip: +41215509999@128.179.67.76

Frame 1324 (574 bytes on wire, 574 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 128.179.67.76 (128.179.67.76)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: ACK sip:+41215509999@128.179.67.76 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.15;branch=z9hG4bK4cdaf7d8ad9a48b8

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bK4cdaf7d8ad9a48b8

From: <sip:+41215501111@192.168.1.15>;tag=c3ff5a3089dfbe7a

To: <sip:+41215509999@192.168.1.15>;tag=b7dc300783ac2276

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: f9fb147e4e75dbf7@192.168.1.10

CSeq: 49331 ACK

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
2274	45.949106	192.168.1.10	192.168.1.15	SIP	Request: REGISTER sip:192.168.1.15

Frame 2274 (520 bytes on wire, 520 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKf0160f86cbe56d76

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 25e54494742378e1@192.168.1.10

CSeq: 153 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
2275	45.950730	192.168.1.15	192.168.1.10	SIP	Status: 200 OK (1 bindings)

Frame 2275 (360 bytes on wire, 360 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKf0160f86cbe56d76

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: 25e54494742378e1@192.168.1.10

CSeq: 153 REGISTER

Server: PrimiSIP

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
8262	175.940910	192.168.1.10	192.168.1.15	SIP	Request: REGISTER sip:192.168.1.15

Frame 8262 (520 bytes on wire, 520 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.10 (192.168.1.10), Dst: 192.168.1.15 (192.168.1.15)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Request-Line: REGISTER sip:192.168.1.15 SIP/2.0

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKbf5bd1fa2057bdce

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Supported: replaces

Call-ID: 25e54494742378e1@192.168.1.10

CSeq: 154 REGISTER

Expires: 150

User-Agent: Grandstream BT110 1.0.8.33

Max-Forwards: 70

Allow: INVITE,ACK,CANCEL,BYE,NOTIFY,REFER,OPTIONS,INFO,SUBSCRIBE

Content-Length: 0

No.	Time	Source	Destination	Protocol	Info
8263	175.942397	192.168.1.15	192.168.1.10	SIP	Status: 200 OK (1 bindings)

Frame 8263 (360 bytes on wire, 360 bytes captured)

Linux cooked capture

Internet Protocol, Src: 192.168.1.15 (192.168.1.15), Dst: 192.168.1.10 (192.168.1.10)

User Datagram Protocol, Src Port: sip (5060), Dst Port: sip (5060)

Session Initiation Protocol

Status-Line: SIP/2.0 200 OK

Message Header

Via: SIP/2.0/UDP 192.168.1.10;branch=z9hG4bKbf5bd1fa2057bdce

From: <sip:+41215501111@192.168.1.15>;tag=a5870404e4bd88ff

To: <sip:+41215501111@192.168.1.15>

Contact: <sip:+41215501111@192.168.1.10>

Call-ID: 25e54494742378e1@192.168.1.10

CSeq: 154 REGISTER

Server: PrimiSIP

Content-Length: 0