



View Logs

Europe/Zurich

nicolas.jorand

Help

Close Error Report Objects

Logout

Call H323-conf-id 3A4DCF18 B9C0AB61 01A4D280 68F5A281

 Search log files for Today
 Include log file for the previous day in the search

View log

```

Current-time: Jan 20 06:03:15 PST (UTC -0800)
H323-conf-id: 3A4DCF18 B9C0AB61 01A4D280 68F5A281
SIP Call-ID: 94.23.225.212-1263994731.246
SIP Call-ID: 4759d5575817235d6457f7c662eac037@212.249.15.6
Requests: 10

REQUEST--
Jan 20 05:38:51: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address      = '66.234.138.73'
User-Name          = '212.249.15.6'
Called-Station-Id  = '41215040306'
Calling-Station-Id = '41216912818'
h323-conf-id       = '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
call-id            = '4759d5575817235d6457f7c662eac037@212.249.15.6'
Password           = 'cisco'
h323-remote-address = '212.249.15.6'
h323-session-protocol = 'sipv2'
h323-ivr-out       = 'PortaBilling_Routing:SIP'
h323-ivr-out       = 'PortaBilling_AuthMethod:INVITE'
h323-ivr-out       = 'PortaBilling_Notify:rtpv_level=3'
h323-ivr-out       = 'PortaBilling_Seed:3391218149'
NAS-Port           = '5060'
Jan 20 05:38:51: h323-conf-id=3A4DCF18 B9C0AB61 01A4D280 68F5A281/1, call-id=4759d5575817235d6457f7c662eac037@212.249.15.6/1
Jan 20 05:38:51: H323/SIP call, use h323-conf-id, but remember call-id
Jan 20 05:38:51: Checking if this call comes through a VoIP from vendor connection
Jan 20 05:38:51: No VoIP from vendor connections were found
Jan 20 05:38:51: PrepareNexecute 'AccountAuth'
Jan 20 05:38:51: SQL query 'AccountAuth' executed in 0.001831 seconds
Jan 20 05:38:51: Found Account: 212.249.15.6[56344,credit,balance=7422.23467,limit=None] of customer Inbound Verizon[6336,balance=7430.31168,limit=
Jan 20 05:38:51: PrepareNexecute 'GetSessions'
Jan 20 05:38:51: SQL query 'GetSessions' executed in 0.00058 seconds
Jan 20 05:38:51: Account 212.249.15.6 is already logged in, other session with call ID=15EF6224 2EEL1A14 287EF7E6 8839B4D1
Jan 20 05:38:51: Account has an empty password, skip the password check
Jan 20 05:38:51: Applying node translation rule on CLD ...
Jan 20 05:38:51: Translation 's/*011//; s/*00//; s/*3450011//; s/*3950011//; s/*3542011//; s/*627463//;' applied: '41215040306' unchanged
Jan 20 05:38:51: PrepareNexecute 'AccountAuth'
Jan 20 05:38:51: SQL query 'AccountAuth' executed in 0.00185 seconds
Jan 20 05:38:51: CLD '41215040306' matching our account
Jan 20 05:38:51: Setting up a new charge with tariff 'Inbound Verizon' ...
Jan 20 05:38:51: Using peak rate, since no off-peak is defined
Jan 20 05:38:51: PrepareNexecute 'GetPricePerDestination*'
Jan 20 05:38:51: SQL query 'GetPricePerDestination*' executed in 0.0017 seconds
Jan 20 05:38:51: Compute maximum call duration for leg Account 212.249.15.6 to destination with funds unlimited (account funds unlimited)
Jan 20 05:38:51: No credit limit, unlimited call duration
Jan 20 05:38:51: Local termination 'PortaSIP': Checking follow-me for 41215040306 ...
Jan 20 05:38:51: Local termination 'PortaSIP': ... follow-me disabled for called account
Jan 20 05:38:51: PrepareNexecute 'GetSipServerAddress'
Jan 20 05:38:51: SQL query 'GetSipServerAddress' executed in 0.000804 seconds
Jan 20 05:38:51: CLD '41215040306' found registered on 94.23.225.212.
Jan 20 05:38:51: Use RTP Proxy according to policy 'Always' => 'On Nat': NAT Status of called/calling party doesn't matter
Jan 20 05:38:51: Enhance lifetime with 1800s to Wed Jan 20 06:08:51 2010
Jan 20 05:38:51: Authentication acknowledge response
h323-ivr-in      = PortaBilling_Routing:@g-hunt=seq
h323-ivr-in      = PortaBilling_Routing: 41215040306@94.23.225.212;expires=300;credit-time=-1;forward-on-fail=yes;rtpv=3;moh=1;patie
h323-billing-model = 0
h323-ivr-in      = Tariff:Inbound Verizon
h323-ivr-in      = PortaBilling_CLI:41216912818
h323-ivr-in      = MOH:1
h323-ivr-in      = PortaBilling_Account:YES
h323-ivr-in      = PortaBilling_CompleteNumber:41215040306
h323-ivr-in      = PortaBilling_Auth_CLD:41215040306
h323-ivr-in      = PortaBilling_Auth_Reseller_CLD:41215040306
h323-return-code  = 13
h323-currency     = CHF
h323-preferred-lang = en
Jan 20 05:38:51: ...Done Authorize/INVITE in 0.023127 seconds, 0.006765 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:38:52: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address      = '94.23.225.212'
NAS-Port-Name       = 'SIP/66.234.138.73-6cf42310'
User-Name          = '66.234.138.73'
Called-Station-Id  = '41215040306'
Calling-Station-Id = '41216912818'
h323-conf-id       = '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
call-id            = '94.23.225.212-1263994731.246'
Password           = 'cisco'
h323-ivr-out       = 'PortaBilling_Routing:SIP'
Jan 20 05:38:52: h323-conf-id=3A4DCF18 B9C0AB61 01A4D280 68F5A281/1, call-id=94.23.225.212-1263994731.246/1
Jan 20 05:38:52: Found a call in cache with such id
Jan 20 05:38:52: Authorization of the trusted node
Jan 20 05:38:52: IP based authorization, force 'plaintext' password verification
Jan 20 05:38:52: Verification of password using method 'plaintext': success
Jan 20 05:38:52: '66.234.138.73' is a trusted node's ID or IP, unable to use it as an account ID. Correct account ID should be available on the oth
Jan 20 05:38:52: PrepareNexecute 'AccountAuth'
Jan 20 05:38:52: SQL query 'AccountAuth' executed in 0.001875 seconds
Jan 20 05:38:52: CLD '41215040306' matching our account
Jan 20 05:38:52: Local termination 'PortaSIP', after previous hop from PortaSIP node
Jan 20 05:38:52: PrepareNexecute 'GetSipServerAddress'
Jan 20 05:38:52: SQL query 'GetSipServerAddress' executed in 0.000817 seconds
Jan 20 05:38:52: CLD '41215040306' found registered on 94.23.225.212.
Jan 20 05:38:52: Don't use RTP Proxy, local policy not applied.
Jan 20 05:38:52: Authentication acknowledge response
h323-ivr-in      = PortaBilling_Routing:@g-hunt=seq
h323-ivr-in      = PortaBilling_Routing: 41215040306@94.23.225.212;expires=300;credit-time=-1;patience=20
h323-ivr-in      = PortaBilling_CacheExpiration:Never

```

```

h323-ivr-in                = PortaBilling_CLI:41216912818
h323-ivr-in                = PortaBilling_Account:YES
h323-ivr-in                = PortaBilling_CompleteNumber:41215040306
h323-ivr-in                = PortaBilling_Auth_CLD:41215040306
h323-ivr-in                = PortaBilling_Auth_Reseller_CLD:41215040306
h323-return-code          = 0
Jan 20 05:38:52: ...Done Authorize in 0.009941 seconds, 0.002692 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:38:59: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address            = '66.234.138.73'
User-Name                 = '212.249.15.6'
Called-Station-Id        = '41215040306'
Calling-Station-Id       = '41216912818'
Acct-Status-Type         = 'Start'
h323-call-origin         = 'originate'
h323-call-type           = 'VoIP'
h323-setup-time          = '13:38:51.841 GMT Wed Jan 20 2010'
h323-connect-time        = '13:38:59.310 GMT Wed Jan 20 2010'
h323-conf-id             = '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
call-id                  = '4759d5575817235d6457f7c662eac037@212.249.15.6'
Acct-Session-Id         = '4759d5575817235d6457f7c662eac037@212.249.15.6'
Acct-Delay-Time         = '0'
h323-session-protocol   = 'sipv2'
h323-remote-address      = '94.23.225.212'
h323-ivr-out             = 'DURATION:7200'
h323-ivr-out             = 'PortaBilling_Auth_CLD:41215040306'
h323-ivr-out             = 'PortaBilling_Seed:3391218149'
alert-timepoint         = '13:38:54.309 GMT Wed Jan 20 2010'
NAS-Port                 = '5060'
Exec-Program-Log        = 'porta-billing.pl'
Jan 20 05:38:59: h323-conf-id=3A4DCF18 B9C0AB61 01A4D280 68F5A281/1, call-id=4759d5575817235d6457f7c662eac037@212.249.15.6/1
Jan 20 05:38:59: Found a call in cache with such id
Jan 20 05:38:59: Copied account: 212.249.15.6[56344,credit,balance=7422.23467,limit=none] of customer Inbound Verizon[6336,balance=7430.31168,limit=
Jan 20 05:38:59: Fixing time with duration 0 seconds from connect time
Jan 20 05:38:59: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:38:59: SQL query 'GetActiveLegIdByAcct' executed in 0.000997 seconds
Jan 20 05:38:59: Looking up vendor/connection
Jan 20 05:38:59: Trying to match connection for call
Jan 20 05:38:59: Looking for a connection VoIP/originate
Jan 20 05:38:59: Outgoing VoIP, matching by the remote IP address '94.23.225.212' (env 1)
Jan 20 05:38:59: Call goes to our trusted node astrad.switzernet.com, on net leg
Jan 20 05:38:59: Connection to vendor not found
Jan 20 05:38:59: PrepareNexecute 'InsertActiveLeg'
Jan 20 05:38:59: SQL query 'InsertActiveLeg' executed in 0.000849 seconds
Jan 20 05:38:59: Accounting response
Jan 20 05:38:59: ...Done Accounting/Start/originate/VoIP in 0.008298 seconds, 0.001846 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:38:59: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address            = '66.234.138.73'
User-Name                 = '212.249.15.6'
Called-Station-Id        = '41215040306'
Calling-Station-Id       = '41216912818'
Acct-Status-Type         = 'Start'
h323-call-origin         = 'answer'
h323-call-type           = 'VoIP'
h323-setup-time          = '13:38:51.841 GMT Wed Jan 20 2010'
h323-connect-time        = '13:38:59.324 GMT Wed Jan 20 2010'
h323-conf-id             = '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
call-id                  = '4759d5575817235d6457f7c662eac037@212.249.15.6'
Acct-Session-Id         = '4759d5575817235d6457f7c662eac037@212.249.15.6'
Acct-Delay-Time         = '0'
h323-session-protocol   = 'sipv2'
h323-remote-address      = '212.249.15.6'
h323-ivr-out             = 'PortaBilling_Seed:3391218149'
alert-timepoint         = '13:38:59.324 GMT Wed Jan 20 2010'
NAS-Port                 = '5060'
Exec-Program-Log        = 'porta-billing.pl'
Jan 20 05:38:59: h323-conf-id=3A4DCF18 B9C0AB61 01A4D280 68F5A281/1, call-id=4759d5575817235d6457f7c662eac037@212.249.15.6/1
Jan 20 05:38:59: Found a call in cache with such id
Jan 20 05:38:59: Copied account: 212.249.15.6[56344,credit,balance=7422.23467,limit=none] of customer Inbound Verizon[6336,balance=7430.31168,limit=
Jan 20 05:38:59: Fixing time with duration 0 seconds from connect time
Jan 20 05:38:59: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:38:59: SQL query 'GetActiveLegIdByAcct' executed in 0.008043 seconds
Jan 20 05:38:59: Looking up vendor/connection
Jan 20 05:38:59: Trying to match connection for call
Jan 20 05:38:59: Looking for a connection VoIP/answer
Jan 20 05:38:59: VoIP, matching by the node IP '66.234.138.73' and User-Name '212.249.15.6'
Jan 20 05:38:59: No VoIP from vendor connections were found
Jan 20 05:38:59: Connection to vendor not found
Jan 20 05:38:59: PrepareNexecute 'InsertActiveLeg'
Jan 20 05:38:59: SQL query 'InsertActiveLeg' executed in 0.000874 seconds
Jan 20 05:38:59: Accounting response
Jan 20 05:38:59: ...Done Accounting/Start/answer/VoIP in 0.015521 seconds, 0.008917 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:39:11: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address            = '66.234.138.73'
User-Name                 = '212.249.15.6'
Called-Station-Id        = '41215040306'
Calling-Station-Id       = '41216912818'
Acct-Status-Type         = 'Stop'
h323-call-origin         = 'originate'
h323-call-type           = 'VoIP'
h323-setup-time          = '13:38:51.841 GMT Wed Jan 20 2010'
h323-connect-time        = '13:38:58.841 GMT Wed Jan 20 2010'
h323-disconnect-time     = '13:39:10.841 GMT Wed Jan 20 2010'
h323-disconnect-cause    = '0'
h323-voice-quality       = '0'
h323-conf-id             = '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
call-id                  = '4759d5575817235d6457f7c662eac037@212.249.15.6'
Acct-Session-Id         = '4759d5575817235d6457f7c662eac037@212.249.15.6'
Acct-Session-Time        = '12'
Acct-Delay-Time         = '0'
h323-session-protocol   = 'sipv2'
h323-remote-address      = '94.23.225.212'
h323-ivr-out             = 'DURATION:7200'
h323-ivr-out             = 'PortaBilling_Auth_CLD:41215040306'
h323-ivr-out             = 'PortaBilling_Seed:3391218149'
Acct-Terminate-Cause     = 'User-Request'
alert-timepoint         = '13:38:54.309 GMT Wed Jan 20 2010'
NAS-Port                 = '5060'

```

```

Exec-Program-Log           = 'porta-billing.pl'
Jan 20 05:39:11: h323-conf-id=3A4DCF18 B9C0AB61 01A4D280 68F5A281/1, call-id=4759d5575817235d6457f7c662eac037@212.249.15.6/1
Jan 20 05:39:11: Found a call in cache with such id
Jan 20 05:39:11: Copied account: 212.249.15.6[56344,credit,balance=7422.23467,limit=None] of customer Inbound Verizon[6336,balance=7430.31168,limit=
Jan 20 05:39:11: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:39:11: SQL query 'GetActiveLegIdByAcct' executed in 0.001126 seconds
Jan 20 05:39:11: PrepareNexecute 'DeleteActiveLeg'
Jan 20 05:39:11: SQL query 'DeleteActiveLeg' executed in 0.000764 seconds
Jan 20 05:39:11: End of the outgoing call for account, which appears as never logged-in
Jan 20 05:39:11: Set lifetime with 15s to Wed Jan 20 05:39:26 2010
Jan 20 05:39:11: Looking up vendor/connection
Jan 20 05:39:11: Trying to match connection for call
Jan 20 05:39:11: Looking for a connection VoIP/originate
Jan 20 05:39:11: Outgoing VoIP, matching by the remote IP address '94.23.225.212' (env 1)
Jan 20 05:39:11: Call goes to our trusted node astrad.switzzernet.com, on net leg
Jan 20 05:39:11: Connection to vendor not found
Jan 20 05:39:11: No connection to vendor - on-net call leg
Jan 20 05:39:11: Accounting response
Jan 20 05:39:11: ...Done Accounting/Stop/originate/VoIP in 0.009026 seconds, 0.001890 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:39:11: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address           = '66.234.138.73'
User-Name                 = '212.249.15.6'
Called-Station-Id        = '41215040306'
Calling-Station-Id       = '41216912818'
Acct-Status-Type         = 'Stop'
h323-call-origin         = 'answer'
h323-call-type           = 'VoIP'
h323-setup-time          = '13:38:51.841 GMT Wed Jan 20 2010'
h323-connect-time        = '13:38:58.841 GMT Wed Jan 20 2010'
h323-disconnect-time     = '13:39:10.841 GMT Wed Jan 20 2010'
h323-disconnect-cause   = '0'
h323-voice-quality       = '0'
h323-conf-id            = '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
call-id                  = '4759d5575817235d6457f7c662eac037@212.249.15.6'
Acct-Session-Id         = '4759d5575817235d6457f7c662eac037@212.249.15.6'
Acct-Session-Time       = '12'
Acct-Delay-Time          = '0'
h323-session-protocol    = 'sipv2'
h323-remote-address     = '212.249.15.6'
h323-ivr-out             = 'PortaBilling_Seed:3391218149'
Acct-Terminate-Cause    = 'User-Request'
h323-ivr-out             = 'PortaBilling_Session:unlock'
alert-timepoint          = '13:38:59.324 GMT Wed Jan 20 2010'
NAS-Port                 = '5060'
Exec-Program-Log        = 'porta-billing.pl'
Jan 20 05:39:11: h323-conf-id=3A4DCF18 B9C0AB61 01A4D280 68F5A281/1, call-id=4759d5575817235d6457f7c662eac037@212.249.15.6/1
Jan 20 05:39:11: Found a call in cache with such id
Jan 20 05:39:11: Copied account: 212.249.15.6[56344,credit,balance=7422.23467,limit=None] of customer Inbound Verizon[6336,balance=7430.31168,limit=
Jan 20 05:39:11: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:39:11: SQL query 'GetActiveLegIdByAcct' executed in 0.001152 seconds
Jan 20 05:39:11: PrepareNexecute 'DeleteActiveLeg'
Jan 20 05:39:11: SQL query 'DeleteActiveLeg' executed in 0.000773 seconds
Jan 20 05:39:11: Force unlock requested by NAS
Jan 20 05:39:11: There have been authentication requests from more than one NAS
Jan 20 05:39:11: Scheduling 212.249.15.6 for logout, call lifetime reduced to 15
Jan 20 05:39:11: PrepareNexecute 'GetSessions'
Jan 20 05:39:11: SQL query 'GetSessions' executed in 0.000195 seconds
Jan 20 05:39:11: Logging out account '212.249.15.6'(56344) from '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
Jan 20 05:39:11: PrepareNexecute 'RemoveSession'
Jan 20 05:39:11: SQL query 'RemoveSession' executed in 0.000374 seconds
Jan 20 05:39:11: Set lifetime with 15s to Wed Jan 20 05:39:26 2010
Jan 20 05:39:11: Looking up vendor/connection
Jan 20 05:39:11: Trying to match connection for call
Jan 20 05:39:11: Looking for a connection VoIP/answer
Jan 20 05:39:11: VoIP, matching by the node IP '66.234.138.73' and User-Name '212.249.15.6'
Jan 20 05:39:11: No VoIP from vendor connections were found
Jan 20 05:39:11: Connection to vendor not found
Jan 20 05:39:11: No connection from vendor
Jan 20 05:39:11: Accounting response
Jan 20 05:39:11: ...Done Accounting/Stop/answer/VoIP in 0.010358 seconds, 0.002494 spent in SQL queries.
--REQUEST

CALL--
Jan 20 05:39:41: Removing call 3A4DCF18 B9C0AB61 01A4D280 68F5A281/1
Jan 20 05:39:41: Scheduling 212.249.15.6 for logout, call lifetime reduced to 15
Jan 20 05:39:41: PrepareNexecute 'GetSessions'
Jan 20 05:39:41: SQL query 'GetSessions' executed in 0.000492 seconds
Jan 20 05:39:41: Logging out account '212.249.15.6'(56344) from '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
Jan 20 05:39:41: PrepareNexecute 'RemoveSession'
Jan 20 05:39:41: SQL query 'RemoveSession' executed in 0.000387 seconds
Jan 20 05:39:41: Cleaning up the call
Jan 20 05:39:41: Usernames in all accounting requests are ok
Jan 20 05:39:41: Processing originate/VoIP call leg
Jan 20 05:39:41: Processing originate/VoIP call leg
Jan 20 05:39:41: Skipping Start accounting
Jan 20 05:39:41: Processing answer/VoIP call leg
Jan 20 05:39:41: Processing answer/VoIP call leg
Jan 20 05:39:41: Skipping Start accounting
Jan 20 05:39:41: No outgoing connections to vendor, on-net call
Jan 20 05:39:41: Updating account usage of '212.249.15.6' with 'Wed Jan 20 05:39:41 2010'
Jan 20 05:39:41: PrepareNexecute 'UpdateAccountUsage'
Jan 20 05:39:41: SQL query 'UpdateAccountUsage' executed in 0.000448 seconds
Jan 20 05:39:41: Inserting on-net CDR for this call
Jan 20 05:39:41: Inserting CDR
Jan 20 05:39:41: PrepareNexecute 'InsertOnNetCDR'
Jan 20 05:39:41: SQL query 'InsertOnNetCDR' executed in 0.000967 seconds
Jan 20 05:39:41: PrepareNexecute 'MailAlarm'
Jan 20 05:39:41: SQL query 'MailAlarm' executed in 0.000253 seconds
Jan 20 05:39:41: There are no receipts of mail alarms with type 'MIS_GENERAL'
Jan 20 05:39:41: Call '3A4DCF18 B9C0AB61 01A4D280 68F5A281/1' deleted from the cache
Jan 20 05:39:41: Call 3A4DCF18 B9C0AB61 01A4D280 68F5A281/1 removed
--CALL

REQUEST--
Jan 20 05:40:11: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address           = '94.23.225.212'
User-Name                 = '66.234.138.73'
Called-Station-Id        = '41215040306'
Calling-Station-Id       = '41216912818'
Acct-Status-Type         = 'Start'
h323-call-origin         = 'originate'
h323-call-type           = 'VoIP'
h323-setup-time          = '13:38:52 GMT Wed Jan 20 2010'

```

```

h323-conf-id           = '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
call-id               = '94.23.225.212-1263994731.246'
session-protocol      = 'sipv2'
h323-remote-address   = 'sip-ua'
Exec-Program-Log     = 'porta-billing.pl'
Jan 20 05:40:11: fixup: Using value '13:38:52 GMT Wed Jan 20 2010' to supply missing h323-connect-time attribute in Start accounting
Jan 20 05:40:11: h323-conf-id=3A4DCF18 B9C0AB61 01A4D280 68F5A281/1, call-id=94.23.225.212-1263994731.246/1
Jan 20 05:40:11: H323/SIP call, use h323-conf-id, but remember call-id
Jan 20 05:40:11: Fixing time with duration 0 seconds from connect time
Jan 20 05:40:11: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:40:11: SQL query 'GetActiveLegIdByAcct' executed in 0.001139 seconds
Jan 20 05:40:11: '66.234.138.73' is a trusted node's ID or IP, unable to use it as an account ID. Correct account ID should be available on the othe
Jan 20 05:40:11: Looking up vendor/connection
Jan 20 05:40:11: Trying to match connection for call
Jan 20 05:40:11: Looking for a connection VoIP/originate
Jan 20 05:40:11: Outgoing VoIP, matching by the remote IP address 'SIP-UA' (env 1)
Jan 20 05:40:11: Found connection 154 'SIP UA <-> SIP UA' to vendor 'Switzerland'
Jan 20 05:40:11: Found vendor/connection
Jan 20 05:40:11: PrepareNexecute 'InsertActiveLeg'
Jan 20 05:40:11: SQL query 'InsertActiveLeg' executed in 0.000905 seconds
Jan 20 05:40:11: Accounting response
Jan 20 05:40:11: ...Done Accounting/Start/originate/VoIP in 0.007492 seconds, 0.002044 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:40:16: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address       = '94.23.225.212'
User-Name            = '66.234.138.73'
Called-Station-Id    = '41215040306'
Calling-Station-Id   = '41216912818'
Acct-Status-Type     = 'Start'
h323-call-origin     = 'answer'
h323-call-type       = 'VoIP'
h323-setup-time      = '13:38:51 GMT Wed Jan 20 2010'
h323-conf-id         = '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
call-id              = '94.23.225.212-1263994731.246'
session-protocol     = 'sipv2'
h323-remote-address  = '66.234.138.73'
Exec-Program-Log    = 'porta-billing.pl'
Jan 20 05:40:16: fixup: Using value '13:38:51 GMT Wed Jan 20 2010' to supply missing h323-connect-time attribute in Start accounting
Jan 20 05:40:16: h323-conf-id=3A4DCF18 B9C0AB61 01A4D280 68F5A281/1, call-id=94.23.225.212-1263994731.246/1
Jan 20 05:40:16: Found a call in cache with such id
Jan 20 05:40:16: Fixing time with duration 0 seconds from connect time
Jan 20 05:40:16: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:40:16: SQL query 'GetActiveLegIdByAcct' executed in 0.001173 seconds
Jan 20 05:40:16: '66.234.138.73' is a trusted node's ID or IP, unable to use it as an account ID. Correct account ID should be available on the othe
Jan 20 05:40:16: Looking up vendor/connection
Jan 20 05:40:16: Trying to match connection for call
Jan 20 05:40:16: Looking for a connection VoIP/answer
Jan 20 05:40:16: VoIP, matching by the node IP '94.23.225.212' and User-Name '66.234.138.73'
Jan 20 05:40:16: No VoIP from vendor connections were found
Jan 20 05:40:16: Connection to vendor not found
Jan 20 05:40:16: PrepareNexecute 'InsertActiveLeg'
Jan 20 05:40:16: SQL query 'InsertActiveLeg' executed in 0.000918 seconds
Jan 20 05:40:16: Accounting response
Jan 20 05:40:16: ...Done Accounting/Start/answer/VoIP in 0.007361 seconds, 0.002091 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:40:21: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address       = '94.23.225.212'
User-Name            = '66.234.138.73'
Called-Station-Id    = '41215040306'
Calling-Station-Id   = '41216912818'
Acct-Status-Type     = 'Stop'
h323-call-origin     = 'originate'
h323-call-type       = 'VoIP'
h323-setup-time      = '13:38:52 GMT Wed Jan 20 2010'
h323-connect-time    = '13:38:59 GMT Wed Jan 20 2010'
h323-disconnect-time = '13:39:11 GMT Wed Jan 20 2010'
h323-disconnect-cause = '10'
h323-conf-id         = '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
call-id              = '94.23.225.212-1263994731.246'
Acct-Session-Time    = '12'
session-protocol     = 'sipv2'
h323-remote-address  = 'sip-ua'
Exec-Program-Log    = 'porta-billing.pl'
Jan 20 05:40:21: h323-conf-id=3A4DCF18 B9C0AB61 01A4D280 68F5A281/1, call-id=94.23.225.212-1263994731.246/1
Jan 20 05:40:21: Found a call in cache with such id
Jan 20 05:40:21: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:40:21: SQL query 'GetActiveLegIdByAcct' executed in 0.001194 seconds
Jan 20 05:40:21: PrepareNexecute 'DeleteActiveLeg'
Jan 20 05:40:21: SQL query 'DeleteActiveLeg' executed in 0.000826 seconds
Jan 20 05:40:21: User-Name needs correction. Postponing.
Jan 20 05:40:21: Accounting response
Jan 20 05:40:21: ...Done Accounting/Stop/originate/VoIP in 0.006769 seconds, 0.002020 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:40:26: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address       = '94.23.225.212'
User-Name            = '66.234.138.73'
Called-Station-Id    = '41215040306'
Calling-Station-Id   = '41216912818'
Acct-Status-Type     = 'Stop'
h323-call-origin     = 'answer'
h323-call-type       = 'VoIP'
h323-setup-time      = '13:38:51 GMT Wed Jan 20 2010'
h323-connect-time    = '13:38:59 GMT Wed Jan 20 2010'
h323-disconnect-time = '13:39:11 GMT Wed Jan 20 2010'
h323-disconnect-cause = '10'
h323-conf-id         = '3A4DCF18 B9C0AB61 01A4D280 68F5A281'
call-id              = '94.23.225.212-1263994731.246'
Acct-Session-Time    = '12'
session-protocol     = 'sipv2'
h323-remote-address  = '66.234.138.73'
Exec-Program-Log    = 'porta-billing.pl'
Jan 20 05:40:26: h323-conf-id=3A4DCF18 B9C0AB61 01A4D280 68F5A281/1, call-id=94.23.225.212-1263994731.246/1
Jan 20 05:40:26: Found a call in cache with such id
Jan 20 05:40:26: Copying randomization seed '22317' into request's PortaBilling_Seed attribute
Jan 20 05:40:26: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:40:26: SQL query 'GetActiveLegIdByAcct' executed in 0.001227 seconds
Jan 20 05:40:26: PrepareNexecute 'DeleteActiveLeg'
Jan 20 05:40:26: SQL query 'DeleteActiveLeg' executed in 0.000813 seconds
Jan 20 05:40:26: User-Name needs correction. Postponing.
Jan 20 05:40:26: Accounting response

```

```
Jan 20 05:40:26: ...Done Accounting/Stop/answer/VoIP in 0.007218 seconds, 0.002040 spent in SQL queries.
--REQUEST

CALL--
Jan 20 05:40:43: Removing call 3A4DCF18 B9C0AB61 01A4D280 68F5A281/1
Jan 20 05:40:43: No logged in accounts, call lifetime reduced to 15
Jan 20 05:40:43: Cleaning up the call
Jan 20 05:40:43: No request from trusted node to recover username
Jan 20 05:40:43: PrepareNexecute 'MailAlarm'
Jan 20 05:40:43: SQL query 'MailAlarm' executed in 0.000246 seconds
Jan 20 05:40:43: There are no receipts of mail alarms with type 'UNKN'
Jan 20 05:40:43: Processing answer/VoIP call leg
Jan 20 05:40:43: Found not billed accounting request with the duration more than zero - bill it now
Jan 20 05:40:43: Looking up vendor/connection
Jan 20 05:40:43: Trying to match connection for call
Jan 20 05:40:43: Looking for a connection VoIP/answer
Jan 20 05:40:43: VoIP, matching by the node IP '94.23.225.212' and User-Name '66.234.138.73'
Jan 20 05:40:43: No VoIP from vendor connections were found
Jan 20 05:40:43: Connection to vendor not found
Jan 20 05:40:43: Charging call ...
Jan 20 05:40:43: This is incoming call, bill only vendor
Jan 20 05:40:43: Vendor is undefined (on-net call?), call is not billed
Jan 20 05:40:43: Processing originate/VoIP call leg
Jan 20 05:40:43: Skipping Start accounting
Jan 20 05:40:43: Processing answer/VoIP call leg
Jan 20 05:40:43: Skipping Start accounting
Jan 20 05:40:43: Processing originate/VoIP call leg
Jan 20 05:40:43: Found not billed accounting request with the duration more than zero - bill it now
Jan 20 05:40:43: Looking up vendor/connection
Jan 20 05:40:43: Trying to match connection for call
Jan 20 05:40:43: Looking for a connection VoIP/originate
Jan 20 05:40:43: Outgoing VoIP, matching by the remote IP address 'SIP-UA' (env 1)
Jan 20 05:40:43: Found connection 154 'SIP UA <-> SIP UA' to vendor 'Switzernet'
Jan 20 05:40:43: Found vendor/connection
Jan 20 05:40:43: Applying connection translation rule on CLD ...
Jan 20 05:40:43: Translation 's/^00//; s/^0/41/;' applied: '41215040306' unchanged
Jan 20 05:40:43: Charging call ...
Jan 20 05:40:43: '66.234.138.73' is a trusted node's ID or IP, unable to use it as an account ID. Correct account ID should be available on the othe
Jan 20 05:40:43: Setting up a new charge with tariff 'SIP Termination' ...
Jan 20 05:40:43: Using peak rate, since no off-peak is defined
Jan 20 05:40:43: PrepareNexecute 'GetPricePerDestination*'
Jan 20 05:40:43: SQL query 'GetPricePerDestination*' executed in 0.001582 seconds
Jan 20 05:40:43: Calculating vendor's charge by tariff 'SIP Termination'
Jan 20 05:40:43: Call to '41215040306' with duration 12 seconds will be charged for 12 seconds and cost is 0 (1x1x0+11x1x0) by rate 2503127 using 80
Jan 20 05:40:43: Attempt to charge call with unknown Account, Customer
Jan 20 05:40:43: Charging vendor for the call
Jan 20 05:40:43: Charging vendor 32 'Switzernet' 0
Jan 20 05:40:43: Inserting CDR
Jan 20 05:40:43: PrepareNexecute 'InsertVendorCDR'
Jan 20 05:40:43: SQL query 'InsertVendorCDR' executed in 0.001113 seconds
Jan 20 05:40:43: PrepareNexecute 'UpdateVendorBalance'
Jan 20 05:40:43: SQL query 'UpdateVendorBalance' executed in 0.000398 seconds
Jan 20 05:40:43: There are no unsaved CDRs for this call left
Jan 20 05:40:43: Call '3A4DCF18 B9C0AB61 01A4D280 68F5A281/1' deleted from the cache
Jan 20 05:40:43: Call 3A4DCF18 B9C0AB61 01A4D280 68F5A281/1 removed
--CALL
```