



View Logs

Europe/Zurich nicolas.jorand Help

Close Error Report Objects

Logout

Call H323-conf-id

Search log files for

Include log file for the previous day in the search

```

Current-time: Jan 21 05:24:33 PST (UTC -0800)
H323-conf-id: 27104E7D 43D85A4E 46D68BA1 4707A989
SIP Call-ID: 94.23.225.212-1264079882.276
Requests: 5

REQUEST--
Jan 21 05:18:02: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address           = '94.23.225.212'
NAS-Port-Name            = 'SIP/41215040306-8e5a0370'
User-Name                 = '41215040306'
Called-Station-Id        = '0216912818'
Calling-Station-Id       = '41215040306'
h323-conf-id              = '27104E7D 43D85A4E 46D68BA1 4707A989'
call-id                   = '94.23.225.212-1264079882.276'
Digest-Attributes         = 'User-Name = "41215040306"'
Digest-Attributes         = 'Realm = "switzerland"'
Digest-Attributes         = 'Nonce = "5525ca04"'
Digest-Attributes         = 'URI = "sip:0216912818@astrad.switzerland.com"'
Digest-Attributes         = 'Method = "INVITE"'
Digest-Attributes         = 'Algorithm = "MD5"'
Digest-Response           = 'af438454307d4b0d4e3766e9ad37de33'
h323-ivr-out              = 'PortaBilling_Routing:SIP'
Jan 21 05:18:02: h323-conf-id=27104E7D 43D85A4E 46D68BA1 4707A989/1, call-id=94.23.225.212-1264079882.276/1
Jan 21 05:18:02: H323/SIP call, use h323-conf-id, but remember call-id
Jan 21 05:18:02: Checking if this call comes through a VoIP from vendor connection
Jan 21 05:18:02: No VoIP from vendor connections were found
Jan 21 05:18:02: PrepareNexecute 'AccountAuth'
Jan 21 05:18:02: SQL query 'AccountAuth' executed in 0.001846 seconds
Jan 21 05:18:02: Found Account: 41215040306[56352,credit,balance=3.08000,limit=none] of customer Swiss offices[16165,balance=604.40000,limit=700.00]
Jan 21 05:18:02: PrepareNexecute 'GetSessions'
Jan 21 05:18:02: SQL query 'GetSessions' executed in 0.000523 seconds
Jan 21 05:18:02: Account 41215040306 is not logged in yet
Jan 21 05:18:02: Verification of password using method 'digest_response': success
Jan 21 05:18:02: Applying customer dialing translation rule on CLD ...
Jan 21 05:18:02: Translation 'local_to_e164($_,{cc=>'41',dp=>'0',ip=>'00'})';# cc=41 dp=0 ip=00' applied: '0216912818' -> '41216912818'
Jan 21 05:18:02: PrepareNexecute 'AccountAuth'
Jan 21 05:18:02: SQL query 'AccountAuth' executed in 0.001583 seconds
Jan 21 05:18:02: CLD '41216912818' is an off-net number
Jan 21 05:18:02: Setting up a new charge with tariff 'business' ...
Jan 21 05:18:02: Using peak rate, since no off-peak is defined
Jan 21 05:18:02: PrepareNexecute 'GetPricePerDestination'
Jan 21 05:18:02: SQL query 'GetPricePerDestination' executed in 0.001583 seconds
Jan 21 05:18:02: Compute maximum call duration for leg Account 41215040306 to destination with funds 95.6 (customer funds 95.6 reduced to 95.6)
Jan 21 05:18:02: Maximum call duration: 286800 announced as 286800 (*ixlx0.02+286799*ixlx0.02) by rate 2487323 using 84450 as seed
Jan 21 05:18:02: Remote termination 'PortaSIP': Calculating routing for 41216912818
Jan 21 05:18:02: RTP Proxy with origination preference 'Undetermined', Calling party NOT behind NAT.
Jan 21 05:18:02: Looking up routes to '41216912818' using '<Default System Routing>' routing plan
Jan 21 05:18:02: PrepareNexecute 'GetRoutingPerDestination'
Jan 21 05:18:02: SQL query 'GetRoutingPerDestination' executed in 0.006523 seconds
Jan 21 05:18:02: Checked 2010-01-21 14:18:02 Europe/Zurich against 'hr[17-7] wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan} ,
Jan 21 05:18:02: Start of call is peak level 0
Jan 21 05:18:02: Using peak rate, since no off-peak is defined
Jan 21 05:18:02: Checked 2010-01-21 14:18:02 Europe/Zurich against 'hr[17-7] wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan} ,
Jan 21 05:18:02: Start of call is peak level 0
Jan 21 05:18:02: Checked 2010-01-21 14:18:02 Europe/Zurich against 'hr[17-7] wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan} ,
Jan 21 05:18:02: Start of call is peak level 0
Jan 21 05:18:02: Using peak rate, since no off-peak is defined
Jan 21 05:18:02: Using peak rate, since no off-peak is defined
Jan 21 05:18:02: Using peak rate, since no off-peak is defined
Jan 21 05:18:02: Checked 2010-01-21 14:18:02 Europe/Zurich against 'hr[17-7] wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan} ,
Jan 21 05:18:02: Start of call is peak level 0
Jan 21 05:18:02: Using peak rate, since no off-peak is defined
Jan 21 05:18:02: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 05:18:02: Translation 's/^(\\d)/\\+$1/;' applied: '41216912818' -> '+41216912818'
Jan 21 05:18:02: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 05:18:02: Translation 's/^(\\d)/\\+$1/;' applied: '41216912818' -> '+41216912818'
Jan 21 05:18:02: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 05:18:02: Translation 's/^(\\d)/00$1/;' applied: '41216912818' -> '0041216912818'
Jan 21 05:18:02: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 05:18:02: Translation 's/^(\\d)/\\+$1/;' applied: '41216912818' -> '+41216912818'
Jan 21 05:18:02: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 05:18:02: Translation 's/^(\\d)/\\+$1/;' applied: '41215040306' -> '+41215040306'
Jan 21 05:18:02: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 05:18:02: Translation 's/^(\\d)/\\+$1/;' applied: '41215040306' -> '+41215040306'
Jan 21 05:18:02: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 05:18:02: Translation 's/^(\\d)/00$1/;' applied: '41215040306' -> '0041215040306'
Jan 21 05:18:02: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 05:18:02: Translation 's/^(\\d)/\\+$1/;' applied: '41215040306' -> '+41215040306'
Jan 21 05:18:02: Result routes to destination '41216912818':
+41216912818@212.249.15.9, prio = 10, cost = 0.01130, 'OpenSER 9' - to remote GW
+41216912818@212.249.15.3, prio = 10, cost = 0.01130, 'OpenSER 3' - to remote GW
0041216912818@217.168.45.4, prio = 9, cost = 0.00000, 'Asterisk SS7' - to remote GW
+41216912818@87.106.213.52, prio = 8, cost = 0.00000, 'OpenSER UK' - to remote GW
Jan 21 05:18:02: Logging in account '41215040306'(56352) to '27104E7D 43D85A4E 46D68BA1 4707A989'
Jan 21 05:18:02: PrepareNexecute 'AddSession'
Jan 21 05:18:02: SQL query 'AddSession' executed in 0.001209 seconds
Jan 21 05:18:02: Authentication acknowledge response
h323-ivr-in              = PortaBilling_Routing:@g-hunt=seq
h323-ivr-in              = PortaBilling_Routing: @g-hunt=skip;expires=300;credit-time=286800;cli=+41215040306;patience=20
h323-ivr-in              = PortaBilling_Routing: +41216912818@212.249.15.9
h323-ivr-in              = PortaBilling_Routing: +41216912818@212.249.15.3
h323-ivr-in              = PortaBilling_Routing: 0041216912818@217.168.45.4;cli=0041215040306;rtpp=1
h323-ivr-in              = PortaBilling_Routing: +41216912818@87.106.213.52
h323-billing-model       = 0
h323-ivr-in              = Tariff:business
h323-ivr-in              = PortaBilling_CLI:41215040306
h323-ivr-in              = MOH:1
    
```

```

h323-ivr-in                = PortaBilling_CompleteNumber:41216912818
h323-ivr-in                = PortaBilling_Auth_CLD:41216912818
h323-ivr-in                = PortaBilling_Auth_Reseller_CLD:41216912818
h323-ivr-in                = DURATION:286800
h323-return-code           = 0
h323-currency              = CHF
h323-credit-time           = 286800
h323-preferred-lang        = en
Jan 21 05:18:02: ...Done Authorize/INWITE in 0.044956 seconds, 0.013267 spent in SQL queries.
--REQUEST

REQUEST--
Jan 21 05:18:44: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address             = '94.23.225.212'
User-Name                  = '41215040306'
Called-Station-Id         = '+41216912818'
Calling-Station-Id        = '41215040306'
Acct-Status-Type          = 'Stop'
h323-call-origin           = 'originate'
h323-call-type             = 'VoIP'
h323-setup-time            = '13:18:03 GMT Thu Jan 21 2010'
h323-connect-time          = '13:18:08 GMT Thu Jan 21 2010'
h323-disconnect-time       = '13:18:44 GMT Thu Jan 21 2010'
h323-disconnect-cause     = '10'
h323-conf-id               = '27104E7D 43D85A4E 46D68BA1 4707A989'
call-id                    = '94.23.225.212-1264079882.276'
Acct-Session-Time         = '36'
session-protocol           = 'sipv2'
h323-remote-address        = '212.249.15.9'
Exec-Program-Log          = 'porta-billing.pl'
Jan 21 05:18:44: h323-conf-id=27104E7D 43D85A4E 46D68BA1 4707A989/1, call-id=94.23.225.212-1264079882.276/1
Jan 21 05:18:44: Found a call in cache with such id
Jan 21 05:18:44: Copied account: 41215040306[56352,credit,balance=3.08000,limit=none] of customer Swiss offices[16165,balance=604.40000,limit=700.00]
Jan 21 05:18:44: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 21 05:18:44: SQL query 'GetActiveLegIdByAcct' executed in 0.001304 seconds
Jan 21 05:18:44: End of the outgoing call for logged in account. Waiting another outgoing call or hang up
Jan 21 05:18:44: Set lifetime with 15s to Thu Jan 21 05:18:59 2010
Jan 21 05:18:44: Looking up vendor/connection
Jan 21 05:18:44: Trying to match connection for call
Jan 21 05:18:44: Looking for a connection VoIP/originate
Jan 21 05:18:44: Outgoing VoIP, matching by the remote IP address '212.249.15.9' (env 1)
Jan 21 05:18:44: Found connection 217 'OpenSER 9' to vendor 'Verizon'
Jan 21 05:18:44: Found vendor/connection
Jan 21 05:18:44: Applying connection translation rule on CLD ...
Jan 21 05:18:44: Translation 's/^\/\//': applied: '+41216912818' -> '41216912818'
Jan 21 05:18:44: Charging call ...
Jan 21 05:18:44: Using peak rate, since no off-peak is defined
Jan 21 05:18:44: Can reuse the already initialized charge.
Jan 21 05:18:44: Calculating account's charge by tariff 'business'
Jan 21 05:18:44: Call to '41216912818' with duration 36 seconds will be charged for 36 seconds and cost is 0.02 (1x1x0.02+35x1x0.02^2) by rate 2487:
Jan 21 05:18:44: Setting up a new charge with tariff 'verizon-PRE' ...
Jan 21 05:18:44: Checked 2010-01-21 14:18:08 Europe/Zurich against 'hr[17-7] wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan},
Jan 21 05:18:44: Checked 2010-01-21 14:18:44 Europe/Zurich against 'hr[17-7] wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan},
Jan 21 05:18:44: Start of call is peak level 0
Jan 21 05:18:44: End of call is peak level 0
Jan 21 05:18:44: PrepareNexecute 'GetPricePerDestination*'
Jan 21 05:18:44: SQL query 'GetPricePerDestination*' executed in 0.010757 seconds
Jan 21 05:18:44: Calculating vendor's charge by tariff 'verizon-PRE'
Jan 21 05:18:44: Call to '41216912818' with duration 36 seconds will be charged for 36 seconds and cost is 0.01588 (1x1x0.5398+35x1x0.0118) by rate
Jan 21 05:18:44: Charging account for the call
Jan 21 05:18:44: Inserting CDR
Jan 21 05:18:44: PrepareNexecute 'InsertAccountCDR'
Jan 21 05:18:44: SQL query 'InsertAccountCDR' executed in 0.001131 seconds
Jan 21 05:18:44: Charging credit account 41215040306 0.02
Jan 21 05:18:44: PrepareNexecute 'UpdateAccountBalance'
Jan 21 05:18:44: SQL query 'UpdateAccountBalance' executed in 0.000865 seconds
Jan 21 05:18:44: Charging account's owner for the call
Jan 21 05:18:44: Charging customer 16165 'Swiss offices' 0.02
Jan 21 05:18:44: PrepareNexecute 'UpdateCustomerBalance'
Jan 21 05:18:44: SQL query 'UpdateCustomerBalance' executed in 0.000822 seconds
Jan 21 05:18:44: Charging vendor for the call
Jan 21 05:18:44: Charging vendor 55 'Verizon' 0.01588
Jan 21 05:18:44: Inserting CDR
Jan 21 05:18:44: PrepareNexecute 'InsertVendorCDR'
Jan 21 05:18:44: SQL query 'InsertVendorCDR' executed in 0.001092 seconds
Jan 21 05:18:44: PrepareNexecute 'UpdateVendorBalance'
Jan 21 05:18:44: SQL query 'UpdateVendorBalance' executed in 0.000807 seconds
Jan 21 05:18:44: Accounting response
Jan 21 05:18:44: ...Done Accounting/Stop/originate/VoIP in 0.033385 seconds, 0.016778 spent in SQL queries.
--REQUEST

REQUEST--
Jan 21 05:18:44: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address             = '94.23.225.212'
User-Name                  = '41215040306'
Called-Station-Id         = '0216912818'
Calling-Station-Id        = '41215040306'
Acct-Status-Type          = 'Stop'
h323-call-origin           = 'answer'
h323-call-type             = 'VoIP'
h323-setup-time            = '13:18:02 GMT Thu Jan 21 2010'
h323-connect-time          = '13:18:08 GMT Thu Jan 21 2010'
h323-disconnect-time       = '13:18:44 GMT Thu Jan 21 2010'
h323-disconnect-cause     = '10'
h323-conf-id               = '27104E7D 43D85A4E 46D68BA1 4707A989'
call-id                    = '94.23.225.212-1264079882.276'
Acct-Session-Time         = '36'
session-protocol           = 'sipv2'
h323-remote-address        = '94.23.225.212'
Exec-Program-Log          = 'porta-billing.pl'
Jan 21 05:18:44: h323-conf-id=27104E7D 43D85A4E 46D68BA1 4707A989/1, call-id=94.23.225.212-1264079882.276/1
Jan 21 05:18:44: Found a call in cache with such id
Jan 21 05:18:44: Copied account: 41215040306[56352,credit,balance=3.1,limit=none] of customer Swiss offices[16165,balance=604.42,limit=700.00000] fr
Jan 21 05:18:44: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 21 05:18:44: SQL query 'GetActiveLegIdByAcct' executed in 0.001487 seconds
Jan 21 05:18:44: End of call on incoming call leg from access NAS
Jan 21 05:18:44: Scheduling 41215040306 for logout, call lifetime reduced to 15
Jan 21 05:18:44: PrepareNexecute 'GetSessions'
Jan 21 05:18:44: SQL query 'GetSessions' executed in 0.000679 seconds
Jan 21 05:18:44: Logging out account '41215040306'(56352) from '27104E7D 43D85A4E 46D68BA1 4707A989'
Jan 21 05:18:44: PrepareNexecute 'RemoveSession'
Jan 21 05:18:44: SQL query 'RemoveSession' executed in 0.001605 seconds
Jan 21 05:18:44: Set lifetime with 15s to Thu Jan 21 05:18:59 2010
Jan 21 05:18:44: Looking up vendor/connection
Jan 21 05:18:44: Trying to match connection for call
Jan 21 05:18:44: Looking for a connection VoIP/answer

```

```

Jan 21 05:18:44: VoIP, matching by the node IP '94.23.225.212' and User-Name '41215040306'
Jan 21 05:18:44: No VoIP from vendor connections were found
Jan 21 05:18:44: Connection to vendor not found
Jan 21 05:18:44: No connection from vendor
Jan 21 05:18:44: Accounting response
Jan 21 05:18:44: ...Done Accounting/Stop/answer/VoIP in 0.010349 seconds, 0.003771 spent in SQL queries.
--REQUEST

CALL--
Jan 21 05:19:06: Removing call 27104E7D 43D85A4E 46D68BA1 4707A989/1
Jan 21 05:19:06: Scheduling 41215040306 for logout, call lifetime reduced to 15
Jan 21 05:19:06: PrepareNexecute 'GetSessions'
Jan 21 05:19:06: SQL query 'GetSessions' executed in 0.000499 seconds
Jan 21 05:19:06: Cleaning up the call
Jan 21 05:19:06: Usernames in all accounting requests are ok
Jan 21 05:19:06: Processing answer/VoIP call leg
Jan 21 05:19:06: Processing originate/VoIP call leg
Jan 21 05:19:06: There are no unsaved CDRs for this call left
Jan 21 05:19:06: Call '27104E7D 43D85A4E 46D68BA1 4707A989/1' deleted from the cache
Jan 21 05:19:06: Call 27104E7D 43D85A4E 46D68BA1 4707A989/1 removed
--CALL

REQUEST--
Jan 21 05:19:44: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address      = '94.23.225.212'
User-Name          = '41215040306'
Called-Station-Id  = '+41216912818'
Calling-Station-Id = '41215040306'
Acct-Status-Type   = 'Start'
h323-call-origin   = 'originate'
h323-call-type     = 'VoIP'
h323-setup-time    = '13:18:03 GMT Thu Jan 21 2010'
h323-conf-id       = '27104E7D 43D85A4E 46D68BA1 4707A989'
call-id            = '94.23.225.212-1264079882.276'
session-protocol   = 'sipv2'
h323-remote-address = '212.249.15.9'
Exec-Program-Log   = 'porta-billing.pl'
Jan 21 05:19:44: fixup: Using value '13:18:03 GMT Thu Jan 21 2010' to supply missing h323-connect-time attribute in Start accounting
Jan 21 05:19:44: h323-conf-id=27104E7D 43D85A4E 46D68BA1 4707A989/1, call-id=94.23.225.212-1264079882.276/1
Jan 21 05:19:44: H323/SIP call, use h323-conf-id, but remember call-id
Jan 21 05:19:44: Fixing time with duration 0 seconds from connect time
Jan 21 05:19:44: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 21 05:19:44: SQL query 'GetActiveLegIdByAcct' executed in 0.001371 seconds
Jan 21 05:19:44: PrepareNexecute 'AccountAccounting'
Jan 21 05:19:44: SQL query 'AccountAccounting' executed in 0.001883 seconds
Jan 21 05:19:44: Found Account: 41215040306[56352,credit,balance=3.10000,limit=none] of customer Swiss offices[16165,balance=604.42000,limit=700.00]
Jan 21 05:19:44: Looking up vendor/connection
Jan 21 05:19:44: Trying to match connection for call
Jan 21 05:19:44: Looking for a connection VoIP/originate
Jan 21 05:19:44: Outgoing VoIP, matching by the remote IP address '212.249.15.9' (env 1)
Jan 21 05:19:44: Found connection 217 'OpenSER 9' to vendor 'Verizon'
Jan 21 05:19:44: Found vendor/connection
Jan 21 05:19:44: PrepareNexecute 'InsertActiveLeg'
Jan 21 05:19:44: SQL query 'InsertActiveLeg' executed in 0.001194 seconds
Jan 21 05:19:44: Accounting response
Jan 21 05:19:44: ...Done Accounting/Start/originate/VoIP in 0.011793 seconds, 0.004448 spent in SQL queries.
--REQUEST

REQUEST--
Jan 21 05:19:49: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address      = '94.23.225.212'
User-Name          = '41215040306'
Called-Station-Id  = '0216912818'
Calling-Station-Id = '41215040306'
Acct-Status-Type   = 'Start'
h323-call-origin   = 'answer'
h323-call-type     = 'VoIP'
h323-setup-time    = '13:18:02 GMT Thu Jan 21 2010'
h323-conf-id       = '27104E7D 43D85A4E 46D68BA1 4707A989'
call-id            = '94.23.225.212-1264079882.276'
session-protocol   = 'sipv2'
h323-remote-address = '94.23.225.212'
Exec-Program-Log   = 'porta-billing.pl'
Jan 21 05:19:49: fixup: Using value '13:18:02 GMT Thu Jan 21 2010' to supply missing h323-connect-time attribute in Start accounting
Jan 21 05:19:49: h323-conf-id=27104E7D 43D85A4E 46D68BA1 4707A989/1, call-id=94.23.225.212-1264079882.276/1
Jan 21 05:19:49: Found a call in cache with such id
Jan 21 05:19:49: Fixing time with duration 0 seconds from connect time
Jan 21 05:19:49: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 21 05:19:49: SQL query 'GetActiveLegIdByAcct' executed in 0.001195 seconds
Jan 21 05:19:49: PrepareNexecute 'AccountAccounting'
Jan 21 05:19:49: SQL query 'AccountAccounting' executed in 0.001904 seconds
Jan 21 05:19:49: Found Account: 41215040306[56352,credit,balance=3.10000,limit=none] of customer Swiss offices[16165,balance=604.42000,limit=700.00]
Jan 21 05:19:49: Looking up vendor/connection
Jan 21 05:19:49: Trying to match connection for call
Jan 21 05:19:49: Looking for a connection VoIP/answer
Jan 21 05:19:49: VoIP, matching by the node IP '94.23.225.212' and User-Name '41215040306'
Jan 21 05:19:49: No VoIP from vendor connections were found
Jan 21 05:19:49: Connection to vendor not found
Jan 21 05:19:49: PrepareNexecute 'InsertActiveLeg'
Jan 21 05:19:49: SQL query 'InsertActiveLeg' executed in 0.00089 seconds
Jan 21 05:19:49: Accounting response
Jan 21 05:19:49: ...Done Accounting/Start/answer/VoIP in 0.011227 seconds, 0.003989 spent in SQL queries.
--REQUEST

CALL--
Jan 21 05:22:12: Removing call 27104E7D 43D85A4E 46D68BA1 4707A989/1
Jan 21 05:22:12: No logged in accounts, call lifetime reduced to 15
Jan 21 05:22:12: Cleaning up the call
Jan 21 05:22:12: Usernames in all accounting requests are ok
Jan 21 05:22:12: Processing originate/VoIP call leg
Jan 21 05:22:12: Skipping Start accounting
Jan 21 05:22:12: Processing answer/VoIP call leg
Jan 21 05:22:12: Skipping Start accounting
Jan 21 05:22:12: No outgoing connections to vendor, on-net call
Jan 21 05:22:12: No originate call legs, junk incoming call
Jan 21 05:22:12: Call '27104E7D 43D85A4E 46D68BA1 4707A989/1' deleted from the cache
Jan 21 05:22:12: Call 27104E7D 43D85A4E 46D68BA1 4707A989/1 removed
--CALL

```