



View Logs

Europe/Zurich

nicolas.jorand

Help



Call H323-conf-id 228D24D2 21DA7979 208B9F40 6DFCA485

Search log files for

Today

 Include log file for the previous day in the search

View log

Current-time: Jan 21 03:20:10 PST (UTC -0800)

H323-conf-id: 228D24D2 21DA7979 208B9F40 6DFCA485

SIP Call-ID: 94.23.225.212-1264072482.270

Requests: 5

REQUEST--

```

Jan 21 03:14:42: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address          = '94.23.225.212'
NAS-Port-Name           = 'SIP/41215040306-6clb4e90'
User-Name                = '41215040306'
Called-Station-Id       = '0216912818'
Calling-Station-Id      = '41215040306'
h323-conf-id            = '228D24D2 21DA7979 208B9F40 6DFCA485'
call-id                 = '94.23.225.212-1264072482.270'
Digest-Attributes       = 'User-Name = "41215040306"'
Digest-Attributes       = 'Realm = "switzerland"'
Digest-Attributes       = 'Nonce = "605e7e34"'
Digest-Attributes       = 'URI = "sip:0216912818@astrad.switzerland.com"'
Digest-Attributes       = 'Method = "INVITE"'
Digest-Attributes       = 'Algorithm = "MD5"'
Digest-Response         = '30a59c96c1962a713ffde2e97a625a44'
h323-ivr-out            = 'PortaBilling_Routing:SIP'
Jan 21 03:14:42: h323-conf-id=228D24D2 21DA7979 208B9F40 6DFCA485/1, call-id=94.23.225.212-1264072482.270/1
Jan 21 03:14:42: H323/SIP call, use h323-conf-id, but remember call-id
Jan 21 03:14:42: Checking if this call comes through a VoIP from vendor connection
Jan 21 03:14:42: No VoIP from vendor connections were found
Jan 21 03:14:42: PrepareNexecute 'AccountAuth'
Jan 21 03:14:42: SQL query 'AccountAuth' executed in 0.001949 seconds
Jan 21 03:14:42: Found Account: 41215040306[56352,credit,balance=3.06000,limit=none] of customer Swiss offices[16165,balance=604.38000,limit=700.00]
Jan 21 03:14:42: PrepareNexecute 'GetSessions'
Jan 21 03:14:42: SQL query 'GetSessions' executed in 0.000577 seconds
Jan 21 03:14:42: Account 41215040306 is not logged in yet
Jan 21 03:14:42: Verification of password using method 'digest_response': success
Jan 21 03:14:42: Applying customer dialing translation rule on CLD ...
Jan 21 03:14:42: Translation 'local_to_e164($_,[cc=>'41',dp=>'0',ip=>'00']);#% cc=41 dp=0 ip=00' applied: '0216912818' -> '41216912818'
Jan 21 03:14:42: PrepareNexecute 'AccountAuth'
Jan 21 03:14:42: SQL query 'AccountAuth' executed in 0.001408 seconds
Jan 21 03:14:42: CLD '41216912818' is an off-net number
Jan 21 03:14:42: Setting up a new charge with tariff 'business' ...
Jan 21 03:14:42: Using peak rate, since no off-peak is defined
Jan 21 03:14:42: PrepareNexecute 'GetPricePerDestination'
Jan 21 03:14:42: SQL query 'GetPricePerDestination' executed in 0.001861 seconds
Jan 21 03:14:42: Compute maximum call duration for leg Account 41215040306 to destination with funds 95.62 (customer funds 95.62)
Jan 21 03:14:42: Maximum call duration: 286860 (+1x1x0.02+286859x1x0.02) by rate 2487323 using 59811 as seed
Jan 21 03:14:42: Remote termination 'PortaSIP': Calculating routing for 41216912818
Jan 21 03:14:42: RTP Proxy with origination preference 'Undetermined', Calling party NOT behind NAT.
Jan 21 03:14:42: Looking up routes to '41216912818' using '<Default System Routing>' routing plan
Jan 21 03:14:42: PrepareNexecute 'GetRoutingPerDestination'
Jan 21 03:14:42: SQL query 'GetRoutingPerDestination' executed in 0.013809 seconds
Jan 21 03:14:42: Checked 2010-01-21 12:14:42 Europe/Zurich against 'hr[17-7] wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan} ,
Jan 21 03:14:42: Start of call is peak level 0
Jan 21 03:14:42: Using peak rate, since no off-peak is defined
Jan 21 03:14:42: Checked 2010-01-21 12:14:42 Europe/Zurich against 'hr[17-7] wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan} ,
Jan 21 03:14:42: Start of call is peak level 0
Jan 21 03:14:42: Checked 2010-01-21 12:14:42 Europe/Zurich against 'hr[17-7] wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan} ,
Jan 21 03:14:42: Start of call is peak level 0
Jan 21 03:14:42: Using peak rate, since no off-peak is defined
Jan 21 03:14:42: Using peak rate, since no off-peak is defined
Jan 21 03:14:42: Using peak rate, since no off-peak is defined
Jan 21 03:14:42: Checked 2010-01-21 12:14:42 Europe/Zurich against 'hr[17-7] wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan} ,
Jan 21 03:14:42: Start of call is peak level 0
Jan 21 03:14:42: Using peak rate, since no off-peak is defined
Jan 21 03:14:42: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 03:14:42: Translation 's/^(\\d)/\+$1/;' applied: '41216912818' -> '+41216912818'
Jan 21 03:14:42: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 03:14:42: Translation 's/^(\\d)/\+$1/;' applied: '41216912818' -> '+41216912818'
Jan 21 03:14:42: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 03:14:42: Translation 's/^(\\d)/00$1/;' applied: '41216912818' -> '0041216912818'
Jan 21 03:14:42: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 03:14:42: Translation 's/^(\\d)/\+$1/;' applied: '41216912818' -> '+41216912818'
Jan 21 03:14:42: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 03:14:42: Translation 's/^(\\d)/\+$1/;' applied: '41215040306' -> '+41215040306'
Jan 21 03:14:42: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 03:14:42: Translation 's/^(\\d)/\+$1/;' applied: '41215040306' -> '+41215040306'
Jan 21 03:14:42: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 03:14:42: Translation 's/^(\\d)/00$1/;' applied: '41215040306' -> '0041215040306'
Jan 21 03:14:42: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 03:14:42: Translation 's/^(\\d)/\+$1/;' applied: '41215040306' -> '+41215040306'
Jan 21 03:14:42: Result routes to destination '41216912818':
+41216912818@212.249.15.3, prio = 10, cost = 0.01130, 'OpenSER 3' - to remote GW
+41216912818@212.249.15.9, prio = 10, cost = 0.01130, 'OpenSER 9' - to remote GW
0041216912818@217.168.45.4, prio = 9, cost = 0.00000, 'Asterisk SS7' - to remote GW
+41216912818@87.106.213.52, prio = 8, cost = 0.00000, 'OpenSER UK' - to remote GW
Jan 21 03:14:42: Logging in account '41215040306'(56352) to '228D24D2 21DA7979 208B9F40 6DFCA485'
Jan 21 03:14:42: PrepareNexecute 'AddSession'
Jan 21 03:14:42: SQL query 'AddSession' executed in 0.001226 seconds
Jan 21 03:14:42: Authentication acknowledge response
h323-ivr-in              = PortaBilling_Routing:@g-hunt=seq
h323-ivr-in              = PortaBilling_Routing: @ig-hunt=skip;expires=300;credit-time=286860;cli=+41215040306;patience=20
h323-ivr-in              = PortaBilling_Routing: +41216912818@212.249.15.3
h323-ivr-in              = PortaBilling_Routing: +41216912818@212.249.15.9
h323-ivr-in              = PortaBilling_Routing: 0041216912818@217.168.45.4;cli=0041215040306;rtpp=1
h323-ivr-in              = PortaBilling_Routing: +41216912818@87.106.213.52
h323-billing-model       = 0
h323-ivr-in              = Tariff:business
h323-ivr-in              = PortaBilling_CLI:41215040306
h323-ivr-in              = MOH:1

```

```

h323-ivr-in           = PortaBilling_CompleteNumber:41216912818
h323-ivr-in           = PortaBilling_Auth_CLD:41216912818
h323-ivr-in           = PortaBilling_Auth_Reseller_CLD:41216912818
h323-ivr-in           = DURATION:286860
h323-return-code     = 0
h323-currency        = CHF
h323-credit-time     = 286860
h323-preferred-lang  = en
Jan 21 03:14:42: ...Done Authorize/INVITE in 0.052768 seconds, 0.020830 spent in SQL queries.
--REQUEST

REQUEST--
Jan 21 03:14:51: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address       = '94.23.225.212'
User-Name            = '41215040306'
Called-Station-Id   = '+41216912818'
Calling-Station-Id  = '41215040306'
Acct-Status-Type    = 'Start'
h323-call-origin    = 'originate'
h323-call-type      = 'VoIP'
h323-setup-time     = '11:14:42 GMT Thu Jan 21 2010'
h323-conf-id        = '228D24D2 21DA7979 208B9F40 6DFCA485'
call-id             = '94.23.225.212-1264072482.270'
session-protocol    = 'sipv2'
h323-remote-address = '212.249.15.3'
Exec-Program-Log    = 'porta-billing.pl'
Jan 21 03:14:51: fixup: Using value '11:14:42 GMT Thu Jan 21 2010' to supply missing h323-connect-time attribute in Start accounting
Jan 21 03:14:51: h323-conf-id=228D24D2 21DA7979 208B9F40 6DFCA485/1, call-id=94.23.225.212-1264072482.270/1
Jan 21 03:14:51: Found a call in cache with such id
Jan 21 03:14:51: Copied account: 41215040306[56352,credit,balance=3.06000,limit=None] of customer Swiss offices[16165,balance=604.38000,limit=700.00]
Jan 21 03:14:51: Fixing time with duration 0 seconds from connect time
Jan 21 03:14:51: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 21 03:14:51: SQL query 'GetActiveLegIdByAcct' executed in 0.001255 seconds
Jan 21 03:14:51: Looking up vendor/connection
Jan 21 03:14:51: Trying to match connection for call
Jan 21 03:14:51: Looking for a connection VoIP/originate
Jan 21 03:14:51: Outgoing VoIP, matching by the remote IP address '212.249.15.3' (env 1)
Jan 21 03:14:51: Found connection 205 'OpenSER 3' to vendor 'Verizon'
Jan 21 03:14:51: Found vendor/connection
Jan 21 03:14:51: PrepareNexecute 'InsertActiveLeg'
Jan 21 03:14:51: SQL query 'InsertActiveLeg' executed in 0.001104 seconds
Jan 21 03:14:51: Accounting response
Jan 21 03:14:51: ...Done Accounting/Start/originate/VoIP in 0.008283 seconds, 0.002359 spent in SQL queries.
--REQUEST

REQUEST--
Jan 21 03:14:51: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address       = '94.23.225.212'
User-Name            = '41215040306'
Called-Station-Id   = '0216912818'
Calling-Station-Id  = '41215040306'
Acct-Status-Type    = 'Start'
h323-call-origin    = 'answer'
h323-call-type      = 'VoIP'
h323-setup-time     = '11:14:42 GMT Thu Jan 21 2010'
h323-conf-id        = '228D24D2 21DA7979 208B9F40 6DFCA485'
call-id             = '94.23.225.212-1264072482.270'
session-protocol    = 'sipv2'
h323-remote-address = '94.23.225.212'
Exec-Program-Log    = 'porta-billing.pl'
Jan 21 03:14:51: fixup: Using value '11:14:42 GMT Thu Jan 21 2010' to supply missing h323-connect-time attribute in Start accounting
Jan 21 03:14:51: h323-conf-id=228D24D2 21DA7979 208B9F40 6DFCA485/1, call-id=94.23.225.212-1264072482.270/1
Jan 21 03:14:51: Found a call in cache with such id
Jan 21 03:14:51: Copied account: 41215040306[56352,credit,balance=3.06000,limit=None] of customer Swiss offices[16165,balance=604.38000,limit=700.00]
Jan 21 03:14:51: Fixing time with duration 0 seconds from connect time
Jan 21 03:14:51: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 21 03:14:51: SQL query 'GetActiveLegIdByAcct' executed in 0.018284 seconds
Jan 21 03:14:51: Looking up vendor/connection
Jan 21 03:14:51: Trying to match connection for call
Jan 21 03:14:51: Looking for a connection VoIP/answer
Jan 21 03:14:51: VoIP, matching by the node IP '94.23.225.212' and User-Name '41215040306'
Jan 21 03:14:51: No VoIP from vendor connections were found
Jan 21 03:14:51: Connection to vendor not found
Jan 21 03:14:51: PrepareNexecute 'InsertActiveLeg'
Jan 21 03:14:51: SQL query 'InsertActiveLeg' executed in 0.000829 seconds
Jan 21 03:14:51: Accounting response
Jan 21 03:14:51: ...Done Accounting/Start/answer/VoIP in 0.024856 seconds, 0.019113 spent in SQL queries.
--REQUEST

REQUEST--
Jan 21 03:16:48: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address       = '94.23.225.212'
User-Name            = '41215040306'
Called-Station-Id   = '+41216912818'
Calling-Station-Id  = '41215040306'
Acct-Status-Type    = 'Stop'
h323-call-origin    = 'originate'
h323-call-type      = 'VoIP'
h323-setup-time     = '11:14:42 GMT Thu Jan 21 2010'
h323-connect-time   = '11:14:51 GMT Thu Jan 21 2010'
h323-disconnect-time = '11:15:48 GMT Thu Jan 21 2010'
h323-disconnect-cause = '10'
h323-conf-id        = '228D24D2 21DA7979 208B9F40 6DFCA485'
call-id             = '94.23.225.212-1264072482.270'
Acct-Session-Time   = '57'
session-protocol    = 'sipv2'
h323-remote-address = '212.249.15.3'
Exec-Program-Log    = 'porta-billing.pl'
Jan 21 03:16:48: h323-conf-id=228D24D2 21DA7979 208B9F40 6DFCA485/1, call-id=94.23.225.212-1264072482.270/1
Jan 21 03:16:48: Found a call in cache with such id
Jan 21 03:16:48: Copied account: 41215040306[56352,credit,balance=3.06000,limit=None] of customer Swiss offices[16165,balance=604.38000,limit=700.00]
Jan 21 03:16:48: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 21 03:16:48: SQL query 'GetActiveLegIdByAcct' executed in 0.001177 seconds
Jan 21 03:16:48: PrepareNexecute 'DeleteActiveLeg'
Jan 21 03:16:48: SQL query 'DeleteActiveLeg' executed in 0.00088 seconds
Jan 21 03:16:48: End of the outgoing call for logged in account. Waiting another outgoing call or hang up
Jan 21 03:16:48: Set lifetime with 15s to Thu Jan 21 03:17:03 2010
Jan 21 03:16:48: Looking up vendor/connection
Jan 21 03:16:48: Trying to match connection for call
Jan 21 03:16:48: Looking for a connection VoIP/originate
Jan 21 03:16:48: Outgoing VoIP, matching by the remote IP address '212.249.15.3' (env 1)
Jan 21 03:16:48: Found connection 205 'OpenSER 3' to vendor 'Verizon'
Jan 21 03:16:48: Found vendor/connection
Jan 21 03:16:48: Applying connection translation rule on CLD ...
Jan 21 03:16:48: Translation 's/^\+//:' applied: '+41216912818' -> '41216912818'
Jan 21 03:16:48: Charging call ...

```

```

Jan 21 03:16:48: Using peak rate, since no off-peak is defined
Jan 21 03:16:48: Can reuse the already initialized charge.
Jan 21 03:16:48: Calculating account's charge by tariff 'business'
Jan 21 03:16:48: Call to '41216912818' with duration 57 seconds will be charged for 57 seconds and cost is 0.02 (1x1x0.02+56x1x0.02^2) by rate 2487:
Jan 21 03:16:48: Setting up a new charge with tariff 'verizon-PRE' ...
Jan 21 03:16:48: Checked 2010-01-21 12:14:51 Europe/Zurich against 'hr{17-7} wd{mo-fr }, wd{sa su }, md{25} mo{dec}, md{26} mo{dec}, md{1} mo{jan},
Jan 21 03:16:48: Checked 2010-01-21 12:15:48 Europe/Zurich against 'hr{17-7} wd{mo-fr }, wd{sa su }, md{25} mo{dec}, md{26} mo{dec}, md{1} mo{jan},
Jan 21 03:16:48: Start of call is peak level 0
Jan 21 03:16:48: End of call is peak level 0
Jan 21 03:16:48: PrepareNexecute 'GetPricePerDestination*'
Jan 21 03:16:48: SQL query 'GetPricePerDestination*' executed in 0.001657 seconds
Jan 21 03:16:48: Calculating vendor's charge by tariff 'verizon-PRE'
Jan 21 03:16:48: Call to '41216912818' with duration 57 seconds will be charged for 57 seconds and cost is 0.02001 (1x1x0.5398+56x1x0.0118) by rate
Jan 21 03:16:48: Charging account for the call
Jan 21 03:16:48: Inserting CDR
Jan 21 03:16:48: PrepareNexecute 'InsertAccountCDR'
Jan 21 03:16:48: SQL query 'InsertAccountCDR' executed in 0.001174 seconds
Jan 21 03:16:48: Charging credit account 41215040306 0.02
Jan 21 03:16:48: PrepareNexecute 'UpdateAccountBalance'
Jan 21 03:16:48: SQL query 'UpdateAccountBalance' executed in 0.000857 seconds
Jan 21 03:16:48: Charging account's owner for the call
Jan 21 03:16:48: Charging customer 16165 'Swiss offices' 0.02
Jan 21 03:16:48: PrepareNexecute 'UpdateCustomerBalance'
Jan 21 03:16:48: SQL query 'UpdateCustomerBalance' executed in 0.000821 seconds
Jan 21 03:16:48: Charging vendor for the call
Jan 21 03:16:48: Charging vendor 55 'Verizon' 0.02001
Jan 21 03:16:48: Inserting CDR
Jan 21 03:16:48: PrepareNexecute 'InsertVendorCDR'
Jan 21 03:16:48: SQL query 'InsertVendorCDR' executed in 0.001273 seconds
Jan 21 03:16:48: PrepareNexecute 'UpdateVendorBalance'
Jan 21 03:16:48: SQL query 'UpdateVendorBalance' executed in 0.000803 seconds
Jan 21 03:16:48: Accounting response
Jan 21 03:16:48: ...Done Accounting/Stop/originate/VoIP in 0.025618 seconds, 0.008642 spent in SQL queries.
--REQUEST

REQUEST--
Jan 21 03:16:53: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address      = '94.23.225.212'
User-Name           = '41215040306'
Called-Station-Id   = '0216912818'
Calling-Station-Id  = '41215040306'
Acct-Status-Type    = 'Stop'
h323-call-origin    = 'answer'
h323-call-type       = 'VoIP'
h323-setup-time     = '11:14:42 GMT Thu Jan 21 2010'
h323-connect-time   = '11:14:51 GMT Thu Jan 21 2010'
h323-disconnect-time = '11:15:48 GMT Thu Jan 21 2010'
h323-disconnect-cause = '10'
h323-conf-id        = '228D24D2 21DA7979 208B9F40 6DFCA485'
call-id             = '94.23.225.212-1264072482.270'
Acct-Session-Time   = '57'
session-protocol    = 'sipv2'
h323-remote-address = '94.23.225.212'
Exec-Program-Log    = 'porta-billing.pl'
Jan 21 03:16:53: h323-conf-id=228D24D2 21DA7979 208B9F40 6DFCA485/1, call-id=94.23.225.212-1264072482.270/1
Jan 21 03:16:53: Found a call in cache with such id
Jan 21 03:16:53: Copied account: 41215040306[56352.credit,balance=3.08,limit=none] of customer Swiss offices[16165,balance=604.4,limit=700.00000] fr
Jan 21 03:16:53: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 21 03:16:53: SQL query 'GetActiveLegIdByAcct' executed in 0.001028 seconds
Jan 21 03:16:53: PrepareNexecute 'DeleteActiveLeg'
Jan 21 03:16:53: SQL query 'DeleteActiveLeg' executed in 0.000943 seconds
Jan 21 03:16:53: End of call on incoming call leg from access NAS
Jan 21 03:16:53: Scheduling 41215040306 for logout, call lifetime reduced to 15
Jan 21 03:16:53: PrepareNexecute 'GetSessions'
Jan 21 03:16:53: SQL query 'GetSessions' executed in 0.000507 seconds
Jan 21 03:16:53: Logging out account '41215040306'(56352) from '228D24D2 21DA7979 208B9F40 6DFCA485'
Jan 21 03:16:53: PrepareNexecute 'RemoveSession'
Jan 21 03:16:53: SQL query 'RemoveSession' executed in 0.001444 seconds
Jan 21 03:16:53: Set lifetime with 15s to Thu Jan 21 03:17:08 2010
Jan 21 03:16:53: Looking up vendor/connection
Jan 21 03:16:53: Trying to match connection for call
Jan 21 03:16:53: Looking for a connection VoIP/answer
Jan 21 03:16:53: VoIP, matching by the node IP '94.23.225.212' and User-Name '41215040306'
Jan 21 03:16:53: No VoIP from vendor connections were found
Jan 21 03:16:53: Connection to vendor not found
Jan 21 03:16:53: No connection from vendor
Jan 21 03:16:53: Accounting response
Jan 21 03:16:53: ...Done Accounting/Stop/answer/VoIP in 0.011349 seconds, 0.003922 spent in SQL queries.
--REQUEST

CALL--
Jan 21 03:17:09: Removing call 228D24D2 21DA7979 208B9F40 6DFCA485/1
Jan 21 03:17:09: Scheduling 41215040306 for logout, call lifetime reduced to 15
Jan 21 03:17:09: PrepareNexecute 'GetSessions'
Jan 21 03:17:09: SQL query 'GetSessions' executed in 0.0006 seconds
Jan 21 03:17:09: Cleaning up the call
Jan 21 03:17:09: Usernames in all accounting requests are ok
Jan 21 03:17:09: Processing originate/VoIP call leg
Jan 21 03:17:09: Skipping Start accounting
Jan 21 03:17:09: Processing answer/VoIP call leg
Jan 21 03:17:09: Skipping Start accounting
Jan 21 03:17:09: Processing answer/VoIP call leg
Jan 21 03:17:09: Processing originate/VoIP call leg
Jan 21 03:17:09: There are no unsaved CDRs for this call left
Jan 21 03:17:09: Call '228D24D2 21DA7979 208B9F40 6DFCA485/1' deleted from the cache
Jan 21 03:17:09: Call 228D24D2 21DA7979 208B9F40 6DFCA485/1 removed
--CALL

```