



View Logs

Europe/Zurich nicolas.jorand Help

Close Error Report Objects

Logout

Call H323-conf-id 2BE0D591 1A16CB27 44715C1C 4683AF39

Search log files for Today

Include log file for the previous day in the search

Current-time: Jan 21 06:34:46 PST (UTC -0800)  
 H323-conf-id: 2BE0D591 1A16CB27 44715C1C 4683AF39  
 SIP Call-ID: 94.23.225.212-1264080757.278  
 Requests: 3

```

REQUEST--
Jan 21 05:32:37: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address           = '94.23.225.212'
NAS-Port-Name            = 'SIP/41215040306-8e5a0370'
User-Name                 = '41215040306'
Called-Station-Id        = '0216912818'
Calling-Station-Id       = '41215040306'
h323-conf-id              = '2BE0D591 1A16CB27 44715C1C 4683AF39'
call-id                   = '94.23.225.212-1264080757.278'
Digest-Attributes        = 'User-Name = "41215040306"'
Digest-Attributes        = 'Realm = "switzerland"'
Digest-Attributes        = 'Nonce = "67247890"'
Digest-Attributes        = 'URI = "sip:0216912818@astrad.switzerland.com"'
Digest-Attributes        = 'Method = "INVITE"'
Digest-Attributes        = 'Algorithm = "MD5"'
Digest-Response          = 'e09112dfe22b99bfe9b20ebd3c7ac1a6'
h323-ivr-out              = 'PortaBilling_Routing:SIP'
Jan 21 05:32:37: h323-conf-id=2BE0D591 1A16CB27 44715C1C 4683AF39/1, call-id=94.23.225.212-1264080757.278/1
Jan 21 05:32:37: H323/SIP call, use h323-conf-id, but remember call-id
Jan 21 05:32:37: Checking if this call comes through a VoIP from vendor connection
Jan 21 05:32:37: No VoIP from vendor connections were found
Jan 21 05:32:37: PrepareNexecute 'AccountAuth'
Jan 21 05:32:37: SQL query 'AccountAuth' executed in 0.001901 seconds
Jan 21 05:32:37: Found Account: 41215040306[56352,credit,balance=3.10000,limit=none] of customer Swiss offices[16165,balance=604.42000,limit=700.00]
Jan 21 05:32:37: PrepareNexecute 'GetSessions'
Jan 21 05:32:37: SQL query 'GetSessions' executed in 0.000576 seconds
Jan 21 05:32:37: Account 41215040306 is not logged in yet
Jan 21 05:32:37: Verification of password using method 'digest_response': success
Jan 21 05:32:37: Applying customer dialing translation rule on CLD ...
Jan 21 05:32:37: Translation 'local_to_e164($_,{cc=>'41',dp=>'0',ip=>'00'})';# cc=41 dp=0 ip=00' applied: '0216912818' -> '41216912818'
Jan 21 05:32:37: PrepareNexecute 'AccountAuth'
Jan 21 05:32:37: SQL query 'AccountAuth' executed in 0.0014 seconds
Jan 21 05:32:37: CLD '41216912818' is an off-net number
Jan 21 05:32:37: Setting up a new charge with tariff 'business' ...
Jan 21 05:32:37: Using peak rate, since no off-peak is defined
Jan 21 05:32:37: PrepareNexecute 'GetPricePerDestination'
Jan 21 05:32:37: SQL query 'GetPricePerDestination' executed in 0.001702 seconds
Jan 21 05:32:37: Compute maximum call duration for leg Account 41215040306 to destination with funds 95.58 (customer funds 95.58 reduced to 95.58)
Jan 21 05:32:37: Maximum call duration: 286740 announced as 286740 (*ixlx0.02+286739*xlx0.02) by rate 2487323 using 51054 as seed
Jan 21 05:32:37: Remote termination 'PortaSIP': Calculating routing for 41216912818
Jan 21 05:32:37: RTP Proxy with origination preference 'Undetermined', Calling party NOT behind NAT.
Jan 21 05:32:37: Looking up routes to '41216912818' using '<Default System Routing>' routing plan
Jan 21 05:32:37: PrepareNexecute 'GetRoutingPerDestination'
Jan 21 05:32:37: SQL query 'GetRoutingPerDestination' executed in 0.006521 seconds
Jan 21 05:32:37: Checked 2010-01-21 14:32:37 Europe/Zurich against 'hr{17-7} wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan},
Jan 21 05:32:37: Start of call is peak level 0
Jan 21 05:32:37: Using peak rate, since no off-peak is defined
Jan 21 05:32:37: Checked 2010-01-21 14:32:37 Europe/Zurich against 'hr{17-7} wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan},
Jan 21 05:32:37: Start of call is peak level 0
Jan 21 05:32:37: Using peak rate, since no off-peak is defined
Jan 21 05:32:37: Using peak rate, since no off-peak is defined
Jan 21 05:32:37: Using peak rate, since no off-peak is defined
Jan 21 05:32:37: Checked 2010-01-21 14:32:37 Europe/Zurich against 'hr{17-7} wd{mo-fr } , wd{sa su } , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan},
Jan 21 05:32:37: Start of call is peak level 0
Jan 21 05:32:37: Using peak rate, since no off-peak is defined
Jan 21 05:32:37: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 05:32:37: Translation 's/^(\\d)/\\+$1/;' applied: '41216912818' -> '+41216912818'
Jan 21 05:32:37: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 05:32:37: Translation 's/^(\\d)/\\+$1/;' applied: '41216912818' -> '+41216912818'
Jan 21 05:32:37: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 05:32:37: Translation 's/^(\\d)/00$1/;' applied: '41216912818' -> '0041216912818'
Jan 21 05:32:37: Applying route outgoing CLD translation on '41216912818' ...
Jan 21 05:32:37: Translation 's/^(\\d)/\\+$1/;' applied: '41216912818' -> '+41216912818'
Jan 21 05:32:37: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 05:32:37: Translation 's/^(\\d)/\\+$1/;' applied: '41215040306' -> '+41215040306'
Jan 21 05:32:37: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 05:32:37: Translation 's/^(\\d)/\\+$1/;' applied: '41215040306' -> '+41215040306'
Jan 21 05:32:37: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 05:32:37: Translation 's/^(\\d)/00$1/;' applied: '41215040306' -> '0041215040306'
Jan 21 05:32:37: Applying route outgoing CLI translation on '41215040306' ...
Jan 21 05:32:37: Translation 's/^(\\d)/\\+$1/;' applied: '41215040306' -> '+41215040306'
Jan 21 05:32:37: Result routes to destination '41216912818':
+41216912818@212.249.15.3, prio = 10, cost = 0.01130, 'OpenSER 3' - to remote GW
+41216912818@212.249.15.9, prio = 10, cost = 0.01130, 'OpenSER 9' - to remote GW
0041216912818@217.168.45.4, prio = 9, cost = 0.00000, 'Asterisk SS7' - to remote GW
+41216912818@87.106.213.52, prio = 8, cost = 0.00000, 'OpenSER UK' - to remote GW
Jan 21 05:32:37: Logging in account '41215040306'(56352) to '2BE0D591 1A16CB27 44715C1C 4683AF39'
Jan 21 05:32:37: PrepareNexecute 'AddSession'
Jan 21 05:32:37: SQL query 'AddSession' executed in 0.001231 seconds
Jan 21 05:32:37: Authentication acknowledge response
h323-ivr-in               = PortaBilling_Routing:@g-hunt=seq
h323-ivr-in               = PortaBilling_Routing: @g-hunt=skip;expires=300;credit-time=286740;cli=+41215040306;patience=20
h323-ivr-in               = PortaBilling_Routing: +41216912818@212.249.15.3
h323-ivr-in               = PortaBilling_Routing: +41216912818@212.249.15.9
h323-ivr-in               = PortaBilling_Routing: 0041216912818@217.168.45.4;cli=0041215040306;rtpp=1
h323-ivr-in               = PortaBilling_Routing: +41216912818@87.106.213.52
h323-billing-model        = 0
h323-ivr-in               = Tariff:business
h323-ivr-in               = PortaBilling_CLI:41215040306
h323-ivr-in               = MOH:1
    
```

```

h323-ivr-in                = PortaBilling_CompleteNumber:41216912818
h323-ivr-in                = PortaBilling_Auth_CLD:41216912818
h323-ivr-in                = PortaBilling_Auth_Reseller_CLD:41216912818
h323-ivr-in                = DURATION:286740
h323-return-code           = 0
h323-currency              = CHF
h323-credit-time          = 286740
h323-preferred-lang       = en
Jan 21 05:32:37: ...Done Authorize/INWITE in 0.045473 seconds, 0.013331 spent in SQL queries.
--REQUEST

REQUEST--
Jan 21 05:34:05: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address             = '94.23.225.212'
User-Name                  = '41215040306'
Called-Station-Id         = '+41216912818'
Calling-Station-Id        = '41215040306'
Acct-Status-Type          = 'Stop'
h323-call-origin          = 'originate'
h323-call-type            = 'VoIP'
h323-setup-time           = '13:32:38 GMT Thu Jan 21 2010'
h323-connect-time         = '13:32:43 GMT Thu Jan 21 2010'
h323-disconnect-time      = '13:33:05 GMT Thu Jan 21 2010'
h323-disconnect-cause    = '10'
h323-conf-id              = '2BE0D591 1A16CB27 44715C1C 4683AF39'
call-id                   = '94.23.225.212-1264080757.278'
Acct-Session-Time         = '22'
session-protocol          = 'sipv2'
h323-remote-address       = '212.249.15.3'
Exec-Program-Log         = 'porta-billing.pl'
Jan 21 05:34:05: h323-conf-id=2BE0D591 1A16CB27 44715C1C 4683AF39/1, call-id=94.23.225.212-1264080757.278/1
Jan 21 05:34:05: Found a call in cache with such id
Jan 21 05:34:05: Copied account: 41215040306[56352,credit,balance=3.10000,limit=none] of customer Swiss offices[16165,balance=604.42000,limit=700.00]
Jan 21 05:34:05: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 21 05:34:05: SQL query 'GetActiveLegIdByAcct' executed in 0.001102 seconds
Jan 21 05:34:05: End of the outgoing call for logged in account. Waiting another outgoing call or hang up
Jan 21 05:34:05: Set lifetime with 15s to Thu Jan 21 05:34:20 2010
Jan 21 05:34:05: Looking up vendor/connection
Jan 21 05:34:05: Trying to match connection for call
Jan 21 05:34:05: Looking for a connection VoIP/originate
Jan 21 05:34:05: Outgoing VoIP, matching by the remote IP address '212.249.15.3' (env 1)
Jan 21 05:34:05: Found connection 205 'OpenSER 3' to vendor 'Verizon'
Jan 21 05:34:05: Found vendor/connection
Jan 21 05:34:05: Applying connection translation rule on CLD ...
Jan 21 05:34:05: Translation 's/^+//': applied: '+41216912818' -> '41216912818'
Jan 21 05:34:05: Charging call ...
Jan 21 05:34:05: Using peak rate, since no off-peak is defined
Jan 21 05:34:05: Can reuse the already initialized charge.
Jan 21 05:34:05: Calculating account's charge by tariff 'business'
Jan 21 05:34:05: Call to '41216912818' with duration 22 seconds will be charged for 22 seconds and cost is 0.01 (1x1x0.02+21x1x0.02^2) by rate 2487:
Jan 21 05:34:05: Setting up a new charge with tariff 'verizon-PRE' ...
Jan 21 05:34:05: Checked 2010-01-21 14:32:43 Europe/Zurich against 'hr[17-7] wd{mo-fr} , wd{sa su} , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan},
Jan 21 05:34:05: Checked 2010-01-21 14:33:05 Europe/Zurich against 'hr[17-7] wd{mo-fr} , wd{sa su} , md{25} mo{dec} , md{26} mo{dec} , md{1} mo{jan},
Jan 21 05:34:05: Start of call is peak level 0
Jan 21 05:34:05: End of call is peak level 0
Jan 21 05:34:05: PrepareNexecute 'GetPricePerDestination*'
Jan 21 05:34:05: SQL query 'GetPricePerDestination*' executed in 0.002105 seconds
Jan 21 05:34:05: Calculating vendor's charge by tariff 'verizon-PRE'
Jan 21 05:34:05: Call to '41216912818' with duration 22 seconds will be charged for 22 seconds and cost is 0.01313 (1x1x0.5398+21x1x0.0118) by rate
Jan 21 05:34:05: Charging account for the call
Jan 21 05:34:05: Inserting CDR
Jan 21 05:34:05: PrepareNexecute 'InsertAccountCDR'
Jan 21 05:34:05: SQL query 'InsertAccountCDR' executed in 0.001137 seconds
Jan 21 05:34:05: Charging credit account 41215040306 0.01
Jan 21 05:34:05: PrepareNexecute 'UpdateAccountBalance'
Jan 21 05:34:05: SQL query 'UpdateAccountBalance' executed in 0.000861 seconds
Jan 21 05:34:05: Charging account's owner for the call
Jan 21 05:34:05: Charging customer 16165 'Swiss offices' 0.01
Jan 21 05:34:05: PrepareNexecute 'UpdateCustomerBalance'
Jan 21 05:34:05: SQL query 'UpdateCustomerBalance' executed in 0.000828 seconds
Jan 21 05:34:05: Charging vendor for the call
Jan 21 05:34:05: Charging vendor 55 'Verizon' 0.01313
Jan 21 05:34:05: Inserting CDR
Jan 21 05:34:05: PrepareNexecute 'InsertVendorCDR'
Jan 21 05:34:05: SQL query 'InsertVendorCDR' executed in 0.001059 seconds
Jan 21 05:34:05: PrepareNexecute 'UpdateVendorBalance'
Jan 21 05:34:05: SQL query 'UpdateVendorBalance' executed in 0.00081 seconds
Jan 21 05:34:05: Accounting response
Jan 21 05:34:05: ...Done Accounting/Stop/originate/VoIP in 0.024489 seconds, 0.007902 spent in SQL queries.
--REQUEST

REQUEST--
Jan 21 05:34:10: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address             = '94.23.225.212'
User-Name                  = '41215040306'
Called-Station-Id         = '0216912818'
Calling-Station-Id        = '41215040306'
Acct-Status-Type          = 'Stop'
h323-call-origin          = 'answer'
h323-call-type            = 'VoIP'
h323-setup-time           = '13:32:37 GMT Thu Jan 21 2010'
h323-connect-time         = '13:32:43 GMT Thu Jan 21 2010'
h323-disconnect-time      = '13:33:05 GMT Thu Jan 21 2010'
h323-disconnect-cause    = '10'
h323-conf-id              = '2BE0D591 1A16CB27 44715C1C 4683AF39'
call-id                   = '94.23.225.212-1264080757.278'
Acct-Session-Time         = '22'
session-protocol          = 'sipv2'
h323-remote-address       = '94.23.225.212'
Exec-Program-Log         = 'porta-billing.pl'
Jan 21 05:34:10: h323-conf-id=2BE0D591 1A16CB27 44715C1C 4683AF39/1, call-id=94.23.225.212-1264080757.278/1
Jan 21 05:34:10: Found a call in cache with such id
Jan 21 05:34:10: Copied account: 41215040306[56352,credit,balance=3.11,limit=none] of customer Swiss offices[16165,balance=604.43,limit=700.00000] i
Jan 21 05:34:10: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 21 05:34:10: SQL query 'GetActiveLegIdByAcct' executed in 0.00112 seconds
Jan 21 05:34:10: End of call on incoming call leg from access NAS
Jan 21 05:34:10: Scheduling 41215040306 for logout, call lifetime reduced to 15
Jan 21 05:34:10: PrepareNexecute 'GetSessions'
Jan 21 05:34:10: SQL query 'GetSessions' executed in 0.000932 seconds
Jan 21 05:34:10: Logging out account '41215040306'(56352) from '2BE0D591 1A16CB27 44715C1C 4683AF39'
Jan 21 05:34:10: PrepareNexecute 'RemoveSession'
Jan 21 05:34:10: SQL query 'RemoveSession' executed in 0.000854 seconds
Jan 21 05:34:10: Set lifetime with 15s to Thu Jan 21 05:34:25 2010
Jan 21 05:34:10: Looking up vendor/connection
Jan 21 05:34:10: Trying to match connection for call
Jan 21 05:34:10: Looking for a connection VoIP/answer

```

```
Jan 21 05:34:10: VoIP, matching by the node IP '94.23.225.212' and User-Name '41215040306'  
Jan 21 05:34:10: No VoIP from vendor connections were found  
Jan 21 05:34:10: Connection to vendor not found  
Jan 21 05:34:10: No connection from vendor  
Jan 21 05:34:10: Accounting response  
Jan 21 05:34:10: ...Done Accounting/Stop/answer/VoIP in 0.009453 seconds, 0.002906 spent in SQL queries.  
--REQUEST  
  
CALL--  
Jan 21 05:34:36: Removing call 2BE0D591 1A16CB27 44715C1C 4683AF39/1  
Jan 21 05:34:36: Scheduling 41215040306 for logout, call lifetime reduced to 15  
Jan 21 05:34:36: PrepareNexecute 'GetSessions'  
Jan 21 05:34:36: SQL query 'GetSessions' executed in 0.000522 seconds  
Jan 21 05:34:36: Cleaning up the call  
Jan 21 05:34:36: Usernames in all accounting requests are ok  
Jan 21 05:34:36: Processing originate/VoIP call leg  
Jan 21 05:34:36: Processing answer/VoIP call leg  
Jan 21 05:34:36: There are no unsaved CDRs for this call left  
Jan 21 05:34:36: Call '2BE0D591 1A16CB27 44715C1C 4683AF39/1' deleted from the cache  
Jan 21 05:34:36: Call 2BE0D591 1A16CB27 44715C1C 4683AF39/1 removed  
--CALL
```