



View Logs

Europe/Zurich

nicolas.jorand

Help

Close Error Report Objects

Logout

Call H323-conf-id 52030E8B 1FD69F0C BDA31125 DB90D3DA

Search log files for

Yesterday

 Include log file for the previous day in the search

View log

Current-time: Jan 21 00:21:24 PST (UTC -0800)
 H323-conf-id: 52030E8B 1FD69F0C BDA31125 DB90D3DA
 SIP Call-ID: 94.23.225.212-1263994480.244
 SIP Call-ID: cc37685e-6b778c0e@192.168.1.103
 Requests: 10

REQUEST--

```

Jan 20 05:34:39: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address      = '91.121.167.75'
User-Name          = '41215500311'
Called-Station-Id  = '0215040306'
Calling-Station-Id = '41215500311'
h323-conf-id       = '52030E8B 1FD69F0C BDA31125 DB90D3DA'
call-id           = 'cc37685e-6b778c0e@192.168.1.103'
Digest-Attributes = 'Realm = "91.121.167.75"'
Digest-Attributes = 'Nonce = "9d362ee5f7be908ae9b8209efd4f311c4b57066f"'
Digest-Attributes = 'Method = "INVITE"'
Digest-Attributes = 'URI = "sip:0215040306@fr5.youroute.net"'
Digest-Attributes = 'Algorithm = "MD5"'
Digest-Attributes = 'User-Name = "41215500311"'
Digest-Response    = '62920b0e5adb4c407386bd15e5e288d'
h323-remote-address = '92.107.112.91'
h323-session-protocol = 'sip2'
h323-ivr-out        = 'PortaBilling_Routing:SIP'
h323-ivr-out        = 'PortaBilling_AuthMethod:INVITE'
h323-ivr-out        = 'PortaBilling_Notify:NAT:rtp_level=3'
h323-ivr-out        = 'PortaBilling_Seed:4264474728'
NAS-Port           = '5060'
Jan 20 05:34:39: h323-conf-id=52030E8B 1FD69F0C BDA31125 DB90D3DA/1, call-id=cc37685e-6b778c0e@192.168.1.103/1
Jan 20 05:34:39: H323/SIP call, use h323-conf-id, but remember call-id
Jan 20 05:34:39: Checking if this call comes through a VoIP from vendor connection
Jan 20 05:34:39: No VoIP from vendor connections were found
Jan 20 05:34:39: PrepareNexecute 'AccountAuth'
Jan 20 05:34:39: SQL query 'AccountAuth' executed in 0.001896 seconds
Jan 20 05:34:39: Found Account: 41215500311[55289,credit,balance=44.84000,limit=none] of customer Swiss offices[16165,balance=601.61000,limit=700.00]
Jan 20 05:34:39: PrepareNexecute 'GetSessions'
Jan 20 05:34:39: SQL query 'GetSessions' executed in 0.000612 seconds
Jan 20 05:34:39: Account 41215500311 is not logged in yet
Jan 20 05:34:39: Verification of password using method 'digest_response': success
Jan 20 05:34:39: Applying customer dialing translation rule on CLD ...
Jan 20 05:34:39: Translation 'local_to_e164($_,{cc=>'41',dp=>'0',ip=>'00'})';# cc=41 dp=0 ip=00' applied: '0215040306' -> '41215040306'
Jan 20 05:34:39: PrepareNexecute 'AccountAuth'
Jan 20 05:34:39: SQL query 'AccountAuth' executed in 0.001897 seconds
Jan 20 05:34:39: CLD '41215040306' matching our account
Jan 20 05:34:39: Setting up a new charge with tariff 'business' ...
Jan 20 05:34:39: Using peak rate, since no off-peak is defined
Jan 20 05:34:39: PrepareNexecute 'GetPricePerDestination*'
Jan 20 05:34:39: SQL query 'GetPricePerDestination*' executed in 0.001743 seconds
Jan 20 05:34:39: Compute maximum call duration for leg Account 41215500311 to destination with funds 98.39 (customer funds 98.39)
Jan 20 05:34:39: Maximum call duration: unlimited announced as unlimited (-ls...) by rate 3429883 using 4264532817 as seed
Jan 20 05:34:39: Local termination 'PortaSIP': Checking follow-me for 41215040306 ...
Jan 20 05:34:39: Local termination 'PortaSIP': ... follow-me disabled for called account
Jan 20 05:34:39: PrepareNexecute 'GetSipServerAddress'
Jan 20 05:34:39: SQL query 'GetSipServerAddress' executed in 0.00085 seconds
Jan 20 05:34:39: CLD '41215040306' found registered on 94.23.225.212.
Jan 20 05:34:39: Use RTP Proxy according to policy 'Always' => 'On Nat': NAT Status of called/calling party doesn't matter
Jan 20 05:34:39: Logging in account '41215500311'(55289) to '52030E8B 1FD69F0C BDA31125 DB90D3DA'
Jan 20 05:34:39: PrepareNexecute 'AddSession'
Jan 20 05:34:39: SQL query 'AddSession' executed in 0.001021 seconds
Jan 20 05:34:39: Authentication acknowledge response
h323-ivr-in        = PortaBilling_Routing:@g-hunt=seq
h323-ivr-in        = PortaBilling_Routing: 41215040306@94.23.225.212;expires=300;credit-time=-1;forward-on-fail=yes;rtp=3;moh=1;patie
h323-billing-model = 0
h323-ivr-in        = Tariff:business
h323-ivr-in        = PortaBilling_CLI:41215500311
h323-ivr-in        = MOH:1
h323-ivr-in        = PortaBilling_Account:YES
h323-ivr-in        = PortaBilling_CompleteNumber:41215040306
h323-ivr-in        = PortaBilling_Auth_CLD:41215040306
h323-ivr-in        = PortaBilling_Auth_Reseller_CLD:41215040306
h323-return-code   = 13
h323-currency      = CHF
h323-preferred-lang = en
Jan 20 05:34:39: ...Done Authorize/INVITE in 0.025255 seconds, 0.008019 spent in SQL queries.
--REQUEST

```

REQUEST--

```

Jan 20 05:34:40: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address      = '94.23.225.212'
NAS-Port-Name      = 'SIP/91.121.167.75-6c758d90'
User-Name          = '91.121.167.75'
Called-Station-Id  = '41215040306'
Calling-Station-Id = '41215500311'
h323-conf-id       = '52030E8B 1FD69F0C BDA31125 DB90D3DA'
call-id           = '94.23.225.212-1263994480.244'
Password          = 'cisco'
h323-ivr-out        = 'PortaBilling_Routing:SIP'
Jan 20 05:34:40: h323-conf-id=52030E8B 1FD69F0C BDA31125 DB90D3DA/1, call-id=94.23.225.212-1263994480.244/1
Jan 20 05:34:40: Found a call in cache with such id
Jan 20 05:34:40: Authorization of the trusted node
Jan 20 05:34:40: IP based authorization, force 'plaintext' password verification
Jan 20 05:34:40: Verification of password using method 'plaintext': success
Jan 20 05:34:40: '91.121.167.75' is a trusted node's ID or IP, unable to use it as an account ID. Correct account ID should be available on the oth
Jan 20 05:34:40: PrepareNexecute 'AccountAuth'
Jan 20 05:34:40: SQL query 'AccountAuth' executed in 0.001884 seconds
Jan 20 05:34:40: Found Account: 41215500311[55289,credit,balance=44.84000,limit=none] of customer Swiss offices[16165,balance=601.61000,limit=700.00]
Jan 20 05:34:40: CLD '41215040306' matching our account
Jan 20 05:34:40: Local termination 'PortaSIP', after previous hop from PortaSIP node

```

```

Jan 20 05:34:40: PrepareNexecute 'GetSipServerAddress'
Jan 20 05:34:40: SQL query 'GetSipServerAddress' executed in 0.000833 seconds
Jan 20 05:34:40: CLD '41215040306' found registered on 94.23.225.212.
Jan 20 05:34:40: Don't use RTP Proxy, local policy not applied.
Jan 20 05:34:40: Authentication acknowledge response
h323-ivr-in          = PortaBilling_Routing:@g-hunt=seq
h323-ivr-in          = PortaBilling_Routing: 41215040306@94.23.225.212;expires=300;credit-time=-1;patience=20
h323-ivr-in          = PortaBilling_CacheExpiration:Never
h323-ivr-in          = PortaBilling_CLI:41215500311
h323-ivr-in          = PortaBilling_Account:YES
h323-ivr-in          = PortaBilling_CompleteNumber:41215040306
h323-ivr-in          = PortaBilling_Auth_CLD:41215040306
h323-ivr-in          = PortaBilling_Auth_Reseller_CLD:41215040306
h323-return-code     = 0
Jan 20 05:34:40: ...Done Authorize in 0.009982 seconds, 0.002717 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:34:43: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address       = '91.121.167.75'
User-Name            = '41215500311'
Called-Station-Id   = '41215040306'
Calling-Station-Id  = '41215500311'
Acct-Status-Type    = 'Start'
h323-call-origin    = 'originate'
h323-call-type      = 'VoIP'
h323-setup-time     = '13:34:40.037 GMT Wed Jan 20 2010'
h323-connect-time   = '13:34:43.493 GMT Wed Jan 20 2010'
h323-conf-id        = '52030E8B 1FD69F0C BDA31125 DB90D3DA'
call-id             = 'cc37685e-6b778c0e@192.168.1.103'
Acct-Session-Id     = 'cc37685e-6b778c0e@192.168.1.103'
Acct-Delay-Time     = '0'
h323-session-protocol = 'sipv2'
h323-remote-address = '94.23.225.212'
h323-ivr-out        = 'DURATION:7200'
h323-ivr-out        = 'PortaBilling_Auth_CLD:41215040306'
h323-ivr-out        = 'PortaBilling_Seed:4264474728'
alert-timepoint     = '13:34:41.837 GMT Wed Jan 20 2010'
NAS-Port            = '5060'
Exec-Program-Log    = 'porta-billing.pl'
Jan 20 05:34:43: h323-conf-id=52030E8B 1FD69F0C BDA31125 DB90D3DA/1, call-id=cc37685e-6b778c0e@192.168.1.103/1
Jan 20 05:34:43: Found a call in cache with such id
Jan 20 05:34:43: Copied account: 41215500311[55289,credit,balance=44.84000,limit=none] of customer Swiss offices[16165,balance=601.61000,limit=700.(
Jan 20 05:34:43: Fixing time with duration 0 seconds from connect time
Jan 20 05:34:43: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:34:43: SQL query 'GetActiveLegIdByAcct' executed in 0.001078 seconds
Jan 20 05:34:43: Looking up vendor/connection
Jan 20 05:34:43: Trying to match connection for call
Jan 20 05:34:43: Looking for a connection VoIP/originate
Jan 20 05:34:43: Outgoing VoIP, matching by the remote IP address '94.23.225.212' (env 1)
Jan 20 05:34:43: Call goes to our trusted node astrad.switzernet.com, on net leg
Jan 20 05:34:43: Connection to vendor not found
Jan 20 05:34:43: PrepareNexecute 'InsertActiveLeg'
Jan 20 05:34:43: SQL query 'InsertActiveLeg' executed in 0.000863 seconds
Jan 20 05:34:43: Accounting response
Jan 20 05:34:43: ...Done Accounting/Start/originate/VoIP in 0.008520 seconds, 0.001941 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:34:43: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address       = '91.121.167.75'
User-Name            = '41215500311'
Called-Station-Id   = '0215040306'
Calling-Station-Id  = '41215500311'
Acct-Status-Type    = 'Start'
h323-call-origin    = 'answer'
h323-call-type      = 'VoIP'
h323-setup-time     = '13:34:39.935 GMT Wed Jan 20 2010'
h323-connect-time   = '13:34:43.504 GMT Wed Jan 20 2010'
h323-conf-id        = '52030E8B 1FD69F0C BDA31125 DB90D3DA'
call-id             = 'cc37685e-6b778c0e@192.168.1.103'
Acct-Session-Id     = 'cc37685e-6b778c0e@192.168.1.103'
Acct-Delay-Time     = '0'
h323-session-protocol = 'sipv2'
h323-remote-address = '92.107.112.91'
h323-ivr-out        = 'PortaBilling_Seed:4264474728'
alert-timepoint     = '13:34:43.504 GMT Wed Jan 20 2010'
NAS-Port            = '5060'
Exec-Program-Log    = 'porta-billing.pl'
Jan 20 05:34:43: h323-conf-id=52030E8B 1FD69F0C BDA31125 DB90D3DA/1, call-id=cc37685e-6b778c0e@192.168.1.103/1
Jan 20 05:34:43: Found a call in cache with such id
Jan 20 05:34:43: Copied account: 41215500311[55289,credit,balance=44.84000,limit=none] of customer Swiss offices[16165,balance=601.61000,limit=700.(
Jan 20 05:34:43: Fixing time with duration 0 seconds from connect time
Jan 20 05:34:43: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:34:43: SQL query 'GetActiveLegIdByAcct' executed in 0.001046 seconds
Jan 20 05:34:43: Looking up vendor/connection
Jan 20 05:34:43: Trying to match connection for call
Jan 20 05:34:43: Looking for a connection VoIP/answer
Jan 20 05:34:43: VoIP, matching by the node IP '91.121.167.75' and User-Name '41215500311'
Jan 20 05:34:43: No VoIP from vendor connections were found
Jan 20 05:34:43: Connection to vendor not found
Jan 20 05:34:43: PrepareNexecute 'InsertActiveLeg'
Jan 20 05:34:43: SQL query 'InsertActiveLeg' executed in 0.000861 seconds
Jan 20 05:34:43: Accounting response
Jan 20 05:34:43: ...Done Accounting/Start/answer/VoIP in 0.008113 seconds, 0.001907 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:34:54: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address       = '91.121.167.75'
User-Name            = '41215500311'
Called-Station-Id   = '0215040306'
Calling-Station-Id  = '41215500311'
Acct-Status-Type    = 'Stop'
h323-call-origin    = 'answer'
h323-call-type      = 'VoIP'
h323-setup-time     = '13:34:39.935 GMT Wed Jan 20 2010'
h323-connect-time   = '13:34:42.935 GMT Wed Jan 20 2010'
h323-disconnect-time = '13:34:52.935 GMT Wed Jan 20 2010'
h323-disconnect-cause = '0'
h323-voice-quality   = '0'
h323-conf-id        = '52030E8B 1FD69F0C BDA31125 DB90D3DA'
call-id             = 'cc37685e-6b778c0e@192.168.1.103'
Acct-Session-Id     = 'cc37685e-6b778c0e@192.168.1.103'
Acct-Session-Time    = '10'
Acct-Delay-Time     = '0'

```

```

h323-session-protocol      = 'sipv2'
h323-remote-address       = '92.107.112.91'
h323-ivr-out               = 'PortaBilling_Seed:4264474728'
Acct-Terminate-Cause      = 'User-Request'
h323-ivr-out               = 'PortaBilling_Session:unlock'
alert-timepoint           = '13:34:43.504 GMT Wed Jan 20 2010'
NAS-Port                  = '5060'
Exec-Program-Log          = 'porta-billing.pl'
Jan 20 05:34:54: h323-conf-id=52030E8B 1FD69F0C BDA31125 DB90D3DA/1, call-id=cc37685e-6b778c0e@192.168.1.103/1
Jan 20 05:34:54: Found a call in cache with such id
Jan 20 05:34:54: Copied account: 41215500311[55289,credit,balance=44.84000,limit=none] of customer Swiss offices[16165,balance=601.61000,limit=700.]
Jan 20 05:34:54: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:34:54: SQL query 'GetActiveLegIdByAcct' executed in 0.001201 seconds
Jan 20 05:34:54: PrepareNexecute 'DeleteActiveLeg'
Jan 20 05:34:54: SQL query 'DeleteActiveLeg' executed in 0.000861 seconds
Jan 20 05:34:54: Force unlock requested by NAS
Jan 20 05:34:54: There have been authentication requests from more than one NAS
Jan 20 05:34:54: Scheduling 41215500311 for logout, call lifetime reduced to 15
Jan 20 05:34:54: PrepareNexecute 'GetSessions'
Jan 20 05:34:54: SQL query 'GetSessions' executed in 0.000505 seconds
Jan 20 05:34:54: Logging out account '41215500311'(55289) from '52030E8B 1FD69F0C BDA31125 DB90D3DA'
Jan 20 05:34:54: PrepareNexecute 'RemoveSession'
Jan 20 05:34:54: SQL query 'RemoveSession' executed in 0.001352 seconds
Jan 20 05:34:54: Set lifetime with 15s to Wed Jan 20 05:35:09 2010
Jan 20 05:34:54: Looking up vendor/connection
Jan 20 05:34:54: Trying to match connection for call
Jan 20 05:34:54: Looking for a connection VoIP/answer
Jan 20 05:34:54: VoIP, matching by the node IP '91.121.167.75' and User-Name '41215500311'
Jan 20 05:34:54: No VoIP from vendor connections were found
Jan 20 05:34:54: Connection to vendor not found
Jan 20 05:34:54: No connection from vendor
Jan 20 05:34:54: Accounting response
Jan 20 05:34:54: ...Done Accounting/Stop/answer/VoIP in 0.011864 seconds, 0.003919 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:34:54: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address            = '91.121.167.75'
User-Name                 = '41215500311'
Called-Station-Id        = '41215040306'
Calling-Station-Id       = '41215500311'
Acct-Status-Type         = 'Stop'
h323-call-origin         = 'originate'
h323-call-type            = 'VoIP'
h323-setup-time          = '13:34:40.037 GMT Wed Jan 20 2010'
h323-connect-time        = '13:34:43.037 GMT Wed Jan 20 2010'
h323-disconnect-time     = '13:34:53.037 GMT Wed Jan 20 2010'
h323-disconnect-cause    = '0'
h323-voice-quality       = '0'
h323-conf-id             = '52030E8B 1FD69F0C BDA31125 DB90D3DA'
call-id                  = 'cc37685e-6b778c0e@192.168.1.103'
Acct-Session-Id          = 'cc37685e-6b778c0e@192.168.1.103'
Acct-Session-Time        = '10'
Acct-Delay-Time           = '0'
h323-session-protocol    = 'sipv2'
h323-remote-address      = '94.23.225.212'
h323-ivr-out             = 'DURATION:7200'
h323-ivr-out             = 'PortaBilling_Auth_CLD:41215040306'
h323-ivr-out             = 'PortaBilling_Seed:4264474728'
Acct-Terminate-Cause     = 'User-Request'
alert-timepoint          = '13:34:41.837 GMT Wed Jan 20 2010'
NAS-Port                 = '5060'
Exec-Program-Log         = 'porta-billing.pl'
Jan 20 05:34:54: h323-conf-id=52030E8B 1FD69F0C BDA31125 DB90D3DA/1, call-id=cc37685e-6b778c0e@192.168.1.103/1
Jan 20 05:34:54: Found a call in cache with such id
Jan 20 05:34:54: Copied account: 41215500311[55289,credit,balance=44.84000,limit=none] of customer Swiss offices[16165,balance=601.61000,limit=700.]
Jan 20 05:34:54: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:34:54: SQL query 'GetActiveLegIdByAcct' executed in 0.001077 seconds
Jan 20 05:34:54: PrepareNexecute 'DeleteActiveLeg'
Jan 20 05:34:54: SQL query 'DeleteActiveLeg' executed in 0.000897 seconds
Jan 20 05:34:54: End of the outgoing call for logged in account. Waiting another outgoing call or hang up
Jan 20 05:34:54: Set lifetime with 15s to Wed Jan 20 05:35:09 2010
Jan 20 05:34:54: Looking up vendor/connection
Jan 20 05:34:54: Trying to match connection for call
Jan 20 05:34:54: Looking for a connection VoIP/originate
Jan 20 05:34:54: Outgoing VoIP, matching by the remote IP address '94.23.225.212' (env 1)
Jan 20 05:34:54: Call goes to our trusted node astrad.switzerland.com, on net leg
Jan 20 05:34:54: Connection to vendor not found
Jan 20 05:34:54: No connection to vendor - on-net call leg
Jan 20 05:34:54: Accounting response
Jan 20 05:34:54: ...Done Accounting/Stop/originate/VoIP in 0.008964 seconds, 0.001974 spent in SQL queries.
--REQUEST

CALL--
Jan 20 05:35:33: Removing call 52030E8B 1FD69F0C BDA31125 DB90D3DA/1
Jan 20 05:35:33: Scheduling 41215500311 for logout, call lifetime reduced to 15
Jan 20 05:35:33: PrepareNexecute 'GetSessions'
Jan 20 05:35:33: SQL query 'GetSessions' executed in 0.000491 seconds
Jan 20 05:35:33: Cleaning up the call
Jan 20 05:35:33: Usernames in all accounting requests are ok
Jan 20 05:35:33: Processing answer/VoIP call leg
Jan 20 05:35:33: Processing answer/VoIP call leg
Jan 20 05:35:33: Skipping Start accounting
Jan 20 05:35:33: Processing originate/VoIP call leg
Jan 20 05:35:33: Processing originate/VoIP call leg
Jan 20 05:35:33: Skipping Start accounting
Jan 20 05:35:33: No outgoing connections to vendor, on-net call
Jan 20 05:35:33: Updating account usage of '41215500311' with 'Wed Jan 20 05:35:33 2010'
Jan 20 05:35:33: PrepareNexecute 'UpdateAccountUsage'
Jan 20 05:35:33: SQL query 'UpdateAccountUsage' executed in 0.000868 seconds
Jan 20 05:35:33: Inserting on-net CDR for this call
Jan 20 05:35:33: Inserting CDR
Jan 20 05:35:33: PrepareNexecute 'InsertOnNetCDR'
Jan 20 05:35:33: SQL query 'InsertOnNetCDR' executed in 0.000989 seconds
Jan 20 05:35:33: PrepareNexecute 'GetEnvMail'
Jan 20 05:35:33: SQL query 'GetEnvMail' executed in 0.000224 seconds
Jan 20 05:35:33: PrepareNexecute 'MailAlarm'
Jan 20 05:35:33: SQL query 'MailAlarm' executed in 0.000197 seconds
Jan 20 05:35:33: There are no recipients of mail alarms with type 'MIS_GENERAL'
Jan 20 05:35:33: Call '52030E8B 1FD69F0C BDA31125 DB90D3DA/1' deleted from the cache
Jan 20 05:35:33: Call 52030E8B 1FD69F0C BDA31125 DB90D3DA/1 removed
--CALL

REQUEST--
Jan 20 05:35:54: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address            = '94.23.225.212'

```

```

User-Name = '91.121.167.75'
Called-Station-Id = '41215040306'
Calling-Station-Id = '41215500311'
Acct-Status-Type = 'Start'
h323-call-origin = 'originate'
h323-call-type = 'VoIP'
h323-setup-time = '13:34:40 GMT Wed Jan 20 2010'
h323-conf-id = '52030E8B 1FD69F0C BDA31125 DB90D3DA'
call-id = '94.23.225.212-1263994480.244'
session-protocol = 'sipv2'
h323-remote-address = 'sip-ua'
Exec-Program-Log = 'porta-billing.pl'
Jan 20 05:35:54: fixup: Using value '13:34:40 GMT Wed Jan 20 2010' to supply missing h323-connect-time attribute in Start accounting
Jan 20 05:35:54: h323-conf-id=52030E8B 1FD69F0C BDA31125 DB90D3DA/1, call-id=94.23.225.212-1263994480.244/1
Jan 20 05:35:54: H323/SIP call, use h323-conf-id, but remember call-id
Jan 20 05:35:54: Fixing time with duration 0 seconds from connect time
Jan 20 05:35:54: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:35:54: SQL query 'GetActiveLegIdByAcct' executed in 0.001095 seconds
Jan 20 05:35:54: '91.121.167.75' is a trusted node's ID or IP, unable to use it as an account ID. Correct account ID should be available on the othe
Jan 20 05:35:54: Looking up vendor/connection
Jan 20 05:35:54: Trying to match connection for call
Jan 20 05:35:54: Looking for a connection VoIP/originate
Jan 20 05:35:54: Outgoing VoIP, matching by the remote IP address 'SIP-UA' (env 1)
Jan 20 05:35:54: Found connection 154 'SIP UA <-> SIP UA' to vendor 'Switzerland'
Jan 20 05:35:54: Found vendor/connection
Jan 20 05:35:54: PrepareNexecute 'InsertActiveLeg'
Jan 20 05:35:54: SQL query 'InsertActiveLeg' executed in 0.000849 seconds
Jan 20 05:35:54: Accounting response
Jan 20 05:35:54: ...Done Accounting/Start/originate/VoIP in 0.007376 seconds, 0.001944 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:35:59: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address = '94.23.225.212'
User-Name = '91.121.167.75'
Called-Station-Id = '41215040306'
Calling-Station-Id = '41215500311'
Acct-Status-Type = 'Start'
h323-call-origin = 'answer'
h323-call-type = 'VoIP'
h323-setup-time = '13:34:40 GMT Wed Jan 20 2010'
h323-conf-id = '52030E8B 1FD69F0C BDA31125 DB90D3DA'
call-id = '94.23.225.212-1263994480.244'
session-protocol = 'sipv2'
h323-remote-address = '91.121.167.75'
Exec-Program-Log = 'porta-billing.pl'
Jan 20 05:35:59: fixup: Using value '13:34:40 GMT Wed Jan 20 2010' to supply missing h323-connect-time attribute in Start accounting
Jan 20 05:35:59: h323-conf-id=52030E8B 1FD69F0C BDA31125 DB90D3DA/1, call-id=94.23.225.212-1263994480.244/1
Jan 20 05:35:59: Found a call in cache with such id
Jan 20 05:35:59: Fixing time with duration 0 seconds from connect time
Jan 20 05:35:59: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:35:59: SQL query 'GetActiveLegIdByAcct' executed in 0.001156 seconds
Jan 20 05:35:59: '91.121.167.75' is a trusted node's ID or IP, unable to use it as an account ID. Correct account ID should be available on the othe
Jan 20 05:35:59: Looking up vendor/connection
Jan 20 05:35:59: Trying to match connection for call
Jan 20 05:35:59: Looking for a connection VoIP/answer
Jan 20 05:35:59: VoIP, matching by the node IP '94.23.225.212' and User-Name '91.121.167.75'
Jan 20 05:35:59: No VoIP from vendor connections were found
Jan 20 05:35:59: Connection to vendor not found
Jan 20 05:35:59: PrepareNexecute 'InsertActiveLeg'
Jan 20 05:35:59: SQL query 'InsertActiveLeg' executed in 0.000903 seconds
Jan 20 05:35:59: Accounting response
Jan 20 05:35:59: ...Done Accounting/Start/answer/VoIP in 0.007279 seconds, 0.002059 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:36:04: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address = '94.23.225.212'
User-Name = '91.121.167.75'
Called-Station-Id = '41215040306'
Calling-Station-Id = '41215500311'
Acct-Status-Type = 'Stop'
h323-call-origin = 'originate'
h323-call-type = 'VoIP'
h323-setup-time = '13:34:40 GMT Wed Jan 20 2010'
h323-connect-time = '13:34:43 GMT Wed Jan 20 2010'
h323-disconnect-time = '13:34:54 GMT Wed Jan 20 2010'
h323-disconnect-cause = '10'
h323-conf-id = '52030E8B 1FD69F0C BDA31125 DB90D3DA'
call-id = '94.23.225.212-1263994480.244'
Acct-Session-Time = '11'
session-protocol = 'sipv2'
h323-remote-address = 'sip-ua'
Exec-Program-Log = 'porta-billing.pl'
Jan 20 05:36:04: h323-conf-id=52030E8B 1FD69F0C BDA31125 DB90D3DA/1, call-id=94.23.225.212-1263994480.244/1
Jan 20 05:36:04: Found a call in cache with such id
Jan 20 05:36:04: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:36:04: SQL query 'GetActiveLegIdByAcct' executed in 0.001141 seconds
Jan 20 05:36:04: PrepareNexecute 'DeleteActiveLeg'
Jan 20 05:36:04: SQL query 'DeleteActiveLeg' executed in 0.000886 seconds
Jan 20 05:36:04: User-Name needs correction. Postponing.
Jan 20 05:36:04: Accounting response
Jan 20 05:36:04: ...Done Accounting/Stop/originate/VoIP in 0.006784 seconds, 0.002027 spent in SQL queries.
--REQUEST

REQUEST--
Jan 20 05:36:09: Processing request (BE ver1.245.2.11,pid15598):
NAS-IP-Address = '94.23.225.212'
User-Name = '91.121.167.75'
Called-Station-Id = '41215040306'
Calling-Station-Id = '41215500311'
Acct-Status-Type = 'Stop'
h323-call-origin = 'answer'
h323-call-type = 'VoIP'
h323-setup-time = '13:34:40 GMT Wed Jan 20 2010'
h323-connect-time = '13:34:43 GMT Wed Jan 20 2010'
h323-disconnect-time = '13:34:54 GMT Wed Jan 20 2010'
h323-disconnect-cause = '10'
h323-conf-id = '52030E8B 1FD69F0C BDA31125 DB90D3DA'
call-id = '94.23.225.212-1263994480.244'
Acct-Session-Time = '11'
session-protocol = 'sipv2'
h323-remote-address = '91.121.167.75'
Exec-Program-Log = 'porta-billing.pl'
Jan 20 05:36:09: h323-conf-id=52030E8B 1FD69F0C BDA31125 DB90D3DA/1, call-id=94.23.225.212-1263994480.244/1
Jan 20 05:36:09: Found a call in cache with such id

```

```
Jan 20 05:36:09: Copying randomization seed '25578' into request's PortaBilling_Seed attribute
Jan 20 05:36:09: PrepareNexecute 'GetActiveLegIdByAcct'
Jan 20 05:36:09: SQL query 'GetActiveLegIdByAcct' executed in 0.00158 seconds
Jan 20 05:36:09: PrepareNexecute 'DeleteActiveLeg'
Jan 20 05:36:09: SQL query 'DeleteActiveLeg' executed in 0.000886 seconds
Jan 20 05:36:09: User-Name needs correction. Postponing.
Jan 20 05:36:09: Accounting response
Jan 20 05:36:09: ...Done Accounting/Stop/answer/VoIP in 0.007681 seconds, 0.002466 spent in SQL queries.
--REQUEST

CALL--
Jan 20 05:36:35: Removing call 52030E8B 1FD69F0C BDA31125 DB90D3DA/1
Jan 20 05:36:35: No logged in accounts, call lifetime reduced to 15
Jan 20 05:36:35: Cleaning up the call
Jan 20 05:36:35: No request from trusted node to recover username
Jan 20 05:36:35: PrepareNexecute 'MailAlarm'
Jan 20 05:36:35: SQL query 'MailAlarm' executed in 0.000231 seconds
Jan 20 05:36:35: There are no receipts of mail alarms with type 'UNKN'
Jan 20 05:36:35: Processing originate/VoIP call leg
Jan 20 05:36:35: Skipping Start accounting
Jan 20 05:36:35: Processing answer/VoIP call leg
Jan 20 05:36:35: Skipping Start accounting
Jan 20 05:36:35: Processing answer/VoIP call leg
Jan 20 05:36:35: Found not billed accounting request with the duration more than zero - bill it now
Jan 20 05:36:35: Looking up vendor/connection
Jan 20 05:36:35: Trying to match connection for call
Jan 20 05:36:35: Looking for a connection VoIP/answer
Jan 20 05:36:35: VoIP, matching by the node IP '94.23.225.212' and User-Name '91.121.167.75'
Jan 20 05:36:35: No VoIP from vendor connections were found
Jan 20 05:36:35: Connection to vendor not found
Jan 20 05:36:35: Charging call ...
Jan 20 05:36:35: This is incoming call, bill only vendor
Jan 20 05:36:35: Vendor is undefined (on-net call?), call is not billed
Jan 20 05:36:35: Processing originate/VoIP call leg
Jan 20 05:36:35: Found not billed accounting request with the duration more than zero - bill it now
Jan 20 05:36:35: Looking up vendor/connection
Jan 20 05:36:35: Trying to match connection for call
Jan 20 05:36:35: Looking for a connection VoIP/originate
Jan 20 05:36:35: Outgoing VoIP, matching by the remote IP address 'SIP-UA' (env 1)
Jan 20 05:36:35: Found connection 154 'SIP UA <-> SIP UA' to vendor 'Switzernet'
Jan 20 05:36:35: Found vendor/connection
Jan 20 05:36:35: Applying connection translation rule on CLD ...
Jan 20 05:36:35: Translation 's/^00//; s/^0/41/;' applied: '41215040306' unchanged
Jan 20 05:36:35: Charging call ...
Jan 20 05:36:35: '91.121.167.75' is a trusted node's ID or IP, unable to use it as an account ID. Correct account ID should be available on the othe
Jan 20 05:36:35: Setting up a new charge with tariff 'SIP Termination' ...
Jan 20 05:36:35: Using peak rate, since no off-peak is defined
Jan 20 05:36:35: PrepareNexecute 'GetPricePerDestination*'
Jan 20 05:36:35: SQL query 'GetPricePerDestination*' executed in 0.001584 seconds
Jan 20 05:36:35: Calculating vendor's charge by tariff 'SIP Termination'
Jan 20 05:36:35: Call to '41215040306' with duration 11 seconds will be charged for 11 seconds and cost is 0 (1x1x0+10x1x0) by rate 2503127 using 8:
Jan 20 05:36:35: Attempt to charge call with unknown Account, Customer
Jan 20 05:36:35: Charging vendor for the call
Jan 20 05:36:35: Charging vendor 32 'Switzernet' 0
Jan 20 05:36:35: Inserting CDR
Jan 20 05:36:35: PrepareNexecute 'InsertVendorCDR'
Jan 20 05:36:35: SQL query 'InsertVendorCDR' executed in 0.001143 seconds
Jan 20 05:36:35: PrepareNexecute 'UpdateVendorBalance'
Jan 20 05:36:35: SQL query 'UpdateVendorBalance' executed in 0.000417 seconds
Jan 20 05:36:35: There are no unsaved CDRs for this call left
Jan 20 05:36:35: Call '52030E8B 1FD69F0C BDA31125 DB90D3DA/1' deleted from the cache
Jan 20 05:36:35: Call 52030E8B 1FD69F0C BDA31125 DB90D3DA/1 removed
--CALL
```